For KCC Use:	1-21 57
Effective Date:	1-31-01
District #	5
SGA? XYes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed

NOTICE OF INTENT TO DRILL

xpected Spud Date	February month	6 day	2007 veer	Spot	1	31 2		ast
	/	uay	you	S2SW NWNE SE				Vest
PERATOR: License# 3473	3 /			2062.5 1155		N/VSL		
ime. William I. Wax					_	'E /	ine of Section	ı
Idress: P. O. Box 276				Is SECTIONRegula	irirregula	17		
ldress: P. O. Box 276 ty/State/Zip: McCune, KS (66753				well on the Section	Plat on reverse s	side)	
ntact Person. Bill Wax				County: Crawford		**.	VIAION	
one: 620-724-3400				Lease Name: Mullen		Well	#: YW80	
NTRACTOR: License#_3	473			Field Name: McCune	***			
me: Co. Tools				Is this a Prorated / Spaced Target Formation(s): Cattle	emen		Yes 🕨	<u>′</u>]No
Well Drilled For:	Well Class:	Type	Equipment:	Nearest Lease or unit bour	ndary: 165			
			lud Rotary	Ground Surface Elevation:_			feet	_
	=	<u></u>	ir Rotary	Water well within one-quart			Yes	=
Gas Storage OWWO Disposal	\boxminus		ar Hotary -	Public water supply well wit	thin one mile:		Yes 🛩	No
Seismic;# of H	<u> </u>	\Box_{c}	- GOIO	Depth to bottom of fresh w	ater: 7 / 00 -	1		
Other# of Fi	Orea C Other			Depth to bottom of usable	water: 1000	-		
Otriei	***			Surface Pipe by Alternate:		20		
OWWO: old well information	on as follows:			Length of Surface Pipe Pla	anned to be set:	EU .		
Operator: N/A				Length of Conductor Pipe	required:			
Well Name:				Projected Total Depth: 250	A			
Original Completion Date	e:(Original Total	Depth:					
			Yes V No	Water Source for Drilling O	perations:	_		
rectional, Deviated or Hori				Well Farm Por	nd Other Al	<u> </u>		
Yes, true vertical depth:				DWR Permit #:				
ottom Hole Location:					Apply for Permit wi	th DWR ()		.
CC DKT #:	***			Will Cores be taken?		•-	Yes	' No
				If Yes, proposed zone:		KANSID - R	ECE.	
								_
			AFF	IDAVIT		AN CON	OPATIEL)
e undersigned hereby aff	firms that the dri	illing, comple	AFF	IDAVIT lugging of this well will comply	with K.S.A. 55 e	et. seq. JAA	ORATION CO) Dian
ne undersigned hereby aff	firms that the dri	illing, comple	AFF etion and eventual p	IDAVIT lugging of this well will comply	with K.S.A. 55 e	et. seq. JAN	PORATION CO) MM
ne undersigned hereby affi	firms that the dri	illing, comple pirements wi	AFF etion and eventual p II be met:	IDAVIT lugging of this well will comply	with K.S.A. 55 e	KANSAS CORF et. seq. JAN CONSERVA	PORATION CO 2 6 2007) MM,
ne undersigned hereby affi is agreed that the followin 1. Notify the appropriate 2. A copy of the approve	firms that the dri ng minimum requ e district office p ed notice of inte	illing, comple uirements wi orior to spud ont to drill sh	AFF etion and eventual p ill be met: Iding of well; iall be posted on ea	IDAVIT lugging of this well will comply ch drilling rig;	with K.S.A. 55 e	et. seq. JAN CONSERVATI WICH	PORATION CO 2 6 2007 PONDUE) PMM,
ne undersigned hereby affice agreed that the followin 1. Notify the appropriate 2. A copy of the approv 3. The minimum amoun	firms that the dring minimum requesting a district office per defent to finte to for the surface pipe	illing, comple uirements wi orior to spud ont to drill sh as specifie	AFF etion and eventual p ill be met: Iding of well; iall be posted on ea	IDAVIT lugging of this well will comply ch drilling rig; t by circulating cement to the	with K.S.A. 55 e	et. seq. JAN CONSERVAT WICHT surface pipe	ORATION CO 26 2007 ON DIVISION) PMM, ,
Notify the appropriate A copy of the approve The minimum amounthrough all unconsolie	e district office p ed notice of inte it of surface pipe dated materials	ent to drill <i>sh</i> e as specifie plus a minin	iding of well; h all be posted on ea hd below shall be s a num of 20 feet into t	ch drilling rig; of by circulating cement to the he underlying formation.	top; in all cases	Surface pipe	ON DIVISION	,
 Notify the appropriate A copy of the approve The minimum amoun through all unconsolie If the well is dry hole 	e district office p ed notice of inte it of surface pipe dated materials e, an agreement	ent to drill sh e as specifie plus a minin between the	iding of well; iall be posted on ea id below shall be so num of 20 feet into t e operator and the o	ch drilling rig; ∌f by circulating cement to the he underlying formation. district office on plug length ar	top; in all cases	Surface pipe	ON DIVISION	,
 Notify the appropriate A copy of the approve The minimum amoun through all unconsolie If the well is dry hole The appropriate distr 	e district office p ed notice of inte it of surface pipe dated materials e, an agreement ict office will be	ent to spudent to drill shape as specified plus a minim between the notified before the control of the control	iding of well; iall be posted on ea id below shall be so num of 20 feet into t e operator and the co ore well is either pluc	ch drilling rig; If by circulating cement to the the underlying formation. Istrict office on plug length ar typed or production casing is o	top; in all cases d placement is a mented in;	surface pipe	ON DIVISION TO Pluggin	rg;
 Notify the appropriate A copy of the approve The minimum amoun through all unconsolie If the well is dry hole The appropriate district If an ALTERNATE III 	ed notice of inte ed notice of inte at of surface pipe dated materials e, an agreement ict office will be COMPLETION,	ent to drill shape as specified plus a minim between the notified before production prod	iding of well; sall be posted on ea do below shall be se num of 20 feet into t e operator and the c ore well is either pluc pipe shall be cemen	ch drilling rig; If by circulating cement to the the underlying formation. Istrict office on plug length ar tyged or production casing is of the form below any usable wa	top; in all cases and placement is a amented in; ter to surface wi	surface pipe necessary prio	ON DIVERSITY OF TO Pluggin	/ ng;
Notify the appropriate A copy of the approv. The minimum amoun through all unconsolid. If the well is dry hole The appropriate distriction. If an ALTERNATE II or pursuant to Appen.	e district office p ed notice of inte it of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Eastel	ont to drill sh as specified plus a minimal between the notified before production productions	iding of well; sall be posted on ea do below shall be se num of 20 feet into t e operator and the c ore well is either pluc pipe shall be cemen urface casing order	ch drilling rig; If by circulating cement to the he underlying formation. Istrict office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to	top; in all cases and placement is a mented in; ter to surface with	surface pipe necessary prior thin 120 days at 3 area, altern	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approv The minimum amoun through all unconsolid If the well is dry hole The appropriate district If an ALTERNATE II or pursuant to Apper must be completed w	ed instrict office p ed notice of inte int of surface pipe dated materials an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of	ent to drill she as specifie plus a minin between the notified befo production p rn Kansas s the spud da	iding of well; sall be posted on ea id below shall be sa num of 20 feet into the operator and the core well is either plug bipe shall be cement ourface casing order ate or the well shall	ch drilling rig; If by circulating cement to the he underlying formation. district office on plug length ar aged or production casing is or ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NC	top; in all cases and placement is a mented in; ter to surface with	surface pipe necessary prior thin 120 days at 3 area, altern	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approv The minimum amoun through all unconsolid If the well is dry hole The appropriate district if an ALTERNATE II or pursuant to Apper must be completed w	ed instrict office p ed notice of inte int of surface pipe dated materials an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of	ent to drill she as specifie plus a minin between the notified befo production p rn Kansas s the spud da	iding of well; sall be posted on ea id below shall be sa num of 20 feet into the operator and the core well is either plug bipe shall be cement ourface casing order ate or the well shall	ch drilling rig; If by circulating cement to the he underlying formation. Istrict office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to	top; in all cases and placement is a mented in; ter to surface with	surface pipe necessary prior thin 120 days at 3 area, altern	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approv The minimum amoun through all unconsolic If the well is dry hole The appropriate district if an ALTERNATE II of Or pursuant to Appen must be completed we mereby certify that the stars.	ed notice of inte ed notice of inte it of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of tements made h	when to spuce on to drill she as specifie plus a minin between the notified before production production production of the spud determined are true.	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; If by circulating cement to the he underlying formation. district office on plug length ar aged or production casing is or ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NC	top; in all cases and placement is a mented in; ter to surface wi the KCC District OTIFY district of	surface pipe necessary prior thin 120 days at 3 area, altern	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approv The minimum amoun through all unconsolic If the well is dry hole The appropriate district if an ALTERNATE II of Or pursuant to Appen must be completed we mereby certify that the stars.	ed instrict office p ed notice of inte int of surface pipe dated materials an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of	when to spuce on to drill she as specifie plus a minin between the notified before production production production of the spud determined are true.	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO	top; in all cases and placement is a mented in; ter to surface with	surface pipe necessary prior thin 120 days at 3 area, altern	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approve The minimum amoun through all unconsolic If the well is dry hole The appropriate distr ff an ALTERNATE III Or pursuant to Apper must be completed were by certify that the star	ed notice of inte ed notice of inte it of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of tements made h	when to spuce on to drill she as specifie plus a minin between the notified before production production production of the spud determined are true.	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is or ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO province of the complete of	top; in all cases ad placement is a mented in; ter to surface with the KCC District OTIFY district of	surface piper necessary <i>prio</i> thin 120 days at 3 area, altern fice prior to an	ON DIVERSITY OF TO Pluggin of spud date in ceme	/ n g; nting
Notify the appropriate A copy of the approv. The minimum amoun through all unconsolic If the well is dry hole The appropriate distriction of the appropriate of the an ALTERNATE II of the appropriate of the an ALTERNATE II of the appropriate of the analysis of the appropriate of the analysis of the appropriate of t	e district office p ed notice of inte it of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easte within 30 days of tements made h	what to drill she as specifie plus a minim between the notified before production production production are Kansas so the spud date are in are the component or the spud date of	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; at by circulating cement to the the underlying formation. district office on plug length ar gged or production casing is of the drom below any usable wa #133,891-C, which applies to the plugged. In all cases, NO province of the drom below Remember to: - File Drill Pit Application (fi	top; in all cases ad placement is a amented in; ter to surface with the KCC District DTIFY district of Title:	surface pipe an ecessary prior thin 120 days at 3 area, alternifice prior to an element to Drill;	or to pluggin of spud date nate II ceme by cementing	<i>rg; :.</i> ntinç
Notify the appropriate A copy of the approve The minimum amoun through all unconsolic If the well is dry hole The appropriate distr ff an ALTERNATE III Or pursuant to Apper must be completed were by certify that the star	ed instrict office ped notice of intended notice of intended notice of intended notice into the decided materials an agreement ict office will be COMPLETION, ndix "B" - Easter within 30 days of the ments made here. Signature of Company of the co	prior to spucifie and to drill she as specifie plus a minim between the notified before production	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; at by circulating cement to the the underlying formation. district office on plug length ar gged or production casing is of the drom below any usable wa #133,891-C, which applies to the plugged. In all cases, NO reference of the drom below and the lief. Remember to: File Drill Pit Application (file File Completion Form AC	top; in all cases ad placement is a mented in; ter to surface with the KCC District of Title: Title: orm CDP-1) with 1 O-1 within 120 da	necessary prior thin 120 days tt 3 area, alterr fice prior to an	or to pluggin of spud date nate II ceme by cementing	<i>rg; :.</i> ntinç
1. Notify the appropriate 2. A copy of the approv. 3. The minimum amoun through all unconsolie 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE II of Or pursuant to Apper must be completed we hereby certify that the state: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6	e district office p ed notice of inte it of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easte within 30 days of tements made h	prior to spucifie and to drill she as specifie plus a minim between the notified before production	iding of well; iall be posted on ea id below shall be si inum of 20 feet into t e operator and the c ire well is either plus pipe shall be cemen jurface casing order ate or the well shall ue and to the best of	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO ref recowledge and belief. Remember to: File Drill Pit Application (for File Completion Form AC File acreage attribution p	top; in all cases ad placement is a mented in; ter to surface with the KCC District OTIFY district of Title: Dorm CDP-1) with O-1 within 120 data according to f	necessary prior thin 120 days of tt 3 area, alterr fice prior to an	or to pluggir of spud date nate II ceme nate IV cementing	/ n g; ntinç
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE III Or pursuant to Apper must be completed we hereby certify that the start ate: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required	edistrict office ped notice of interest of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easte within 30 days of terments made here Signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here Signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here Signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here Signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here Signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature of COMPLETION, ndix "B" - Leaste within 30 days of terments made here signature within 30 days of terments made here signature within 30 days of terments made here within 30 days of terments made here within 30 days of terments made here within 30 days of terment	prior to spuce of the total shape as specifie plus a minim between the notified before production p	iding of well; iall be posted on ea a did below shall be sent and the content of 20 feet into the operator and the content of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be a well shall be	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO ref recowledge and belief. Remember to: File Drill Pit Application (for File Completion Form AC File acreage attribution p Notify appropriate district	top; in all cases ad placement is a mented in; ter to surface with the KCC District OTIFY district of Title: OTM CDP-1) with O-1 within 120 data according to fo	necessary prior thin 120 days of thin 120 days of thin 120 days of thin 120 days thin	or to plugginate II cementing cementing	<i>rg; :.</i> ntinç
1. Notify the appropriate 2. A copy of the approviate 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE II of Or pursuant to Apper must be completed whereby certify that the standard ate: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required Minimum surface pipe required	ed instrict office ped notice of intended materials an agreement ict office will be COMPLETION, ndix "B" - Easte within 30 days of itements made here agreement of COMPLETION and the completion of the completion of COMPLETION and th	prior to spuce of the total shape as specifie plus a minim between the notified before production p	iding of well; iall be posted on each delow shall be set of 20 feet into the operator and the core well is either plugible shall be cementate or the well shall use and to the best of Agent:	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO ref recowledge and belief. Remember to: File Drill Pit Application (for File Completion Form AC File acreage attribution p	top; in all cases ad placement is a mented in; ter to surface with the KCC District DTIFY district of Title: DTIFY district of Title: DOTHED TO BE TO BE DOTHED	surface pipe an ecessary prior thin 120 days of the prior to an example of spud data field proration or to workovering is completed.	or to plugginate II cementary cementing	<i>rg; :.</i> ntinç
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate distr 6. If an ALTERNATE III Or pursuant to Apper must be completed whereby certify that the state: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required Minimum surface pipe req Approved by: Pur F2	e district office p ed notice of inte ed notice of inte ed of surface pipe dated materials e, an agreement ict office will be COMPLETION, ndix "B" - Easte vithin 30 days of tements made h Signature of 0	prior to spuce of the total shape as specifie plus a minim between the notified before production p	iding of well; iall be posted on ea a did below shall be sent and the content of 20 feet into the operator and the content of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be a well shall be	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is or ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO recovered and belief. Remember to: - File Drill Pit Application (fi - File Completion Form AC - File acreage attribution p - Notify appropriate district - Submit plugging report (Ci	top; in all cases and placement is a semented in; ter to surface with the KCC District of Title: Title: Title: On CDP-1) with 10-1 within 120 data according to foffice 48 hours popeling of the company of the compa	necessary prior thin 120 days of thin 120 days of thin 120 days of thin 120 days thin	e; ro re-entry; water.	<i>rg; :.</i> ntinç
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE II of Or pursuant to Apper must be completed with the reby certify that the state: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required Minimum surface pipe req Approved by: Public 1-2 This authorization expires:	ed instrict office ped notice of intended notice of intended notice of intended notice of intended notice office will be COMPLETION, notix "B" - Easter within 30 days of internents made in Signature of COMPLETION Notice	prior to spucifie and to drill she as specifie plus a minim between the notified before production	adil be posted on ea aid below shall be senum of 20 feet into the operator and the core well is either plugoipe shall be cementate or the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and the well shall be a wel	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NO Who would ge and belief. Remember to: File Drill Pit Application (for File Completion Form AC File acreage attribution p Notify appropriate district Submit plugging report (C	top; in all cases and placement is a mented in; ter to surface with the KCC District of the KCC District of Title: Title: Title: On CDP-1) with 10-1 within 120 data according to for office 48 hours p (P-4) after plugging for disposing of (See: authorized)	necessary prior thin 120 days of thin 120 days of thin 120 days thin 120	e; ro re-entry; water.	/ n g; ntinç
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE III Or pursuant to Appermust be completed with the completed with the state: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required Minimum surface pipe req Approved by: Pur F2	ed instrict office ped notice of intended notice of intended notice of intended notice of intended notice office will be COMPLETION, notix "B" - Easter within 30 days of internents made in Signature of COMPLETION Notice	prior to spucifie and to drill she as specifie plus a minim between the notified before production	adil be posted on ea aid below shall be senum of 20 feet into the operator and the core well is either plugoipe shall be cementate or the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and the well shall be a wel	ch drilling rig; at by circulating cement to the he underlying formation. district office on plug length ar gged or production casing is of ted from below any usable wa #133,891-C, which applies to be plugged. In all cases, NC Fine prowledge and belief. Remember to: File Drill Pit Application (file File Completion Form AC File acreage attribution p Notify appropriate district Submit plugging report (C Obtain written approval b If this permit has expired check the box below and	top; in all cases and placement is a amented in; ter to surface with the KCC District of a surface. Title: Title: Title: O-1 within 120 data according to for disposing of gefore disposing of geturn to the addresses.	necessary prior thin 120 days of thin 120 days of thin 120 days thin 120	e; ro re-entry; water.	/ n g; nting
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE II of Or pursuant to Apper must be completed with the reby certify that the start ate: 1/24/07 For KCC Use ONLY API # 15 - 037 - 6 Conductor pipe required Minimum surface pipe req Approved by: Public 1-2 This authorization expires:	ed instrict onice ped notice of intended notice office will be COMPLETION, notix "B" - Easter within 30 days of itements made in Signature of COMPLETION NOTICE OF TOTAL O	prior to spucifie and to drill she as specifie plus a minim between the notified before production	adil be posted on ea aid below shall be senum of 20 feet into the operator and the core well is either plugoipe shall be cementate or the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and to the best of the well shall be and the well shall be a wel	ch drilling rig; at by circulating cement to the the underlying formation. district office on plug length ar gged or production casing is or ted from below any usable wa #133,891-C, which applies to the plugged. In all cases, NO Remember to: File Drill Pit Application (fi File Completion Form AC File acreage attribution p Notify appropriate district Submit plugging report (fi Obtain written approval b If this permit has expired	top; in all cases and placement is a samented in; ter to surface with the KCC District of the common the common terminal cases and the case of the	necessary prior thin 120 days of thin 120 days of thin 120 days thin 120	e; ro re-entry; water.	/ n g; nting


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 037-21873-0000	Location of Well: County: Crawford
Operator: William T. Wax	2062.5 feet from N / V S Line of Section
Lease: Mullen	1155 feet from E / W Line of Section
Well Number: YW80	Sec1 Twp31 S. R21
Field: McCune	_
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: S2SW - NWNE - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: William T. Wax			License Number: 3473			
Operator Address: P. O. Box 276 McCune, KS 66753						
Contact Person: Bill Wax			Phone Number: (620) 724 - 3400			
Lease Name & Well No.: Mullen YW80			Pit Location (QQQQ):			
Type of Pit:	Pit is:		szsw . NW . NE . SE			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 1 Twp. 31 R. 21			
Settling Pit Drilling Pit	If Existing, date constructed:		2062.5 Feet from North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit			1155 Feet from F East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Crawford			
Is the pit located in a Sensitive Ground Water	Area? Yes	No-	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	N-	How is the pit lined if a plastic liner is not used?			
Yes No	∐ Yes 🖍		Native Clay			
Pit dimensions (all but working pits):		eet)3	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point: 6	(feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure. N/A		Describe proce liner integrity, i	conservation (1991) Including any special monitoring. Including any special monitoring and special monitoring. Including any special monitoring and speci			
		Depth to shallo Source of info	.			
N/A feet Depth of water well feet		meast	ıred well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:]	over and Haul-Off Pits ONLY:			
Producing Formation:			al utilized in drilling/workover: AIR			
		Number of working pits to be utilized: 1 Abandonment procedure: Backfill when dry				
Barrels of fluid produced daily:		Abandonment	procedure: Saskiii Wildingty [
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/24/07 Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
Date Received: \\26 67 Permit Num	iber:	Perm	it Date: 1/86 67 Lease Inspection: Yes [V] No			