### For KCC Use: Effective Date: District #\_ SGA? Yes No

## Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

January 31 2007		
Expected Spud Date January 31, 2007  month day year	Spot SE NE Sec 1 Two 29 S. R. 19 We	
	1000 WF	st
OPERATOR: License# 33344	1980feet from V N / S Line of Section	
Name. Quest Cherokee LLC	teet from VE / W Line of Section	
Address: 9520 North May Avenue, Suite 300	Is SECTION	
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 286-9316	Lease Name: River Farms Inc. Well #: 1-2	_
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM	_
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	40
TALLO.	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330	
Oil Enh Rec 🗸 Infield 🖊 Mud Rotary	Ground Surface Elevation: 892 feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	_
OWVO Disposal Wildcat Cable	Public water supply well within one mile:  Depth to bottom of fresh water: 100  Yes V	10
Seismic;# of Holes Other	Depth to bottom of usable water:	_
✓ Other Coalbed Methane		_
	Surface Pipe by Alternate: 1 2 2  Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1500	
Well Name:	Formation at Total Depth: Cherokee Coals	_
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	_
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken? Yes ✓ N	lo.
		10
	If Yes proposed zone:	
	If Yes, proposed zone:	
	DAVIT KANSAS CORPORATION COMI	 Missic
The undersigned hereby affirms that the drilling, completion and eventual pl	PECEIVED  IDAVIT  KANSAS CORPORATION COMI	MISSIC
	DAVIT KANSAS CORPORATION COMI	MISSIC
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION COMIUgging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  ch drilling rig:  CONSERVATION DIVISION	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	UDAVIT  KANSAS CORPORATION COMING Upging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CONSERVATION OF CONSERVATION OF CONSERVATION OF CONSERVATION DIVISION OF CONSERVATION OF CO	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second content of the seco	UDAVIT  WANSAS CORPORATION COMING Upging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION TO BE CONSERVATION DIVISION TO BE CONSERVATION DIVISION TO BE CONSERVATION DIVISION TO BE UNDERSTAND	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second content of the seco	ugging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe stations is the underlying formation. istrict office on plug length and placement is necessary prior to plugging;	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the second strength of the well is dry hole, an agreement between the operator and the drilling the second strength of the well is either plug to the appropriate district office will be notified before well is either plug to the second strength of the second streng	ugging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION  The drilling rig;  It by circulating cement to the top; in all cases surface pipe Shall be Set  the underlying formation.  In istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the second that the description of the second that the description is the description of the second that the description is the description is the second that the description is the description is the description in the description is the descriptio	ugging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION  The drilling rig;  It by circulating cement to the top; in all cases surface pipe Shall be set to energy underlying formation.  In this conservation division is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC district 3 area, alternate II cementing	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drilling that the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the second of the second of the well shall be completed within 30 days of the spud date or the well shall the second of the second o	CONSERVATION DIVISION TO BE UNDERSTAND COMPANY OF THE WAY OF THE W	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the second that the description of the second that the description is the description of the second that the description is the description is the second that the description is the description is the description in the description is the descriptio	CONSERVATION DIVISION TO BE UNDERSTAND COMPANY OF THE WAY OF THE W	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the time of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	CONSERVATION DIVISION TO PRODUCTION COMPANY OF THE CONSERVATION DIVISION CONTROL OF THE CONSERVATION DIVISION CONSERVATION CONSERVATI	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drilling that the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the second of the second of the well shall be completed within 30 days of the spud date or the well shall the second of the second o	CONSERVATION DIVISION TO BE UNDERSTAND COMPANY OF THE WAY OF THE W	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the time of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	CONSERVATION DIVISION TO PRODUCTION COMPANY OF THE CONSERVATION DIVISION CONTROL OF THE CONSERVATION DIVISION CONSERVATION CONSERVATI	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drilling and unconsolidated materials plus a minimum of 20 feet into the drilling and the dr	CONSERVATION DIVISION OF THE CONTRACTION COMPANY OF THE CONTRACTION COMPANY OF THE CONTRACTION COMPANY OF THE CONTRACTION DIVISION OF THE CONTRACTION OF	)N
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug and all the set of	CONSERVATION DIVISION OF THE CONTRACT OF THE COMPLETE OF THE C	)N
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the seed that the well is dry hole, an agreement between the operator and the description of the specified before well is either plug to the specified before well is either pl	conservation division of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  Conservation division of the division of	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of	CONSERVATION DIVISION TO BE AND A SET OF THE PRINCIPLE OF	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of Date:    January 24, 2007	conservation division of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  Conservation division of the division of	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decrease of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 133 - 26 793 - 0000  Conductor pipe required	CONSERVATION DIVISION OF THE PROPERTY OF THE P	)N
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the tent well is dry hole, an agreement between the operator and the description of the statement of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the best of the plug to the plu	CONSERVATION DIVISION TO BE A CORPORATION COMPANY OF THE CONSERVATION DIVISION OF THE CONSERVATION COMPANY OF THE CO	)N
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the decrease of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 133 - 26 793 - 0000  Conductor pipe required	wasas corporation comply using the composition of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  Conservation division of the conservation division of the conservation division of the conservation division of the conservation date of t	<b>N</b>
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the well is either plug and all the statements of the spuddate or the well is either plug and to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the following that the statements made herein are true and to the best of the plug and to the best of the plug and to the description of the plug and to the best of the plug and to the plug and to the best of the plug and to the plug and to the best of the plug and to the plug and to the plug and to the plug and to the plug and th	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  CONSERVATION DIVISION  the drilling rig; the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	<b>N</b>
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the tent well is dry hole, an agreement between the operator and the description of the statement of the well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the best of the plug to the plu	wasas corporation comply using the composition of this well will comply with K.S.A. 55 et. seq.  JAN 2 6 2007  Conservation division of the conservation division di	<b>N</b>


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26 793-000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from V N / S Line of Section
Lease: River Farms Inc.	330 feet from 🗸 E / W Line of Section
Well Number: 1-2 Field: Cherokee Basin CBM	Sec. 1 Twp. 29 S. R. 19
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 - 9316	
Lease Name & Well No.: River Farms Inc #1-2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 1 Twp. 29 R. 19 ✓ East ☐ West
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		330 Feet from Feast / West Line of Section
	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes ✓	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	30 Length (fe		Width (feet) N/A: Steel Pits 10 (feet)
material, thickness and installation procedure.		edures for periodic maintenance and determining notuding any special monitoring.  Operation lasting approx 3 days  owest fresh waterfeet.  rmation:  uredwell owner electric logKDWR  over and Haul-Off Pits ONLY:	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		owest fresh waterfeet.	
		measu	redwell owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Wo		_	· · · · · · · · · · · · · · · · · · ·
		al utilized in drilling/workover: Air Drilled	
		rorking pits to be utilized: One	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above stat  January 24, 2007  Date	ements are true and	refar	KANSAS CORPORATION COMMISSION  JAN 2 6 2007  CONSERVATION DIVISION
	КСС	OFFICE USE O	Wichita ks i
Date Received: 1/24/07 Permit Num	nber:	Perm	it Date: Vac c1 Lease Inspection: Yes X No