For KCC Use:	1-31-07
Effective Date:	73107
District #	
SGA? X Yes	: No

# Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot	
month day year	NE - SW Sec. 1 Twp. 29 S. R. 19 West	
33344	1830feet from N / S Line of Section	
OPERATOR: License# 33344	1980 feet from E / V W Line of Section	
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	is SECTION Regular Irregular?	
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120		
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Mariin	County: Neosho	
Phone: (405) 286-9316	Lease Name: River Farms Inc. Well #: 1-3 Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC		
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?  Chartes Cools  Yes V No	
Name.	Target Formation(s): Cherokee Coals	-
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660	•
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 962 feet MSL	
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	-
OWO Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic # of Holes Other	Depth to bottom of fresh water:	,
✓ Other Coalbed Methane	Depth to bottom of usable water:	
¥ 011101	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🗌 )	
KCC DKT #:	Mill Cores he taliand	
	Will Cores be taken?	
	If Yes, proposed zone:	
AFFI	If Yes, proposed zone:	
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plants of the completion and eventual plants of the completion and eventual plants.	If Yes, proposed zone:  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. Sec. CORPORATION COMMISS	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  PRECEIVED  Ugging of this well will comply with K.S.A. 55 et Section Commission Commis	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  PRECEIVED  Ugging of this well will comply with K.S.A. 55 et Section Commission Commis	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  DAVIT  RECEIVED  Ligging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  In drilling rig;  To by circulating cement to the top; in all cases surface with the completion of the condense of the c	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation.	DAVIT  DIAGRAPHIC PROPOSED TO THE PROPOSED PROPO	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.	DAVIT  Ligging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface with KS  e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the standard of the appropriate district office will be notified before well is either plug for the ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT  Lugging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISSION  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of t	DAVIT  DIAGRAPHICAL PROPOSED ZONE:  DIAGRAPHICAL PROPOSED ZONE  DIAGRAPHICAL PROPOSED	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	DAVIT  DIAGRAPHICAL PROPOSED ZONE:  DIAGRAPHICAL PROPOSED ZONE  DIAGRAPHICAL PROPOSED	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	DAVIT  DIAGRAPHICAL PROPOSED ZONE:  DIAGRAPHICAL PROPOSED ZONE  DIAGRAPHICAL PROPOSED	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of t	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISSION  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface with the complete of the c	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants of the plants of the plants of the plants of the spud date.  Signature of Operator or Agent:	DAVIT  Lugging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface with KS  e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember 16:	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants of Operator or Agent:    Date: January 24, 2007	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  et underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember 10:  File Drill Pit Application (form CDP-1) with Intent to Drill;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the first that the well is dry hole, an agreement between the operator and the first that the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants of the plants of the plants of the plants of the spud state.  For KCC Use ONLY  API # 15 - 133-26792-0000	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  et underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember 10:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cemented to the seen through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of 20 feet into the see through all unconsolidated materials plus a minimum of	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  et underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the first that the well is dry hole, an agreement between the operator and the first that the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plants of the plants of the plants of the plants of the spud state.  For KCC Use ONLY  API # 15 - 133-26792-0000	DAVIT  Urgging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  et underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember 10:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the appropriate district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the copy of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the complete or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of Date:  For KCC Use ONLY  API # 15	DAVIT  RECEIVED  Ligging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  In drilling rig;  To by circulating cement to the top; in all cases surface with KS  e underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	DAVIT  RECEIVED  Ligging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface within KS  Le underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date; January 24, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26792 - OOO  Conductor pipe required	DAVIT  Dagging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig;  To by circulating cement to the top; in all cases surface with KS  e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	DAVIT  RECEIVED  Ligging of this well will comply with K.S.A. 55 etc. Sec. CORPORATION COMMISS  JAN 2 6 2007  In drilling rig;  It by circulating cement to the top; in all cases surface purpose of the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the well is either plug for pursuant to district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be represed to the provided prior of the best of the provided prior of the plus of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - 133 - 26 792 - 0000  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Approved by: 24th 1-26-07  This authorization expires: 7-26-07  (This authorization void if drilling not started within 6 months of approval date.)	DAVIT  RECEIVED  Ligging of this well will comply with K.S.A. 55 etc. sec. CORPORATION COMMISS  JAN 2 6 2007  The drilling rig; To by circulating cement to the top; in all cases surface with KS  e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	SIC
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date; January 24, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26792 - OOO  Conductor pipe required	DAVIT  RECEIVED  Ungging of this well will comply with K.S.A. 55 et. Sec. CORPORATION COMMISS  JAN 2 6 2007  In drilling rig;  To by circulating cement to the top; in all cases surface within 120 to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  **Title: VP  **Remember 10:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	SIC

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133- 26 792-000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1830 feet from N / S Line of Section
Lease: River Farms Inc.	1980 feet from E / W Line of Section
Well Number: 1-3	Sec1 Twp29 S. R19 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🕢 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE _ SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin			Phone Number: ( 405 ) 286 - 9316	
Lease Name & Well No.: River Farms Inc #1-3			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NESW</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 Twp. 29 R. 19 🗸 East 🗌 West	
Settling Pit	If Existing, date of	onstructed:	Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Wate	itive Ground Water Area? Yes Ano		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	30 Length (fe		40	
			West fresh waterfeet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY:	
		Depth to shallowest fresh waterfeet.  Source of information:		
· · · · · · · · · · · · · · · · · · ·		measured well owner electric log KDWR		
		1	Prilling, Workover and Haul-Off Pits ONLY:  The principle of material utilized in drilling/workover:  Air Drilled	
			er of working pits to be utilized: One	
		Abandonment procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above sta  January 24, 2007  Date	tements are true and	Pila	t of my knowledge and belief.  RECEIVED  KANSAS CORPORATION COMINIS  JAN 2 6 2007  Genservation Division	
	КСС	OFFICE USE O		
Date Received: 1/26/67 Permit Nu	mber:	Perm	it Date: 1/26/67 Lease Inspection: Yes 🗷 No	