Effective Date: 1-31-07 District # 3

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot V Eas
month day year	NENE . NW . SE Sec. 1 Twp. 15 S. R. 21 Wes
PPERATOR: License# 4567	2420 feet from N / S Line of Section
lame: D.E. Exploration, Inc.	teet from VE / W Line or Section
ddress: P.O. Box 128	Is SECTION RegularIrregular?
ity/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Douglas G. Evans	County: Johnson
hone: (785) 883-4057	Lease Name: Thompson Well #: 18
	Field Name: Edgerton
ONTRACTOR: License# 8509	Is this a Prorated / Spaced Field? Yes ✓ N
lame: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
W W D W A Total Contract	Nearest Lease or unit boundary: 220'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MS
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+
Seismic; # of Holes Other	Depth to bottom of usable water: 300+
Other	Surface Pipe by Alternate: 1 2
OMANO	Length of Surface Pipe Planned to be set: 20'
OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 950'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ N
(O D)(1 #	If Yes, proposed zone:
	ii tes, proposed zone.
AFF	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. SKANSAS CORPORATION COMMI
he undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. STATISTS CORPORATION COMMI
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. SCANSES CORPORATION COMMISSION JAN 26 2007
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	lugging of this well will comply with K.S.A. STANSAS CORPORATION COMMIS JAN 2 6 2007 ch drilling rig:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	lugging of this well will comply with K.S.A. SANSASCORPORATION COMMIS JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases suffers to the same to
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the proved of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Lugging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION OF THE PROPERTY OF
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each and the drill the second of the approved notice of intent to drill <i>shall be</i> posted on each and the drill the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drill the second of the second	Lugging of this well will comply with K.S.A. STATISTS CORPORATION COMMISSION DAYS OF THE PROPERTY OF THE COMMISSION OF T
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the second of	Lugging of this well will comply with K.S.A. SCANSES CORPORATION COMMISSION DAYS 6 2007 ch drilling rig; but by circulating cement to the top; in all cases sufficient Devision the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; seed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second of the second of the well is dry hole, an agreement between the operator and the second of	JAN 2 6 2007 ch drilling rig; the ty circulating cement to the top; in all cases sufficient person he underlying formation. WIGHTA, KS listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second of the second of the well is dry hole, an agreement between the operator and the second of	Lugging of this well will comply with K.S.A. SCANSES CORPORATION COMMISSION DAYS 6 2007 ch drilling rig; but by circulating cement to the top; in all cases sufficient Devision the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; seed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the company of the approved notice of price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the company of the company	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surcessary prior to plugging; the underlying formation. WICHTA, KS listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill shall the completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	JAN 2 6 2007 ch drilling rig; but by circulating cement to the top; in all cases sufficient Division the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	JAN 2 6 2007 ch drilling rig; but by circulating cement to the top; in all cases sufficient Division the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	JAN 2 6 2007 ch drilling rig; but by circulating cement to the top; in all cases sufficient Division the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases sufficient person the underlying formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the defence of the well is dry hole, an agreement between the operator and the defence of the well is either plug for appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the well shall the planuary 26, 2007 Signature of Operator or Agent: For KCC Use ONLY	JAN 2 6 2007 ch drilling rig; but by circulating cement to the top; in all cases surplied space on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dry of the specified before well is either plug of the state of the state of the specified before well is either the completed within 30 days of the spud date or the well shall the state of the state of the spud date or the well shall the state of the state of the spud date or the well shall the state of the state of the spud date or the state of the spud date. For KCC Use ONLY API # 15 - 1991-23145-0000	JAN 2 6 2007 ch drilling rig; but by circulating cement to the top; in all cases surplied surpling formation. WONTA, KS district office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill are the drill and the drill and the drill and the drill and the drill are the drill are the drill are the drill are the drill and the drill are	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surcessivation deviction by circulating cement to the top; in all cases surcessivation deviction. Wichita, KS listrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the planuary 26, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 191-23145-0000 Conductor pipe required 1000 feet per Alt. (2)	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surcessivation deviction by circulating cement to the top; in all cases surcessivation deviction. Wichita, KS listrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug for appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surcessivation deviction by circulating cement to the top; in all cases surcessivation deviction. Wichita, KS listrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of t	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surplication devices by circulating cement to the top; in all cases surplication devices on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plug of the	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surcessary prior to plugging; be underlying formation. Wichta, Ks listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the well shall the plantage of the spud date or the plantage of the spud date or the plantage of the spud date or the	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases surplication devices by circulating cement to the top; in all cases surplication devices on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of th	JAN 2 6 2007 ch drilling rig; at by circulating cement to the top; in all cases sufficient partial p

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23/45-000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	
Lease: Thompson	1540 feet from Feet from E / W Line of Section
Well Number: 18	Sec. 1 Twp. 15 S. R. 21 ✓ East Wes
Field: Edgerton	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NENE - NW - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			ı		
	•	:		•	
	•			•	•
				•	
			<i></i> . · .		·
				•	•
	•	•		•	•
				•	•
			٠.		•
	·			•	•
•			•	i ·	•
	•		. :	•	•
		:		:	
		•	:	-	
				•	
	•			•	
				•	•
1 .		_	l .		_



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.		License Number: 4567			
Operator Address: P.O. Box 128, Wellsville, KS 66092					
Contact Person: Douglas G. Evans		Phone Number: (785) 883 -4057			
Lease Name & Well No.: Thompson #18		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE _ NE _ NW _ SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 _Twp15 _R21 ✓ East West		
Settling Pit	If Existing, date constructed:		2420 Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1540 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	100	(bbls)	Johnson County		
is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
	T		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	NI.	How is the pit lined if a plastic liner is not used?		
✓ Yes No	∐ Yes ✓	NO	native clay		
Pit dimensions (all but working pits):	E Length (fe	eet)12	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 15	5 (feet)		
		edures for periodic maintenance and determining			
material, thickness and installation procedure	}.	liner integrity, ii	ncluding any special monitoring.		
Distance to nearest water well within one-mile	Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water 78 feet.		
357.5_ feet Depth of water well	178	Source of infor			
Emergency, Settling and Burn Pits ONLY:			No. of the loss pieces only with the loss pieces on the loss pieces of the loss pieces pieces of the loss pieces of the loss pieces of the loss pieces piece		
		•	kover and Haul-Off Pits ONLY: (
		king pits to be utilized: 2			
		- · · · · · · · · · · · · · · · · · · ·			
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
KANSAS CORPORATION COMMISS					
January 26, 2007	ω	anua.	Thousa JAN 2 6 2007		
Date		s	ignature of Applicant or Agent CONSERVATION DIVISION		
KCC OFFICE USE ONLY					
Date Received: 1 26 07 Permit Num	ber:	Permi	t Date: 1 au 07 Lease Inspection: Yes No		