For KCC Use: Effective Date: __

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date January 31, 2007	Spot ✓ East
month day year	E2E2 - NW - SE Sec. 1 Twp. 15 S. R. 21 West
OPERATOR: License# 4567	1980 feet from N / S Line of Section
Name: D.E. Exploration, Inc.	1540feet from F E / W Line of Section
Address P.O. Box 128	Is SECTION _✓_RegularIrregular?
City/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Douglas G. Evans	County: Johnson
Phone: (785) 883-4057	Lease Name: Thompson Well #: 19
	Field Name: Edgerton
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+
Seismic; # of Holes Other	Depth to bottom of usable water: 300+
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
Original Completion Date:Original total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ΔFI	IDAVIT RECEIVED
	olugging of this well will comply with KANSAS CORRORATION COMMISSION
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JAN 2 6 2007
it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted on each	JAN 2 6 2007
it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be nosted on each	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases server on the server of the ser
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	JAN 2 6 2007 sch drilling rig; et by circulating cement to the top; in all cases state of the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases servation balance set the underlying formation. WICHTA, KS district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases servation patience set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	JAN 2 6 2007 set drilling rig; et by circulating cement to the top; in all cases and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order	JAN 2 6 2007 set drilling rig; et by circulating cement to the top; in all cases and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases, prior to plugging; district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases and placement is necessary prior to plugging; ligged or production casing is cemented in; Let from below any usable water to surface within 120 days of spud date. Let #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be certified before well is either plus.	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases. Property of set with the underlying formation. Let district office on plug length and placement is necessary prior to plugging; geed or production casing is cemented in; the district office and usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent. For KCC Use ONLY	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent. For KCC Use ONLY API # 15 - OGI - 23146-0000	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases Envarion Datishobe set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of Operator or Agent. For KCC Use ONLY	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 26, 2007	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases Envarion Datasions set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE if COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: January 26, 2007	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases Five Jon Duisions set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-33146-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. Approved by: Pat 1-20-07	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ##143,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ##165 Agent ##165 Agent ##175 Agen
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required None feet For KCC Use ONLY API # 15 - O91-33146-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: Pat 1-26-07 This authorization expires: 7-26-07	JAN 2 6 2007 ach drilling rig; et by circulating cement to the top; in all cases Five Jon Duisions set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-33146-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. Approved by: Pat 1-20-07	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office prior to any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud state of the spud sta	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement in a recessary prior to plugging; district from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required None feet For KCC Use ONLY API # 15 - O91-33146-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: Pat 1-26-07 This authorization expires: 7-26-07	JAN 2 6 2007 The drilling rig; Let by circulating cement to the top; in all cases and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; district office prior to any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23146-0000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	1980 feet from N / V S Line of Section
Lease: Thompson	1540 feet from 🗸 E / W Line of Section
Well Number: 19 Field: Edgerton	Sec. 1 Twp. 15 S. R. 21 ✓ East West
Number of Acres attributable to well: QTR / QTR / QTR of acreage:E2E2 NW SE	Is Section: ✓ Regular or Irregular
ann ann an	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					•
		i			
•		- 1	•		•
•		i	•	•	•
		- 1			
 		!			
		- 1			
	•	- 1		•	
•		- 1			•
		- 1			-
		- 1			
		- 1		•	•
		- 1			•
		- 1	_		_
	•	- 1	•	•	•
		- 1	-		
		- 1			•
		- 1			
•					
			•		•
					•
					
			•		
		 	•		
			•		
			•		
 · ·			•		
 · ·			•		
 ·			•		
 ·			•		
 · ·			•		
 · · · · · · · · · · · · · · · · · · ·					
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :
 			· · · · · · · · · · · · · · · · · · ·		: : : : : : : :



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.			License Number: 4567	
Operator Address: P.O. Box 128, V	Wellsville, KS	66092		
Contact Person: Douglas G. Evans			Phone Number: (785) 883 ~4057	
Lease Name & Well No.: Thompson #19			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>E2 _ E2 _ NW _ SE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 15 R. 21	
Settling Pit	If Existing, date constructed:		1980 Feet from North / 🗸 South Line of Section	n
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 📝 East / 🗌 West Line of Section	'n
	100	(bbls)	Johnson Coun	ty
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? native clay	
Pit dimensions (all but working pits):				
Depth fi	rom ground level to de	eepest point: 12	5 (feet)	4
			west fresh water 78 feet	-091-d
Distance to nearest water well within one-mile	·	Source of infor	Wood Wood Word	716
2457 feet Depth of water well	17% feet	measu	redwell owner electric logKDWR	9
Emergency, Settling and Burn Pits ONLY	:	,	over and Haul-Off Pits ONLY:	23146-000
Producing Formation:		į	at utilized in drilling/workover: drilling mud	
1		1	king pits to be utilized: 2	
		Abandonment	procedure: air dry and backfill	-
Does the slope from the tank battery allow al flow into the pit? Yes No	l spilled fluids to	Drill pits must	pe closed within 365 days of spud date.	•
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief. RECEIV KANSAS CORPORATIO	_
January 26, 2007) 4	Manda JAN 26:	ED V COM
Date	_ y	S	ignature of Applicant or Agent CONSERVATION D	м фомі 2 00 7
				N COMI 20 0 7 Masica
	KCC	OFFICE USE O		N СОМІ 20 0 7 Матом
, ,	КСС	OFFICE USE O		N СОМ 20 0 7