Effective Date: 2-3-07 For KCC Use:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

December 2002

	January	31	2007) ' E of			
Expected Spud Date	month	day	year	Spot E/2		NE NE		Twp S. I	n 24	East
	,	uay	y our	1260			Secfeet from		H Line of Se	✓ West
OPERATOR: License#_30	0742			150				▼ N / S		
Name: Palomino Petroleu	m, Inc.			le SEC	TION ✓		arIrreç		Line or oc	,011011
Address: 4924 SE 84th St	nese 67114-882	7		13 020		•				
City/State/Zip: Newton, Ka	Matabaua			<u>.</u> .		t e: Locate	well on the Sec	tion Plat on rever	se side)	
Contact Person: Klee R. V Phone: (316) 799-1000	Valcilous			County	.; Ness _{Name:} <u>Ha</u>	rris-High	 188		Well #: 1	
Phone: (010) 733-1000		· · · · · · · · · · · · · · · · · · ·	 	Lease	ame: Non	e (Wildo	at)		/veii #:	
CONTRACTOR: License#	33350				ame: a Prorated					s 🗸 No
Name: Southwind Drillin	g, Inc.						erokee Sand		16.	3 🕎 140
				Neares	t Lease or	unit bou	undary: <u>330+</u> (unit)		
Well Drilled For:	Well Class	: Type	Equipment:		Surface E					feet MSL
Oil 🗸 🔲 Enh F	Rec Infield	1 🔽 N	Mud Rotary		well within				_	s 🗸 No
Gas Storag	ge Pool	Ext. 📗 A	ir Rotary			•	ithin one mile:			s 🗸 No
OWWO Dispos	sal 🗸 Wildo	at 🖊 💹 C	Cable		to bottom (•		/		
Seismic;# of	Holes Other						water: 1100			
Other				Surface	Pine hy A	lternate:	1 7	2		
If OMMAN and well inform	ation on follows:			Length	of Surface	Pipe P	lanned to be s	et: 200+		
If OWWO: old well inform.				Length	of Conduc	ctor Pipe	required: Nor	ie		
•					ed Total D					
Well Name: Original Completion D			I Donth:	-	ion at Tota			an /		
Original Completion D	ate:	_Onginal lotal	Deptin				Operations:		,	
Directional, Deviated or He	orizontal wellbore	?	Yes 🗸 No		Well 🔽	_	•			
If Yes, true vertical depth:.					ermit #:					
Bottom Hole Location:					•	X _{(Note.}	: Apply for Perm	it with DWR 🗹	,)	
KCC DKT #:				Will Co	res be take					s 🗸 No
Oil 3 Gas Leases	- W/ Anlina	clauses a	attached		proposed					
Oli , Gas remes	o o nomy	O	•					KANSAS COD	ECEIVE	D
			AFF	FIDAVIT				KANSAS COR	UKAHON C	COMMISS
The undersigned hereby	affirms that the	drilling, comple	etion and eventual p	olugging of t	this well w	ill compl	y with K.S.A. 8	55 et. seq. JAN	1 2 9 20	በ7
It is agreed that the follow	ving minimum re	quirements wi	II be met:							
1. Notify the appropria								CONSER	VATION DIVI	SION
2. A copy of the appro	oved notice of in	tent to drill sh	all be posted on ea	ach drilling r	ig;			***	ONITIAL KS	
3. The minimum amou							e top; in all ca	ses surface pip	e shall be	set
through all unconsort. 4. If the well is dry ho	olidated material	s pius a minin	num of 20 feet into	tne underlyl dietrict offic	ng tormati e on niua	ON. Ionath a	nd placement	is necessary	rior to alu	aaina:
5. The appropriate dis								is necessary p	Tior to piu	ggmg,
6. If an ALTERNATE I								within 120 da	ys of spud	date.
Or pursuant to App	oendix "B" - East	tern Kansas s	urface casing orde	r #133,891 <i>-</i>	C, which a	applies to	the KCC Dis	strict 3 area, ali	ternate II ce	ementing
must be completed	l within 30 days	of the spud da	ate or the well shall	be plugged	. In all c	ases, N	OTIFY district	t office prior to	any cemer	ıting.
I hereby certify that the s	tatements made	herein are tru	ue and to the best	of my knowl	edge and	belief.				
January 20, 2007			\times	V 4.	/////	_/		Presid	lont	
Date: January 29, 2007	Signature o	f Operator or	Agent: CXLL	- K	ancing w		Title:	1 10310		
				Remem	ber to:					
For KCC Use ONLY				- File D	rill Pit App	lication (form CDP-1) w	ith Intent to Drill	;	1
API # 15 - 135-2	74604-C	0000		1	•			days of spud		
	Mana)		1	~		_	to field proration		
Conductor pipe required	<u> </u>	\overline{DO}	V ()	N .				s prior to worke		itry;
Minimum surface pipe re	equirea	fe	et per Alt. / 2	1				igging is comple ig or injecting sa		1
Approved by: Latt 1-	-2901			l		•	-	• •		
This authorization expire	7 10 17			1	•	-	*	zed expiration da	ite) please	<u> </u>
(This authorization void if	drilling not started	within 6 months	s of effective date.)					address below.		10
				l —			ermit Expired			1
Spud date:	Agent: _		1. W ****	Signa	ture of Ope	erator or A	Agent:			— b .
				1			Date:	-		— 戊
	Mail Ass. MO.	C	tion Division 120	C Marks	Doom 0	070 W.	hita Kanaca	67202		•

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24604-0000	Location of Well: County: Ness
Operator: Palomino Petroleum, Inc.	1260feet from ✓ N / S Line of Section
Lease: Harris-Higbee	150 feet from VE / W Line of Section
Well Number: 1 Field: None (Wildcat)	Sec. 10 Twp. 16 S. R. 24 ☐ East ✓ West
Number of Acres attributable to well:	ls Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: <u>E/2</u> - <u>E/2</u> - <u>NE</u>	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

1260	RECEIVED KANSAS CORPORATION COMMISSION JAN 2 9 2007 CONSERVATION DIVISION WICHITA, KS
10	EXAMPLE : : : : : : : : : : : : : : : : : : :
	10 1980
	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

NESS CO.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Palomino Petrole	eum, Inc.		License Number: 30742			
Operator Address: 4924 SE 84th	St., Newtor	n, Kansas	67114-8827			
Contact Person: Klee R. Watchous	·		Phone Number: (316) 799 - 1000			
Lease Name & Well No.: Harris-High			Pit Location (QQQQ):			
Type of Pit:		N & 180' E	of <u>E/2</u> . <u>E/2</u> . <u>NE</u>			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 10 Twp. 16 R. 24 East			
Settling Pit	If Existing, date co	onstructed:	1260 Feet from 🗸 North / 🗌 South Line of Section			
Workover Pit Haul-Off Pit Pit capacity:			150 Feet from 🗸 East / 🗌 West Line of Section			
(If WP Supply API No. or Year Drilled)	6800 (bbls)		Ness County			
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓] No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes ✓	No 	Drlg. mud and shale from well bore.			
Pit dimensions (all but working pits):	Length (fe	eet)80	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	3(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and deteREDEIVED nocluding any special monitoring (ANSAS CORPORATION COMMISSIO)			
Thatelial, thousand and metallicity pro-		,,	JAN 2 9 2007			
			CONSERVATION			
			CONSERVATION DIVISION WICHTA, KS			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.			
	5-5	Source of infor	west fresh waterfeet.			
	75 feet	Source of infor	west fresh waterfeet. mation:			
المرحق feet Depth of water well	75 feet	Source of infor measu Drilling, Work	west fresh waterfeet. mation: feet kDWR			
الے	75 feet	Source of informeasu Drilling, Work Type of materia	west fresh waterfeet. mation: feet. pred well owner electric log KDWR pover and Haul-Off Pits ONLY:			
Emergency, Settling and Burn Pits ONLY:	75 feet	Source of informeasu Drilling, Work Type of materia Number of wor	west fresh waterfeet. mation: predwell owner electric logKDWR pover and Haul-Off Pits ONLY: al utilized in drilling/workover:			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	75 feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	west fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	75 feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must l	west fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	75 feet	Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment Drill pits must l	west fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state January 29, 2007	75 feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must become to the besi	west fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above states	75 feet	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must become to the besi	west fresh water			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state January 29, 2007	75 feet spilled fluids to	Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must become to the besi	west fresh water			