

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1  
September 1999  
Form Must Be Typed

CONFIDENTIAL

KCC

Operator: License # 7311  
Name: Shakespeare Oil Company, Inc. AUG 06 2004  
Address: 202 West Main Street  
City/State/Zip: Salem, IL 62881  
Purchaser: N/A  
Operator Contact Person: Donald R. Williams RECEIVED  
Phone: (618) 548-1585  
Contractor: Name: Murfin Drilling Company AUG 09 2004  
License: 30606 KCC WICHITA  
Wellsite Geologist: Richard Hall

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
7/9/04 7/16/04 7/17/04  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 109-20724 - 0000  
County: Logan  
W/2 - NW - NW - Sec. 11 Twp. 13 S. R. 32  East  West  
660' feet from S / (N) (circle one) Line of Section  
330 feet from E / (W) (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE (NW) SW  
Lease Name: Gunn Well #: 1-11  
Field Name: Stratford  
Producing Formation: N/A  
Elevation: Ground: 3016' Kelly Bushing: 3021'  
Total Depth: 4738' Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 220 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.  
ALT II PER WITHIN 11-29-06

Drilling Fluid Management Plan  
(Data must be collected from the Reserve Pit)  
Chloride content 6500 ppm Fluid volume 2500 bbls  
Dewatering method used Evaporation  
Location of fluid disposal if hauled offsite:  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Donald R. Williams  
Title: Vice President Date: 8/06/04

Subscribed and sworn to before me this 6th day of August 2004

Notary Public: Ann M. Smith

Date Commission Expires: 11-23-06



KCC Office Use ONLY  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

Operator Name: Shakespeare Oil Company, Inc. Lease Name: Gunn Well #: 1-11  
 Sec. 11 Twp. 13 S. R. 32  East  West County: Logan

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Dual Induction, GR, Microlog, Density, Neutron, Sonic

Log Formation (Top), Depth and Datum  Sample

Name Top Datum

See Geological Report

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./ Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23	220	Common	150	2% gel, 3% cc

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

Disposition of Gas  Vented  Sold  Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify)

Production Interval

# ALLIED CEMENTING CO., INC. 13882

Federal Tax I.D. # [REDACTED]

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley

DATE <u>7-9-04</u>	SEC. <u>11</u>	TWP. <u>13s</u>	RANGE <u>32w</u>	CALLED OUT	ON LOCATION <u>5:00 PM</u>	JOB START <u>6:00 PM</u>	JOB FINISH <u>6:15 PM</u>
LEASE <u>Gum</u>	WELL # <u>1-11</u>	LOCATION <u>Oakley 12s E1S</u>			COUNTY <u>Logan</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Murfin Drlg Rig 24  
 TYPE OF JOB Surface  
 HOLE SIZE 12 1/4 T.D. 220'  
 CASING SIZE 8 5/8 DEPTH 220'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 1.5'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 13 Bbls

OWNER Same  
 CEMENT AMOUNT ORDERED  
150 sks Com 3 1/2 cc 2 1/2 Gel

**EQUIPMENT**

PUMP TRUCK CEMENTER Dean  
 # 373-281 HELPER Andrew  
 BULK TRUCK  
 # 377 DRIVER Larry  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

COMMON	<u>150 sks @ 8.85</u>	<u>1327.50</u>
POZMIX	_____ @ _____	_____
GEL	<u>3 sks @ 11.00</u>	<u>33.00</u>
CHLORIDE	<u>5 sks @ 30.00</u>	<u>150.00</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING	<u>158 sks @ 1.25</u>	<u>197.50</u>
MILEAGE	<u>Minimum charge</u>	<u>125.00</u>
<b>TOTAL</b>		<u>1833.00</u>

**REMARKS:**

**SERVICE**

Cement did circulate  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
Thank you

DEPTH OF JOB	<u>220'</u>	_____
PUMP TRUCK CHARGE	_____	<u>520.00</u>
EXTRA FOOTAGE	_____ @ _____	_____
MILEAGE	<u>12 miles @ 4.00</u>	<u>48.00</u>
PLUG	_____ @ _____	_____
_____	@ _____	_____
_____	@ _____	_____
<b>TOTAL</b>		<u>568.00</u>

CHARGE TO: Shakespeare Oil Co Inc  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

<u>8 5/8 Surface Plug @</u>	<u>100.00</u>
_____ @ _____	_____
_____ @ _____	_____
_____ @ _____	_____
_____ @ _____	_____

**RECEIVED**

**AUG 09 2004**

**KCC WICHITA**

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

TOTAL 100.00

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Anthony Martin

Anthony Martin  
 PRINTED NAME

**ALLIED CEMENTING CO., INC.**

P.O. BOX 31  
 RUSSELL, KS 67665  
 PH (785) 483-3887  
 FAX (785) 483-5566  
 FEDERAL TAX ID# [REDACTED]

\*\*\*\*\*  
 \* INVOICE \*  
 \*\*\*\*\*

Invoice Number: 093839

Invoice Date: 07/21/04

Sold Shakespeare Oil Co., Inc.  
 To: 202 West Main St.  
 Salem, IL  
 62881

*file copy*

Cust. I.D.: Shak  
 P.O. Number: Gunn 1-11  
 P.O. Date: 07/21/04

Due Date: 08/20/04  
 Terms: Net 30

*10502-17*

*\*1-11 - Plugging cost*

Item I.D./Desc.	Qty. Used	Unit	Price	Net	TX
Common	120.00	SKS	8.8500	1062.00	T
Pozmix	80.00	SKS	4.0000	320.00	T
Gal	10.00	SKS	11.0000	110.00	T
FloSeal	50.00	LBS	1.4000	70.00	T
Handling	212.00	SKS	1.2500	265.00	T
Mileage 12	12.00	MILE	10.6000	127.20	T
212 sks @ \$.05 per sk per mi					
Rotary Plug	1.00	JOB	630.0000	630.00	T
Mileage pmp trk	12.00	MILE	4.0000	48.00	T
Dryhole Plug	1.00	EACH	23.0000	23.00	T

All Prices Are Net, Payable 30 Days Following Subtotal: 2655.20  
 Date of Invoice. 1 1/2% Charged Thereafter. Tax: 167.28  
 If Account CURRENT take Discount of \$265.52 Payments: 0.00  
 ONLY if paid within 30 days from Invoice Date Total: 2822.48

RECEIVED  
 AUG 09 2004  
 KCC WICHITA

# ALLIED CEMENTING CO., INC. 13345

Federal Tax I.D. XXXXXXXXXX

MIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>7/17/04</u>	SEC. <u>11</u>	TWP. <u>13S</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>12:00AM</u>	JOB START <u>1:00AM</u>	JOB FINISH <u>4:30AM</u>
LEASE <u>GUNN</u>	WELL # <u>1-11</u>	LOCATION <u>Oakley 12S E/S</u>		COUNTY <u>Logan</u>	STATE <u>Ks</u>		
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR MurFin #24

TYPE OF JOB Rotary Plug

HOLE SIZE 7 1/4 T.D. 4735

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE 4 1/2 16.60" DEPTH 2550

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200 MINIMUM 50

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER same

CEMENT AMOUNT ORDERED: 200SKs 60/40 + 67 bags 4 1/2" F/10 Seal

COMMON	<u>120</u>	@	<u>8.85</u>	<u>1062.00</u>
POZMIX	<u>80</u>	@	<u>4.00</u>	<u>320.00</u>
GEL	<u>10</u>	@	<u>11.00</u>	<u>110.00</u>
CHLORIDE		@		
<u>Flo-seal</u>	<u>50</u>	@	<u>1.40</u>	<u>70.00</u>
		@		
		@		
		@		
		@		
HANDLING	<u>212</u>	@	<u>1.25</u>	<u>265.00</u>
MILEAGE	<u>212 x .05 x 12</u>			<u>127.20</u>
TOTAL				<u>1954.20</u>

**EQUIPMENT**

PUMP TRUCK	CEMENTER <u>Max</u>
# <u>373-281</u>	HELPER <u>Fuzzy</u>
BULK TRUCK	
# <u>377</u>	DRIVER <u>Mike</u>
BULK TRUCK	
# _____	DRIVER _____

**REMARKS:**

25SKs @ 2550

100 SKs @ 1825

40 SKs @ 275

10 SKs @ 40

15 SKs in Rathole

10 SKs in Mousehole

**SERVICE**

DEPTH OF JOB	<u>2550</u>		
PUMP TRUCK CHARGE			<u>630.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>12 mi</u>	@	<u>4.00</u>
PLUG	<u>Day Hole Plug</u>	@	<u>23.00</u>
		@	
		@	
TOTAL <u>678.00</u>			

CHARGE TO: Shakespeare Oil Co. Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**FLOAT EQUIPMENT**

Day hole Plug	@	<u>23.00</u>	<u>23.00</u>
	@		
	@		
	@		
	@		
TOTAL <u>23.00</u>			

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE [scribble]

DISCOUNT [scribble] IF PAID IN 30 DAYS

SIGNATURE [Signature]

Anthony Martin  
PRINTED NAME

RECEIVED  
AUG 09 2004  
KCC WICHITA