


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Biting Building  
Wichita, Kansas

WELL PLUGGING RECORD

Barton County. Sec. 19 Twp. 18S Rge. (E) 15 (W)  
Location as "NE/CNW/SW" or footage from lines C NW/4  
Lease Owner Shell Oil Company  
Lease Name J. SCHNEIDER "A" Well No. 1  
Office Address Box 426, Wichita, Kansas  
Character of Well (completed as Oil, Gas or Dry Hole) Gas  
Date well completed September 1 1939  
Application for plugging filed February 16 1955  
Application for plugging approved February 17 1955  
Plugging commenced March 2 1955  
Plugging completed March 5 1955  
Reason for abandonment of well or producing formation Failure of intermediate casing string.  
If a producing well is abandoned, date of last production February 20 1955  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well Warren H. Horner  
Producing formation Sooy Depth to top 3436 Bottom \_\_\_\_\_ Total Depth of Well 3512 Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
Sooy	I.P. 24,557			13"	235'	None
	MCF gas/day	3477	3512	8-5/8"	935'	None
				4-1/2"	3477'	2914'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Set Baker CIBP at 3460'. PB to 3438' w/  
2 sax cement. Pulled 2914' of 4-1/2" casing.  
Pumped in 20 sax Aquagel mud w/Halliburton  
cementing truck; followed mud w/Halliburton  
plug & 100 sax cement. Bottom of cement at  
330' in 8-5/8" casing, 8-5/8" casing & annulus  
between 8-5/8" & 13" casings full of cement  
to top.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Forbes Casing Pulling Company  
Address Great Bend, Kansas


STATE OF Kansas, COUNTY OF Sedgwick, ss.  
B. V. Barker (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) B. V. Barker  
Box 426, Wichita, Kansas  
(Address)

SUBSCRIBED AND SWORN to before me this 17 day of March, 1955

Betty Postelshwaite  
Notary Public.

My commission expires April 16, 1956



15-009-30911-00-00

SHELL-J. SCHNEIDER "A" #1  
C NW<sup>4</sup> Section 19-18S-15W  
Otis-Albert Field  
Barton County, Kansas

CASING RECORD

13" cem 235 with 225 sax  
8-5/8" cem 935 with 325 sax  
4 1/2" cem 3477 with 100 sax

0 - 45 clay  
75 sand  
125 sand & gravel  
218 shale  
250 shale & shells  
320 shale  
380 shale & pyrite  
470 sand  
510 sand & pyrite  
516 sand  
575 sand & gravel  
700 red rock & shale  
835 red shale  
924 shale, sand & gravel  
930 shale  
959 anhydrite  
1032 shale  
1041 lime  
1245 shale  
1280 salt & shale  
1380 shale  
1586 shale & shells  
1652 shale  
1770 lime  
1934 lime & shale  
2115 lime  
2122 lime broken  
2135 lime & chert  
2206 shale & lime  
2230 lime  
2285 lime & shale  
2345 lime  
2695 shale & lime  
2710 lime  
2756 shale & lime  
2809 shale  
2832 lime  
2897 lime & shale streaks  
2995 lime  
3092 lime & shale  
3175 lime

3246 lime & shale  
3328 lime  
3360 lime & shale  
3436 lime  
3458 conglomerate  
3468 shale & lime  
3470 sand  
3478 sand, some chert, argillaceous  
3487 sand, argillaceous  
3512 sand T.D.

Formation Tops

Cimarron Anhydrite 930  
Wellington Salt 1395  
Florence Flint 2045  
Wreford 2145  
Neva 2300  
Topeka 2910  
Lansing-Kansas City 3230  
Sooy Shale 3436  
Sooy Sand 3468

**PLUGGING**  
FILE SEC 19 T 18 R 15W  
BOOK PAGE 97 LINE 42