

For KCC Use:	1-5-43
Effective Date: _	1 3 01
District #4	
CCA2 TVo	. <b>V</b> No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1007480

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

4010410000		
Expected Spud Date: 12/31/2006 month day year	Spot Description: Approximately	
	NW NW SE - NW Sec. 13 Twp. 9	S. R. 33E X W
OPERATOR: License# 30606 /	1,380 feet from 1,420 feet from E	I / S Line of Section
Name: Murfin Drilling Co., Inc.	1,420 feet from E	: / 🔀 W Line of Section
Address 1: 250 N. Water, Ste 300	is SECTION: 🔀 Regular 🔲 irregular?	
Address 2:	(Note: Locate well on the Section Plat on	reverse side)
City: Wichita State: KS Zip: 67202 +	County: Thomas	
Contact Person: Shauna Gunzelman	Lease Name: Wilson	Well #: 1-13
Phone: 316-267-3241	Field Name: Wildcat	
CONTRACTOR: License#30606 / Name: Murfin Drilling Co., Inc.	Is this a Prorated / Spaced Field? Target Formation(s): LKC, Marmaton	Yes No
	Nearest Lease or unit boundary line (in footage): 1220	)
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3091	
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	200	
Seismic ; # of Holes Other	4000	. ,
Other:	Surface Pipe by Alternate:	. ,
If OWWO: old well information as follows:	<del></del>	
	Length of Conductor Pine (Manual 0	
Operator:	1 1 27	6
Well Name:		April 19
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond XOther:	
If Yes, true vertical depth:	DWR Permit #:	<b>—</b>
Bottom Hole Location:	( <b>Note</b> : Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	RECEIVED
	KANCA	・ガスしたハノこん
	Shours	CORPORATIVEL
	IDAVIT	COMPORATION COMMISS.
	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq.	COMPORATION COMMISS.
The undersigned hereby affirms that the drilling, completion and eventual plu		DEC 2 9 2006
The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:		DEC 2 9 2006
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	CON	DEC 2 9 2006 SERVATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	CON; drilling rig; by circulating cement to the top; in all cases surface pipe	DEC 2 9 2006 SERVATION COMMISSI
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation.	DEC 2 9 2006 SERVATION DIVISION WICH TO SERVE
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary pr	DEC 2 9 2006 SERVATION DIVISION WICH TO SERVE
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggi	drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in;	DEC 2 9 2006 SERVATION DIVISION WICH TO MESSION In to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; of from below any usable water to surface within 120 DA	DEC 2 9 2006 SERVATION DIVISION WICH BASS for to plugging; YS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alte	DEC 2 9 2006 SERVATION DIVISION WICH BOLKS for to plugging; YS of spud date. rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	DEC 2 9 2006 SERVATION DIVISION WICH DO-US or to plugging; YS of spud date. rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	DEC 2 9 2006 SERVATION DIVISION WICH DO-US or to plugging; YS of spud date. rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	DEC 2 9 2006 SERVATION DIVISION WICH TO 165 For to plugging; YS of spud date. rnate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:	DEC 2 9 2006 SERVATION DIVISION WICH TO SERVATION DIVISION WICH TO SERVATION DIVISION For to plugging; WS of spud date. That II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the complete that the statements made herein are true and to the best of motion of the statements of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and the description of the complete true and the complete true a	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; diffrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Remember to:	DEC 2 9 2006 SERVATION DIVISION WICH TO LES For to plugging; YS of spud date. rnate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of motion of the complete that the statements made herein are true and to the best of motion of the statements of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and to the best of motion of the complete true and the description of the complete true and the complete true a	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; diffrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to D	DEC 2 9 2006 SERVATION DIVISION WICH TO LES For to plugging; YS of spud date. rnate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m.  Date: 12-78-706 Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; diffrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spu	DEC 2 9 2006 SERVATION DIVISION WICH TO JUSTION OF THE PROPERTY OF STATE OF
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m.  Date: 12 - 28 - 266 Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.	DEC 2 9 2006 SERVATION DIVISION WICH TO Plugging; VS of spud date. rnate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of more processed and the statements of the operator of Agent:  For KCC Use ONLY Signature of Operator or Agent:  For KCC Use ONLY OF 15 - DD - 6 Conductor pipe required 0 feet	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; diffrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	DEC 2 9 2006  SERVATION DIVISION WICH DOUBLES  For to plugging; VS of spud date. rnate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 12 - 28 - 206 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 207 15 - DD - 60 Conductor pipe required 0 feet  Minimum surface pipe required 270 feet per ALT. II XII	drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Earlie Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed.	DEC 2 9 2006  SERVATION DIVISION WICE TO PLUGGING; VS of spud date. rnate II cementing any cementing.  Orill; d date; on orders; kover or re-entry; bleted (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prlor</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date: 12 - 28 - 2 06 Signature of Operator or Agent:  For KCC Use ONLY API #15 - 207 15 - DD - 6 Conductor pipe required 1270 feet per ALT. I I I I I I I I I I I I I I I I I I I	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting	DEC 2 9 2006  SERVATION DIVISION WICE TO PLUGGING; WS of spud date. rnate II cementing any cementing.  Orill; d date; on orders; kover or re-entry; oleted (within 60 days); salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg.  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of module of the statements of the provided of the set of the set of the provided of the set of the s	drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Earlie Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is completed.	DEC 2 9 2006  SERVATION DIVISION WICH TO SERVATION DIVISION DIVISION WICH TO SERVATION DIVISION DIVISI
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  The appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  The appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  The appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #1:  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropriate district office will be notified before well is either plugge.  The appropri	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spure in the surface attribution plat according to field proration. Notify appropriate district office 48 hours prior to work in the surface in the surf	DEC 2 9 2006 SERVATION DIVISION WICH TO-US W
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg.  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of module of the statements of the provided of the set of the set of the provided of the set of the s	drilling rig; by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary pred or production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Earlie acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work applied to the surface of the plugging report (CP-4) after plugging is composite of the provided expiration.  If this permit has expired (See: authorized expiration.)	DEC 2 9 2006  SERVATION DIVISION WICE TO PLUGGING; WS of spud date. rnate II cementing any cementing.  Orill; d date; on orders; kover or re-entry; oleted (within 60 days); salt water. date) please



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 193-20715-00-00	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Thomas
Lease: Wilson	1,380 feet from X N / S Line of Section
Well Number: 1-13	1,380 feet from X N / S Line of Section 1,420 feet from E / X W Line of Section
Field: Wildcat	Sec. <u>13</u> Twp. 9 S. R. <u>33</u> E 🗶 W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NW - NW - SE . NW	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SE

#### **PLAT**


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



RECEIVED KANSAS CORPORATION COMMISSION

DEC 2 9 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1007480

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N. Water, Ste 300			Wichita KS 67202		
Contact Person: Shauna Gunzelman			Phone Number: 316-267-3241		
Lease Name & Well No.: Wilson	1-1	13	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NW SE NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 9 R. 33 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1,380 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,420 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbis)	Thomas County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/li  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?  Bentonite and solids from drilling operations self seal pits		
Pit dimensions (all but working pits):1	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: 4 (feet) No Pit					
If the pit is lined give a brief description of the liner Describ			edures for periodic maintenance and determining including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSIC		
		DEC 2 9 2006			
		CONSERVATION DIVISION			
Distance to nearest water well within one-mile of pit Do		Depth to shall	Depth to shallowest fresh water 105 feet.		
		Source of information:			
1517 feet Depth of water well 192 feet		measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:			
Emergency, Settling and Burn Pits ONLY:		Type of material utilized in drilling/workover: Bentonite			
Producing Formation:		Number of working pits to be utilized: 4			
Barrels of fluid produced daily:		Abandonment procedure: Allow pits to evaporate until dry, then			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.  Correct to the best of my knowledge and belief.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
12-28-2006 Date  Date					
12-28-2006   Qu ( ) OVEC     Date   Signature of Applicant or Agent     KCC OFFICE USE ONLY   RFAC   RFAS					
Date Received: 12/24/04 Permit Number: Permit Date: 12/24/04 Lease Inspection: Yes No					