# Effective Date: 2-4-07 District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot Z2 Z2 Z2 Z4
month day year	C SE4 NW Sec. 32 Twp. 29 S. R. 14 West
OPERATOR: License# 33539	1980' feet from JN / S Line of Section
Name. Unerokee yyelis LLC	Teet from P VV Line of Section
4916 Camp Bowie Blvd., Suite 204	Is SECTION RegularIrregular?
City/State/Zio: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rhonde Wilson	County: Wilson
Phone: 620-378-3650	Lesse Name: Apollo Well #: A-4
	Field Name: Cherokee Basin Coal/Mississippian
CONTRACTOR: License# 33072	ls this a Prorated / Spaced Field? Yes ✓ No
Name: Well Refined Drilling	Target Formation(s): Mississipplan
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1980'
	Ground Surface Elevation: 961.21' feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary -	Public water supply well within one mile: Yes   ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 200 +
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40 Mininimum
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1350'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well   ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	AAU COIES DE TUKEIT:
	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVIT  RECEIVED  ugging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district of intent to drill shall be posted on ear	If Yes, proposed zone:  DAVIT  RECEIVED  agging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  JAN 2 6 2007  The drilling rig:
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the definition of the set of the appropriate district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	DAVIT  RECEIVED  agging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  The drilling rig;  the by circulating cement to the top; in all cases sunas ENATION COMMISSION  with the underlying formation.  In all cases sunas ENATION COMMISSION  WICHTA, KS  In all cases are prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate It cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  The my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT  RECEIVED  Legging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  JAN 2 6 2007  The drilling rig; The by circulating cement to the top; in all cases sures STANSAS CORPORATION COMMISSION  The underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the description of the set o	DAVIT  Ligging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  Ligging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  Light by circulating cement to the top; in all cases suitable particulating cement to the top; in all cases suitable particulating cement to the top; in all cases suitable particulation.  Light of the circulating cement to the top; in all cases suitable particulation, as underlying formation.  Light of the circulating cement to the top; in all cases suitable particulation, as underlying formation.  Light of the circulating cement to the top; in all cases suitable particulation, as underlying formation.  Light of the circulation casing is cemented in; and form below any usable water to surface within 120 days of spud date.  Light of the circulation and cases, NOTIFY district office prior to any cementing.  Light of the circulation and cases, alternate II cementing to plugged.  Light of the circulation are particulated by the circulation of the circ
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the state of the search of the search of the search of the well is dry hole, an agreement between the operator and the description of the search of the well is dry hole, an agreement between the operator and the description of the search of	DAVIT  RECEIVED  agging of this well will comply with K.S.A. STARSAS CORPORATION COMMISSION  the drilling rig; the by circulating cement to the top; in all cases sures Examples and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the shall unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a minimum of 20 feet into the shall be unconsolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolidated materials plus a specified below shall be posted on each consolida	DAVIT  RECEIVED  agging of this well will comply with K.S.A. STANSAS CORPORATION COMMISSION  In drilling rig; If by circulating cement to the top; in all cases sunas Explanations with the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205-27/05-0000	Location of Well: County: Wilson
Operator: Cherokee Wells LLC	1980' feet from VN/ S Line of Section
Lease: Apolio	1980' feet from E / ✓ W Line of Section
Well Number: A-4	Sec. 32 Twp. 29 S. R. 14 🗸 East Wes
Field: Cherokee Basin Coal/Mississippian	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  C - SE4 - NW	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

 · · · · · · · · · · · · · · · · · · ·	1980	
 1980		
	3 <b>2</b> —	· · · · · · · · · · · · · · · · · · ·
 · · · · · · · · · · · · · · · · · · ·		: : : : : : : : : : : : : : : : : : :
•		· · · · · · · · · · · · · · · · · · ·

# RECEIVED KANSAS CORPORATION COMMISSION JAN 2 6 2007

# CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells LLC		License Number: 33539		
Operator Address: 4916 Camp Box	wie Blvd., Sui	te 204 Foi	t Worth, TX 76107	
Contact Person: Rhonda Wilson			Phone Number: ( 620 ) 378 - 3650	
Lease Name & Well No.: Apollo A-4	, - i		Pit Location (QQQQ):	
Type of Pit:	Pit is:		CSE4 _ NW	
Emergency Pit Burn Pit	<b>✓</b> Proposed	Existing	Sec. 32 Twp. 29 R. 14 ✓ Ea	st 🗌 West
Settling Pit	If Existing, date constructed:		1980' Feet from 🗸 North / 🗌 Sou	1
Workover Pit Haul-Off Pit		<del></del>	1980' Feet from East / 🗸 We	
(If WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Wilson	County
Is the pit located in a Sensitive Ground Water	r Area? <del>✓ Ye</del> s	No	Chloride concentration:  (For Emergency Pits and Settling Pit	· 1
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not use	
Pit dimensions (all but working pits):	30 Length (fe	et) 40	Width (feet) N/A	: Steel Pits
	rom ground level to de			
Distance to nearest water well within one-mil	e of pit	Depth to shallo	west fresh waterfeet.	ر او
		Source of infor	mation:	05
n/a feet Depth of water well			red well owner electric log _	KDWR 7/05
Emergency, Settling and Burn Pits ONLY		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water	0
			tion to a second tion with the best different. One	
			Abandonment procedure: Remove Fluids, Allow to Dry and Level Surface	
Does the slope from the tank battery allow a flow into the pit?  Yes  No	ll spilled fluids to		be closed within 365 days of spud date.	
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	RECEIVED CORPORATION COMM
1/17/07		handa	lilson	JAN 2 6 2007
Date			ignature of Applicant or Agent	NSERVATION DIVISION WIGHTIA, KS
	KCC	OFFICE USE O	NLY	
Date Received: 1/26/67 Permit Nur	mber:	Perm	it Date: //26/07 Lease Inspection:	Yes No