# For KCC Use: Effective Date: 2-4-07 District # 3 SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot ✓ East
Expected Spud Date month day year	NE4 - NE4 - SW4 Sec. 33 Twp. 29 S. R. 14 West
33539	2310' feet from N / VS Line of Section
OPERATOR: License# 33539 / Name: Cherokee Wells LLC	2310' feet from E / W Line of Section
4916 Camo Bowie Blvd., Suite 204	ls SECTION Regular Irregular?
Address:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rhonda Wilson	County: Wilson
Phone: 620-378-3650	Lease Name: McGinnis Well #: A-2
,	Field Name: Cherokee Basin Coal/Mississippian
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
Name: Well Refined Drilling	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 2310'
	Ground Surface Elevation: 972.2 feet MSL
Oil Enh Rec ✓ Infield Mud Rotary  ✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic: # of Holes Other	Depth to bottom of fresh water: 100+
Other	Depth to bottom of usable water: 200 +
	Surface Pipe by Alternate: 2 40' Mininimum
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Mininimum  Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1350'
Well Name:	Formation at Total Depth: Mississipplan
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ▼ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACC	DAVIT
	DAVIT RECEIVED  RECEIVED  RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plants	ngging of this well will comply with K.S.AKAMBAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of intent to drill <i>shall be</i> posted on each and the district of the search and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the search of the district office will be notified before well is either plug of the search of the district office will be notified before well is either plug of the search of the search of the district of the search of th	In drilling rig;  to define the top; in all cases surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a seathrough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of	In drilling rig;  the drilling rig;  the virculating cement to the top; in all cases surface within all the series of production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  14133,891-C, which applies to the KCC District 3 area, alternate il cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of intent to drill <i>shall be</i> posted on each and the district of the search and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the search of the district office will be notified before well is either plug of the search of the district office will be notified before well is either plug of the search of the search of the district of the search of th	JAN 2 6 2007  In drilling rig;  To production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Office Manager
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the state of the approved notice of intent to drill shall be posted on each at the state of the appropriate district of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plug state of Operator or Agent:    For KCC Use ONLY	In drilling rig;  the drilling rig;  the virculating cement to the top; in all cases surface within all the series of production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  14133,891-C, which applies to the KCC District 3 area, alternate il cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the seather of the well is dry hole, an agreement between the operator and the description of the seather of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plus o	In drilling rig;  In drilling
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the state of the approved notice of intent to drill shall be posted on each at the state of the appropriate district of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plug state of Operator or Agent:    For KCC Use ONLY	In drilling rig;  In drilling
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the state of a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for grant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plug state of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the well shall to hereby certify that the statements made herein are true and to the best of the spud date of the well shall to the statements of the spud date of the well shall to the statements of the spud date of the spud	In drilling rig; It by circulating cement to the top; in all cases surface tipe in all cases at the top in all cases at the top in all cases are in all cases, notifier to surface within 120 days of spud date.  If it is Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each at the state of the approved notice of intent to drill shall be posted on each at the state of the state o	In drilling rig; It by circulating cement to the top; in all cases surface tipe in all cases at the in all cases in all cases in all cases in all cases, which applies to the KCC District 3 area, alternate ill cementing in plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27101-0000	Location of Well: County: Wilson
Operator: Cherokee Wells LLC	2310' feet from N / ✓ S Line of Section
Lease: McGinnis	2310' feet from ☐ E / ✓ W Line of Section
Well Number: A-2	Sec33 Twp29 S. R14
Field: Cherokee Basin Coal/Mississippian	Is Section: 🗸 Regular or   Irregular
Number of Acres attributable to well:	If Section is irregular, locate well from nearest corner boundary.
•	Section corner used: NE NW SE SW


## PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

				1					- 1
1	•		•			•	-	-	
1			•			•	•	•	
						•			
Į.				-					
							 		•
i				i					
		-						_	
	•	•	•			•	•	•	
			•	. 1			 		.
									-
		•							
		_							
	•		•				•		
							 		•
	-	•				-	•		
1							•	•	
									-
1					3_				
		-		_ ′	ン		 		
							•		
	· nカ := \	•					•		
	2310				Į.	-			
	2310	·		1		-		•	
	2310			<b>)</b>			 	:	
	2310		· 	} .					
	2310		· 				 		
	: <u>2310</u>		· · ·					: 	•
	2310		· · · · ·				 		
	9310		· · · ·	}					
	1310								
	2310								
	<u>:9310</u>								
	2310			. 0/2					
	2310			3/0					
	: 2310			23/0					
	2310			23/1)					
	2310			23/1)					
	2310			23/0					

## RECEIVED KANSAS CORPORATION COMMISSION

JAN 2 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit In Duplicate

Operator Name: Cherokee Wells LLC			License Number: 33539				
Operator Address: 4916 Camp Bo	wie Blvd., Suit	e 204 For	t Worth, TX 76107				
Contact Person: Rhonda Wilson			Phone Number: ( 620 ) 378 - 3650				
Lease Name & Well No.: McGinnis A-2			Pit Location (QQQQ):				
Type of Pit:	Pit is:		NE4 NE4 SW4				
Emergency Pit Burn Pit	✓ Proposed  Existing		Sec. 33 Twp. 29 R. 14 📝 East 🗌 West				
Settling Pit	If Existing, date constructed:		2310' Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2310' Feet from East / West Line of Section Wilson				
	800	(bbls)	County				
Is the pit located in a Sensitive Ground Water	r Area? <del>√ Yes</del> <del>²</del>	'No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)				
is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Depth  If the pit is lined give a brief description of th material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining including any special monitoring.				
Distance to nearest water well within one-min/a feet Depth of water well	·	Source of Infor	1				
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Fresh Water					
		rking pits to be utilized:					
					Abandonment	andonment procedure: Remove Fluids, Allow to Dry and Level Surface	
		be closed within 365 days of spud date.					
		I hereby certify that the above sta	tements are true and c	honda	RECEIVED KANSAS CORPORATION COMMIS  JAN 2 6 2007  Signature of Applicant or Agent		
	KCC (	OFFICE USE O	WICHTA KS				
Date Received: 1/24 67 Permit Nu	mber:	Perm	it Date: 1/26/o7 Lease Inspection: Yes 🗷 No				