For KCC Use:	7 4 07
Effective Date:	2-7-01
District #	
SGA? Yes	s 💢 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed
All blanks must be Filled

Expected Spud Date APRIL 1, 2007 month day year	Spot East
6006	NW - NE Sec. 31 Twp. 345 S. R. 11 V Wes 3100 feet from V N / S Line of Section
OPERATOR: License# 6006 Name: MOLZ OIL COMPANY	1190 feet from \checkmark E / W Line of Section
Address: 19159 SW CLAIRMONT	Is SECTION ✓ RegularIrregular?
City/State/Zip: KIOWA, KANSAS 67070	
Contact Person, JIM MOLZ	(Note : Locate well on the Section Plat on reverse side) County: BARBER
Phone: 620-296-4558	Lease Name: MOLZ Well #-9
	Field Name: STRANATHAN
CONTRACTOR: License# 33789	Is this a Prorated / Spaced Field?
Name: D & B DRILLING	Target Formation(s): MISSISSIPPI
Well Drilled For: Well Class: Type Equipment:	490'
✓ Oil / Enh Rec ✓ Infield ✓ Mud Rotary	Nearest Lease or unit boundary: 400
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWD Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 5600
Original Completion Date:Original Total Depth:	Formation at Total Depth: SIMPSON
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well 🗸 Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	IDAVIT 4.6. 2007
The undersigned hereby affirms that the drilling, completion and eventual o	lugging of this wolf will comply with \$2.5.55 of soc. (AM 14 741)
	lugging of this well will comply with K.S.A. 55 et. seq. JAN 19 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	KCC WICHIT
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be seach of the shall be seached by the shall be seached by the shall be shall be seached by the shall be shall be shall be shall be seached by the shall be seached by the shall be shall	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the constants. 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is comented in; ted from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the control of the surface of the well shall be completed within 30 days of the spud date or the well shall 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spudidate or the well shall thereby certify that the statements made herein are true and to the best of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the control of the surface of the well shall be completed within 30 days of the spud date or the well shall 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. fistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well shall the set of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well is either plug to the set of the well shall the set of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember b: File Dun Rit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Dill Rit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plug to the surface of the surface of the surface of the surface of the well is either plug to the surface of the well shall the surface of the well shall thereby certify that the statements made herein are true and to the best of the surface of the well shall the surface of the surface	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Idstrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Dill Rit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the well is dry hole, an agreement between the operator and the construction of the well shall be cement. 5. The appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. fistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember 15: File Dill Rit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of Date: 1 - 9 - 0 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 007 - 2311 b - 0000 Conductor pipe required 1000 feet per Alt. 1 Approved by: 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Competion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plug to the surface of the well shall of the surface	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember b: File Duin bit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug to the surface casing order must be completed if an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of Date: 1 - 9 - 0 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 007 - 2311 b - 0000 Conductor pipe required 1000 feet per Alt. 1 Approved by: 1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: - File Drill Rit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the surface plus and the surfa	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember b: File Duin bit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23116-0000	Location of Well: County: BARBER
Operator: MOLZ OIL COMPANY	
Lease: MOLZ	feet from V N / S Line of Section 1190 feet from V E / W Line of Section
Well Number: 9	Sec31Twp34S S. R11 East
Field: STRANATHAN	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NW - NE - SE	If Section is Irregular Joseph well from peacest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		2,00		
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	1198	EXAMPLE	
				1980
		 7, 30 · · · · ·	3390'	
:	: :		SEWARD CO.	RECEI

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc. 4 sections, etc. RECEIVED

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- KANSAS CORPORATION COMMISSION

JAN 19 2007

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attach. Co. 7 2007 wells; CG-8 for gas wells).

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			· · · · · · · · · · · · · · · · · · ·		
Operator Name: MOLZ OIL COMPA	ANY		License Number: 6006		
Operator Address: 19159 SW Clai	rmont		······		
Contact Person: JIM MOLZ			Phone Number: (620	²⁹⁶ ⁴⁵⁵⁸	
Lease Name & Well No.: MOZ **	9		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW NE SE .		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 31 Twp. 34S R. 11		
Settling Pit	If Existing, date constructed:		X3100 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Onlied)	Pit capacity:				
		(bbls)	Dare	County County	
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes ✓	No		Pits and Settling Pits only)	
Is the bottom below ground level? ☐ Yes ✓ No	Artificial Liner?	No	How is the pit lined if a plas		
Pit dimensions (all but working pits):	25 Length (for		5	N/A: Steel Pits	
				JAN 1 5 2007	
Distance to nearest water well within one-mile of pit		Depth to shallo Source of info	owest fresh water rmation:	— PRO WICHITA	
NA feet Depth of water well	feet	measo	uredwell owner	electric log KDWR	
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:		Type of materi Number of wo	at utilized in drilling/workover:	drilling much	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: <u>evaporation</u> Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	tements are true and	correct to the bes	st of my knowledge and belief.	RECEIVED	
1-9-07 Date			Signalure of Applicant or Agent	JAN 15 2007	
	ксс	OFFICE USE O	NLY	REAS+C	
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			nit Date: \\3o(o7 Lea		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67,202 1 2007



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

January 30, 2007

Mr. Jim Molz Molz Oil Company 19159 SW Clairmont Kiowa, KS 67070

RE: Drilling Pit Application Molz Lease Well No. 9 SE/4 Sec. 31-34S-11W Barber County, Kansas

Dear Mr. Molz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File