For KCC Use: 7 U-07	
Effective Date:	
District #	
SGA? Yes X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	ebruary	10	2007	Spot	East
Expected Spad Date	month	day	year	NW - SW - NE Sec. 13 Twp. 10	S. R. 24 West
•	32639			1360 feet from V N /	S Line of Section
OPERATOR: License#	Corp			2280 feet from 🗸 E /	W Line of Section
Name: Coral Production Address: 1600 Stout St.	Suite 1500			Is SECTIONRegularIrregular?	
Address: Denver, C	O 80202			(Note: Locate well on the Section Plat on re	verse side)
City/State/Zip:	her			County: Graham	
Contact Person: Jim We Phone: (303) 623-3573				Lease Name: V. Gano	Well #: 13-2
	./			Field Name: Wildcat	
CONTRACTOR: License	31548			Is this a Prorated / Spaced Field?	Yes V No
Name: Discovery Drilli	ng Co, Inc.			Target Formation(s): Lansing/Arbuckle	
radiio.				Nearest Lease or unit boundary: 360'	
Well Drilled For:	Well Class	: Type	Equipment:	Ground Surface Elevation: 2440' est	feet MSL
Oil / Enh	Rec Infield	. v	Mud Rotary	Water well within one-quarter mile:	Yes - INO
Gas Stor	age Pool	Ext.	Air Rotary	Public water supply well within one mile:	Yes No
OWWO Disp	osal 🔽 Wildo	at 🗍	Cable	Depth to bottom of fresh water: 180'	٠٠٠ سے
Seismic;#				Depth to bottom of usable water: 1200'	
Other				Surface Pipe by Alternate: 1 2	
<u> </u>				Length of Surface Pipe Planned to be set: 200'+	
If OWWO: old well infor				Length of Conductor Pipe required: None	
Operator:				Projected Total Depth: 4500'	
Well Name:				Formation at Total Depth: Arbuckle	
Original Completion	Date:	_Original Tot	al Depth:	Water Source for Drilling Operations:	
Directional, Deviated or	Horizontal wellbore	9?	Yes V No		
Directional, Devictor of				ranni and	
If Van true vertical depti	h-			DWR Permit #:	
If Yes, true vertical depti				DWR Permit #:	
Bottom Hole Location:_				(Note: Apply for Permit with DWR	
					Yes No
Bottom Hole Location:_				(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
Bottom Hole Location:KCC DKT #:	-		AFI	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
Bottom Hole Location:_ KCC DKT #: The undersigned hereb	ry affirms that the	drilling, comp	AFI	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll	y affirms that the owing minimum re	drilling, comp	AFI Dietion and eventual will be met:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate of the information of the information of the information of the information in the information of the information of the information in the information of the information in the informatio	by affirms that the owing minimum repriate district office proved notice of in a count of surface proved materia hole, an agreemed district office will to the completion of t	drilling, compequirements to spin tent to drill sippe as specified between the notified between the notified between Kansas of the spud	AFI pletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall be shall be as the control of the well shall be shall be ceme as the control of the well shall be shall be ceme as the control of the well shall be ceme as the control of the well shall be ceme as the control of the well shall be ceme as the control of the well shall be ceme as the control of the well shall be ceme as the control of	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessauged or production casing is cemented in; nted from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area libe plugged. In all cases, NOTIFY district office prior	Pipe shall be set ry prior to plugging; days of spud date. alternate II cementing
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate of the information of the properties of the properties of the information	by affirms that the owing minimum repriate district office proved notice of innount of surface pasolidated materia hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made	drilling, compequirements of the prior to specified be notified by	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; nited from below any usable water to surface within 120 ar #133,891-C, which applies to the KCC District 3 area libe plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	Pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate of the information of the information of the information of the information in the information of the information of the information in the information of the information in the informatio	by affirms that the owing minimum repriate district office proved notice of innount of surface pasolidated materia hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made	drilling, compequirements to spin tent to drill sippe as specified between the notified between the notified between Kansas of the spud	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area in the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: President	Pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07	by affirms that the owing minimum repriate district office proved notice of innount of surface pasolidated materia hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made	drilling, compequirements of the prior to specified be notified by	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area is the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: President	pipe shall be set ry prior to plugging; days of spud date. alternate II cementing or to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07	by affirms that the lowing minimum repriate district office proved notice of incount of surface pasolidated materia hole, an agreemed district office will be a completed within 30 days a statements made	drilling, compequirements of prior to sputent to drill sipe as specified by the sputent between the production stern Kansas of the spude herein are	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessal ugged or production casing is cemented in; inted from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area in the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to	yes No Pipe shall be set Ty prior to plugging; days of spud date. alternate II cementing or to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07	y affirms that the owing minimum repriate district office proved notice of incount of surface prosolidated materia hole, an agreeme district office will be II COMPLETION ppendix "B" - Eased within 30 days a statements made	drilling, compequirements to prior to spentent to drill sipe as specified be notified be notified be notified be to the notified be the production stern Kansas of the spude herein are	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessal ugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area in the plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07	by affirms that the fowing minimum repriate district office proved notice of innount of surface phasolidated materia hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made Signature of 23278-red	drilling, compequirements of a prior to sputent to drill sipe as specified between the notified between Kansas of the spude herein are	poletion and eventual will be met: udding of well; shall be posted on e fied below shall be simum of 20 feet into the operator and the fore well is either plus pipe shall be ceme surface casing order date or the well shall true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field pror. Notify appropriate district office 48 hours prior to we	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry;
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - 06 5 Conductor pipe require	by affirms that the owing minimum repriate district office proved notice of incommon of surface passidated material hole, an agreemed district office will be II COMPLETION ppendix "B" - Eased within 30 days a statements made Signature of 23278-red	drilling, compequirements of prior to spent to drill sipe as specified be notified be notified be notified be herein are of Operator of Op	AFI pletion and eventual will be met: udding of well; shall be posted on e fied below shall be s imum of 20 feet into the operator and the fore well is either plu pipe shall be ceme surface casing orde date or the well shall true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessauged or production casing is cemented in; inted from below any usable water to surface within 120 ar #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field proroughly appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is continuous.	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted;
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncon 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - 06 5 Conductor pipe require Minimum surface pipe	by affirms that the lowing minimum repriate district office proved notice of incomment of surface prosolidated material hole, an agreemed district office will be Eli COMPLETION appendix "B" - East ed within 30 days a statements made as a statement of the province of the comment of the comme	drilling, compequirements of prior to spent to drill sipe as specified be notified be notified be notified be herein are of Operator of Op	oletion and eventual will be met: udding of well; shall be posted on e simum of 20 feet into the operator and the proper shall be ceme a surface casing orded date or the well shalt true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; inted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field pror. Notify appropriate district office 48 hours prior to we	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; impleted; ing salt water.
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - Old S Conductor pipe require Minimum surface pipe Approved by:	by affirms that the owing minimum repriate district office proved notice of incommon of surface passolidated material hole, an agreemed district office will be II COMPLETION ppendix "B" - Eased within 30 days a statements made Signature of 23278-red Note of required C-30-07	drilling, compequirements of prior to spentent to drill sipe as specified be notified be notified be notified be the spentent Kansas of the spude herein are of Operator of Op	oletion and eventual will be met: udding of well; shall be posted on e simum of 20 feet into the operator and the proper shall be ceme a surface casing orded date or the well shalt true and to the best or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessal ugged or production casing is cemented in; inted from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is conducted. If this permit has expired (See: authorized expiration).	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ng salt water. an date) please
The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum am through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - 06 5 Conductor pipe requir Minimum surface pipe Approved by: 1	by affirms that the fowing minimum repriate district office proved notice of incount of surface prosolidated material hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made	drilling, compequirements of prior to sputent to drill sipe as specified be sputent to the notified be stern Kansas of the sputent are of Operator of	AFI pletion and eventual will be met: udding of well; shall be posted on e fied below shall be s imum of 20 feet into the operator and the fore well is either pla a pipe shall be ceme a surface casing orde date or the well sha true and to the best or Agent: feet feet feet per Alt. 2	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; need from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area is to be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is cord. Obtain written approval before disposing or injectir	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ng salt water. an date) please
Bottom Hole Location: KCC DKT #: The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - Old S Conductor pipe require Minimum surface pipe Approved by:	by affirms that the fowing minimum repriate district office proved notice of incount of surface prosolidated material hole, an agreeme district office will be II COMPLETION appendix "B" - Eased within 30 days a statements made	drilling, compequirements of prior to sputent to drill sipe as specified be sputent to the notified be stern Kansas of the sputent are of Operator of	AFI pletion and eventual will be met: udding of well; shall be posted on e fied below shall be s imum of 20 feet into the operator and the fore well is either pla a pipe shall be ceme a surface casing orde date or the well sha true and to the best or Agent: feet feet feet per Alt. 2	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessal ugged or production casing is cemented in; inted from below any usable water to surface within 120 er #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is conducted. If this permit has expired (See: authorized expiration).	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ng salt water. an date) please
The undersigned hereb It is agreed that the foll 1. Notify the approp 2. A copy of the app 3. The minimum am through all uncor 4. If the well is dry 5. The appropriate 6. If an ALTERNATI Or pursuant to A must be complet I hereby certify that the Date: 1/26/07 For KCC Use ONLY API # 15 - 06 5 Conductor pipe requir Minimum surface pipe Approved by: 1	by affirms that the lowing minimum repriate district office proved notice of incount of surface proved nagreemed district office will be a complete to the surface of the s	drilling, compequirements of prior to sputent to drill sipe as specified be sputent to the notified be stern Kansas of the sputent are of Operator of	AFI pletion and eventual will be met: udding of well; shall be posted on e fied below shall be s imum of 20 feet into the operator and the fore well is either pla a pipe shall be ceme a surface casing orde date or the well sha true and to the best or Agent: feet feet feet per Alt. 2	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaugged or production casing is cemented in; need from below any usable water to surface within 120 ar #133,891-C, which applies to the KCC District 3 area ill be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponsory. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is concluded to the completion of the province of the completion of the com	pipe shall be set ry prior to plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ng salt water. an date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23278-0000	Location of Well: County: Graham
Operator: Coral Production Corp.	1360 feet from VN / S Line of Section
Lease: V. Gano	2280 feet from E / W Line of Section
Well Number: 13-2 Field: Wildcat	Sec. 13 Twp. 10 S. R. 24 East Wes
Number of Acres attributable to well: 160	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW - SW - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	1360	2280 \
	Gai	FEL no 13 2
 · · · · · · · · · · · · · · · · · · ·	13	
 ·		
		: :

EXAMPLE	•	:			
· · · · · · · · · · · · · · · · · · ·		10-		1980	
		•	3390	y . 	
		•		:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED

In plotting the proposed location of the well, you must show:

JAN 2 9 2007

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section 4 sections, etc.

- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: CORAL PRODUCTIN CORP.			License Number: 32639	_
Operator Address: 1600 STOUT	ST., SUITE	E 1500; D	ENVER, CO 80202	
Contact Person: JIM WEBER			Phone Number: (303) 623 - 3573	_
Lease Name & Well No.: V. GANO #13-2			Pit Location (QQQQ):	
Type of Pit:			<u>NW _ SW _ NE</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 13 Twp. 10 R. 24 East V West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:		on
Workover Pit Haul-Off Pit			2280 Feet from 🗸 East / West Line of Section	on
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	GRAHAM coun	1
	Arna 2	(/-	Chloride concentration: mg/	<u>, </u>
Is the pit located in a Sensitive Ground Water	Area? tes		(For Emergency Pits and Settling Pits only)	[
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	Ų
Yes No	Yes 🗸		NATIVE MUD	\dashv
Pit dimensions (all but working pits): ξ		_	Width (feet) N/A: Steel Pits	
Depth fo	rom ground level to de	eepest point: 6	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	ə.	liner integrity, i	edures for periodic maintenance and determining including any special monitoring.	<u> </u>
Distance to nearest water well within one-mil		Source of info	. (6)	
feet Depth of water well 26 feet		ļ <u> </u>	ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:			kover and Haul-Off Pits ONLY: FRESH WATER MUD	
Producing Formation:			ial utilized in drilling/workover: FRESH WATER MUD	-
Number of producing wells on lease:		Number of wo	rking pits to be utilized: 3 procedure: ALLOW TO DRY & BACKFILL	_
Barrels of fluid produced daily:		Abandonment	procedure:	_
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes		
JANUARY 26, 2007		281	JAN 2 9 2007	·A
Date			Signature of Applicant or Agent KCC WICHIT	<u> </u>
KCC OFFICE USE ONLY				
Date Received: \(\frac{1}{24} \) C7 Permit Nur	mber:	Perr	mit Date: 1 29 67 Lease Inspection: Yes (No)