# For KCC Use: Effective Date: District # SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| - 40 2007   |   |
|---|---|
| Expected Spud Date February 10 2007   | Spot East   |
| month day year  | NE NW Sec. 20 Twp. 07 S. R. 38 West   |
| OPERATOR: License# 33019  | 613   |
| Name: Rosewood Resources, Inc.  | 1,183 feet from E / W Line of Section   |
| Address: 2711 N. Haskell Ave Suite 2800, LB #22                                     | ls SECTION <u>✓</u> Regular Irregular?  |
| City/State/Zip: Dallas, Texas 75205   | (Note: Locate well on the Section Plat on reverse side)   |
| Contact Person: Storm Sands   | County: Sherman   |
| Phone: 214-756-6606   | Lease Name: Beachner Bros Well #: 11-20   |
| CONTRACTOR: License# 33532  | Field Name: Goodland  |
| Advanced Drilling Technologies, LLC   | Is this a Prorated / Spaced Field?Yes ✓ No  |
| Name: Advanced Dilling Technologies, LEC  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:                                       | Nearest Lease or unit boundary: 613'  |
| Oil Enh Rec / Infield / Mud Rotary  | Ground Surface Elevation: 3,571.7' feet MSL   |
| ✓ Gas Storage Pool Ext. ✓ Air Rotary—   | Water well within one-quarter mile:   |
| OWWO Disposal Wildcat Cable   | Public water supply well within one mile: Yes ✓ No '  |
| Seismic;# of Holes Other  | Depth to bottom of fresh water: MA 325  |
| Other   |   |
|   | Surface Pipe by Alternate:  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set: 375 minimum   |
| Operator:   | Length of Conductor Pipe required: None   |
| Well Name:  | Projected Total Depth: 1,300'  Formation at Total Depth: Niobrara   |
| Original Completion Date:Original Total Depth:                                      | Torridator at Total Dopan.  |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No                              | Water Source for Drilling Operations:  Well Farm Pond Other XXX   |
| <del>-</del> -  |   |
| If Yes, true vertical depth:  | DWR Permit #:   |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR  |
| KCC DKT #:  | Will Cores be taken?Yes ✓ No  |
|   | If Yes, proposed zone:  |
| AFF   | DAVIT RECEIVED  |
| The undersigned hereby affirms that the drilling, completion and eventual p         | ugging of this well will comply with K.S.KANSAS GORPORATION COMMISSION  |
| It is agreed that the following minimum requirements will be met:                   | FEB 0 2 2007  |
| 1. Notify the appropriate district office prior to spudding of well;                | 1 20 0 2 2001   |
| 2. A copy of the approved notice of intent to drill shall be posted on ear          |   |
| 3. The minimum amount of surface pipe as specified below shall be se                | or by circulating cement to the top; in all cases surface ofte shall be set   |
| through all unconsolidated materials plus a minimum of 20 feet into the             | ne underlying formation.  Iistrict office on plug length and placement is necessary <i>prior to plugging</i> ;  |
| 5. The appropriate district office will be notified before well is either plug      |   |
|   | ed from below any usable water to surface within 120 days of spud date.   |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order                   | #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| must be completed within 30 days of the spud date or the well shall                 | be plugged. In all cases, NOTIFY district office prior to any cementing.  |
| I hereby certify that the statements made herein are true and to the best o         | f my knowledge and belief.  |
| - Fabruary 2 2007   | Title: Lease Analyst  |
| Date: February 2, 2007 Signature of Operator or Agent:                              | Title: Lease Artalyst   |
|   | Remember to:  |
| For KCC Use ONLY  | - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| API # 15 - 181-20504-0000   | - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;                           |
| N/one   |   |
| 2-5   | Notify appropriate district office 48 hours prior to workover or re-entry;      Sub-at-alwaying conect (CR 4) offer alwaying in persented.                |
|   | <ul> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul> |
| Approved by: Rett 2-2-07  | 1.  |
| This authorization expires: 8-2-0-7   | If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.                                  |
| (This authorization void if drilling not started within 6 months of approval date.) | Well Not Drilled - Permit Expired   |
| Spud data: Agent:   |   |
| Spud date:Agent:  | Signature of Operator or Agent:   |
|   |   |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 181-20504-0000   | Location of Well: County: Sherman  |
|---|--|
| Operator: Rosewood Resources, Inc.  | 613 feet from VN/ S Line of Section  |
| Lease: Beachner Bros  | 1,183 feet from E / V W Line of Section  |
| Well Number: 11-20  | Sec20Twp07S. R38 East ✓ West   |
| Field: Goodland   |  |
| Number of Acres attributable to well: 160  QTR / QTR / QTR of acreage: NE - NW - NW | Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

| :        | 61,3'    | :  |                                       |
|----------|----------|----|---------------------------------------|
| . 1,183' | <b>)</b> |    |                                       |
|          |          |    | · · · · · · · · · · · · · · · · · · · |
|          |          |    |                                       |
|          | : : :    |    |                                       |
|          | •        | :  |                                       |
| •        |          | 20 | :                                     |
|          | : :      | •  | · · ·                                 |
|          | •        |    | • •                                   |
|          |          |    |                                       |
| •        |          |    | · · · · · · · · · · · · · · · · · · · |
|          |          |    | · · · · · · · · · · · · · · · · · · · |
|          |          |    |                                       |
|          |          |    |                                       |

## RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 2 2007

CONSERVATION DIVISION WICHITA, K8



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Rosewood Resources, Inc.   |  | License Number: 33019   |  |             |
|---|--|---|--|-------------|
| Operator Address: 2711 N. Hask  | ell Ave. Suit  | te 2800, L  | B #22, Dallas, TX 75204  |             |
| Contact Person: Storm Sands   | and the second s |   | Phone Number: ( 214 ) 756 - 6606   |             |
| Lease Name & Well No.: Beachner Bros 11-20  |  | Pit Location (QQQQ):  |  |             |
| Type of Pit:  | Pit is:  |   | <u>NE - NW - NW</u>  |             |
| Emergency Pit Burn Pit  | <b>√</b> Proposed  | Existing  | Sec. 20 Twp. 7S R. 38 East V West  | İ           |
| Settling Pit  | If Existing, date co   | onstructed:   | 613 Feet from 🗸 North / South Line of Section  | n           |
| Workover Pit Haul-Off Pit   | Pit capacity:  |   | 1,183 Feet from East / 🗸 West Line of Section  | n           |
| (If WP Supply API No. or Year Drilled)  | - It capacity.   | (bbls)  | ShermanCounty  |             |
| Is the pit located in a Sensitive Ground Water  | r Area?  Yes  ✓  | No  | Chloride concentration:mg/i  |             |
|   | <del></del>  |   | (For Emergency Pits and Settling Pits only)  | 4           |
| Is the bottom below ground level?  Ves No   | Artificial Liner?  ☐ Yes  ✓  | No  | How is the pit lined if a plastic liner is not used?  Drilling Mud   |             |
|   | 25   | <sub>set)</sub> 40  |  | $\dashv$    |
|   | Length (for  |   | Width (feet) N/A: Steel Pits 6 (feet)  |             |
| If the pit is lined give a brief description of the material, thickness and installation procedur   |  | •   | edures for periodic maintenance and determining noluding any special monitoring.  RECEIVED  KANSAS CORPORATION COMMISSI  |             |
|   |  |   | FEB 0 2 2007   |             |
|   |  |   | FEB 0 2 2007   |             |
| Distance to nearest water well within one-mil   | le of pit  | Depth to shalk<br>Source of info  | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Division feet.  |             |
| Distance to nearest water well within one-mil  N/A feet Depth of water well   | NI/A   | Source of info  | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Division feet.  | /5          |
| NIA   | N/A feet   | Source of info meas   | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Division:  Division WICHITA, KS  Division:  Division Wichita, KS  Division Wichita, | /5          |
| N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  | N/A feet   | Source of info measi Drilling, Work   | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Division:  Interpretation:  Interpretation |             |
| N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  | N/A feet   | Source of info mease Drilling, Work Type of materi Number of wo                             | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Owest fresh water N/A feet.  rmation:  uredwell owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Bentonite  rking pits to be utilized: 1  | 15 181 205  |
| N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily: | N/A feet   | Source of info mease Drilling, Work Type of materi Number of wo                             | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Division:  Interpretation:  Interpretation | 15/18/20504 |
| N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:                                   | N/A feet   | Source of info mease Drilling, Work Type of materi Number of wo Abandonment                 | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  Owest fresh water N/A feet.  rmation:  uredwell owner electric log KDWR  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Bentonite  rking pits to be utilized: 1  | 15/18/20504 |
| N/A feet Depth of water well  | N/A feet   | Source of info mease Drilling, Work Type of materi Number of wo Abandonment Drill pits must | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  owest fresh water N/A feet. rmation: uredwell ownerelectric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 1 procedure: Evaporation & Backfill  be closed within 365 days of spud date.   | 15 181 205  |
| N/A feet Depth of water well  | N/A feet   | Source of info mease Drilling, Work Type of materi Number of wo Abandonment Drill pits must | FEB 0 2 2007  CONSERVATION DIVISION WICHITA, KS  owest fresh water N/A feet. rmation: uredwell ownerelectric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 1 procedure: Evaporation & Backfill  be closed within 365 days of spud date.   | 15/18/20504 |
| N/A feet Depth of water well  | N/A feet :    spilled fluids to  | Source of info mease Drilling, Work Type of materi Number of wo Abandonment Drill pits must | CONSERVATION DIVISION WICHITA, KS  owest fresh water N/A feet. rmation: ured well owner electric log KDWR  tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 1 procedure: Evaporation & Backfill be closed within 365 days of spud date.  It of my knowledge and belief.  | 15/18/20504 |