KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002

For KCC Use: NOTICE OF INTE	Form must be Typed
Effective Date:	•
District #	ays prior to commencing well All blanks must be I med
SGA? Yes No	
> 2-7-07	Spot East
Expected Spud Date month day year	NW NW NE Sec 14 Twp 34 S.R 38 X West
month day year	feet from XN/S Line of Section
OPERATOR: License # 5278	leet from [X](7.5] Line of Occion
Name: EOG Resources, Inc.	Is SECTION X Regular Irregular?
Address: 3817 NW Expressway, Suite 500	(Note: Locate well on Section Plat on Reverse Side)
City/State/Zip: Oklahoma City, Oklahoma 73112	
Contact Person: MINDY BLACK	
Phone:(405) 246-3130	Lease (value,
30684	Field Name:
CONTRACTOR: License #:30684	Is this a Prorated/Spaced Field? Yes X No
Name: ABERCROMBIE RID, INC.	Target Formation(s): MORROW
	Nearest Lease or unit boundary: 330 '
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 31861 feet MSL
X Oil Enh Rec Infield X Mud Rotary	Water well within one-quarter mile:
	Public water supply within one mile: yes x no
Gas Storage Pool Ext. Air Rotary	Depth to bottom of fresh water:600 '
OWWO Disposal X Wildcat Cable	Depth to bottom of usable water: 620 UN
Seismic; # of Holes Other	Surface Pipe by Alternate: X 1 2
Other	Carraco vipo by vicomato.
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'
Operator: ————————————————————————————————————	Length of Conductor pipe required: 40 t
Well Name:	Projected Total Depth: 6750'
Original Completion Date: Original Total Depth	Formation at Total Depth: MISSISSIPPIAN
	Water Source for Drilling Operations:
· · · · · · · · · · · · · · · · · · ·	Well X Farm Pond Other
If yes, true vertical depth:	DWR Permit #:
Bottom Hole Location	DWR Permit #:(Note: Apply for Permit with DWR X)
•	(Note: Apply for Permit with DWR x)
Bottom Hole LocationKCC DKT #	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No
Bottom Hole Location KCC DKT # PROPATEO : Spaceo Huboton ; PANOMA	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone:
Bottom Hole Location KCC DKT # PRORATEO : SPACED HULOTON ; PANOMA AFF	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone:
Bottom Hole Location KCC DKT # PROPATEO : Space Huboton ; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5₹₽₽€₩₽₽
Bottom Hole Location KCC DKT # PRORATEO : SPACED HULOTON ; PANOMA AFF	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone:
Bottom Hole Location KCC DKT # PROPATEO : Spaceo HULOTON † PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5零度で記述をD KANSAS CORPORATION COMMISSION
Bottom Hole Location KCC DKT # PROPATEO: Spaceo Huboton; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5₹₹₹₹₹₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽₽
Bottom Hole Location KCC DKT # PROPATEO : Space Huboton ; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5农民工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工
Bottom Hole Location KCC DKT # PROPATEO: Spaceo Hubotom; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 PECELVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DY 18 GM all be set
Bottom Hole Location KCC DKT # PROPATEO: Spaceo Hubotom; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5\$\text{RECEIVED} KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DYNAIGH all be set e underlying formation; WICHITA, KS
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the property of the prior to the pri	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5 TECEN VED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DYBIGMAIL be set e underlying formation; WICHITA, KS trict office on plug length and placement is necessary prior to plugging;
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 BETTIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DYNAIGNAIL be set e underlying formation; WICHITA, KS trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disease. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	(Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 5 TECEN VED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DYBIGMAIL be set e underlying formation; WICHITA, KS trict office on plug length and placement is necessary prior to plugging;
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the disentence of the pluggest of the	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIPIGIONAL be set the underlying formation; with trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
RCC DKT # PROPATEO: SPACEO HUSOTON & PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION PROGRAM be set e underlying formation; trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
RCC DKT # PROPATEO: Space Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements made herein are true and to the best of meaning the statements are true and to the best of meaning the statements are true and to the statements are true and to the s	Will Cores Be Taken?: If yes, proposed zone: In yes,
RCC DKT # PROPATEO: SPACEO HUSOTON & PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION PROGRAM be set e underlying formation; trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
RCC DKT # PROPATEO: Space Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Date:	Will Cores Be Taken?: If yes, proposed zone: If yes,
RCC DKT # PROPATEO: Space Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials. Date:	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION PROGRAM be set e underlying formation; trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; de from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. It it is the complex of the prior to any cementing. We knowledge and belief. Title: OPERATIONS ASSISTANT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the spropriate district office will be notified before well is either plug so the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements made herein are true and to the best of modern plus of the spud date or the well shall be set through all the statements will be met:	Will Cores Be Taken?: If yes, proposed zone: If yes,
RCC DKT # PROPATEO: Spaceo Huboton † Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION PROGRAM be set e underlying formation; trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; de from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. It it is the complex of the prior to any cementing. We knowledge and belief. Title: OPERATIONS ASSISTANT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
RCC DKT # PROPATEO : Space Huboton ; Panoma AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: 2/1/07 Signature of Operator or Agent: For KCC Use ONLY 189 23575-0000 For KCC Use ONLY 189 23575-0000 API # 15- Conductor pipe required	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION PUBLICATION COMMISSION WICHITA, KS trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. We knowledge and belief. Title: OPERATIONS ASSISTANT Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
RCC DKT # PROPATEO : Space Huboton ; Panona AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: 2/1/07 Signature of Operator or Agent: For KCC Use ONLY 189-23575-000 API # 15- Conductor pipe required	Will Cores Be Taken?: If yes, proposed zone: If yes,
RCC DKT # PROPATED SPACED HULDTON I PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense of the surface pipe and the disense of the surface pipe and the disense of the surface casing order with the surface will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be a likely to the surface pipe and to the best of modular production pipe required feet feet per ALTERNATE II Conductor pipe required feet per ALTERNATE II Conductor pip	Will Cores Be Taken?: If yes, proposed zone: If yes,
RCC DKT # PROPATEO : Space Huboton ; Panona AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of m Date: 2/1/07 Signature of Operator or Agent: For KCC Use ONLY 189-23575-000 API # 15- Conductor pipe required	Will Cores Be Taken?: If yes, proposed zone: If yes,
RCC DKT # PROPATED SPACED HULDTON I PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense of the surface pipe and the disense of the surface pipe and the disense of the surface casing order with the surface will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be a likely to the surface pipe and to the best of modular production pipe required feet feet per ALTERNATE II Conductor pipe required feet per ALTERNATE II Conductor pip	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 POCETIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FIGURE OF THE COMMISSION FIGURE OF THE COMMISSION Title: OPERATIONS ASSISTANT Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please
RCC DKT # PROPATED SPACED HULDTON I PANOMA AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disense of the surface pipe and the disense of the surface pipe and the disense of the surface casing order with the surface will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be a likely to the surface pipe and to the best of modular production pipe required feet feet per ALTERNATE II Conductor pipe required feet per ALTERNATE II Conductor pip	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 RECEIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DYBIGMAIL be set e underlying formation; wichita, KS trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. It who will be prior to any cementing. It would be and belief. Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please check the box below and return to the address below
AFF The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	Will Cores Be Taken?: If yes, proposed zone: IDAVIT ing of this well will comply with K.S.A. 55 POCETIVED KANSAS CORPORATION COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FEB 0 2 2007 In drilling rig; by circulating cement to the top; in CONSERVATION DIVISIONAL BY COMMISSION FIGURE OF THE COMMISSION FIGURE OF THE COMMISSION Title: OPERATIONS ASSISTANT Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22575-0000	Location of Well: County:STEVENS
Operator EOG Resources, Inc.	330 feet from XN/S Line of Section
Lease MID-AMERICA CATTLE	2310_ feet from X E / W Line of Section
Well Number 14 #1	Sec14Twp34 S.R38 East X Wes
Field	
Number of Acres attributable to well:	Is Section <u>x</u> Regular or <u> trregular</u>
QTR/QTR/QTR of acreage:	If Section is irregular, locate well from nearest corner boundary.
-	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)

3390'

In plotting the proposed location of the well, you must show;

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
EOG Resources, Inc.		5278		
Operator Address:			1 34/6	
3817 NW Expressway, Suite 500 Oklahoma City, OK 73112				
Contact Person:			Phone Number:	
MINDY BLACK			(405) 246–3130	
Lease Name & Well No.:			Pit Location (QQQQ):	
MID-AMERICA CATTLE 14 #1	.		C . M NE - NE	
Type of Pit:	Pit is		C NW NW NE	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. <u>14</u> Twp. <u>34S</u> R. <u>38</u> East 🛣 Wes	
Settling Pit X Drilling Pit	If existing, date cor	nstructed		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		2310 Feet from East/ West Line of Section	
(If WP Supply API No. or Year Drilled)	12,500	(bbls)	STEVENS County	
Is the pit located in a Sensitive Ground Water	r Area? Yes	X No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits, only)	
Is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?	
X Yes No	∏ Yes	X No		
Pit dimensions (all but working pits):		 	Width (feet) X N/A Steel Pits	
· · · · · · · · · · · · · · · · · · ·				
	Depth from ground le	r		
If the pit is lined give a brief description material, thickness and installation procedure			edures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to si		Depth to sha	allowest fresh water 233 162 feet.	
Source of info \[\frac{1491}{491} \] feet \[Depth of water well \[\frac{400}{500} \] feet \[\frac{X}{200} \] measu		rnation: ed well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		al utilized in drilling/workover <u>ŒT</u>		
Number of producing wells on lease:		Number of work	king pits to be utilized NONE	
Barrels of fluid produced daily: Abandonment ;		procedure: HAUL TO HAUL-OFF PIT.		
Does the slope from the tank battery allow all spilled fluids to				
flow into the pond?	□ No	Drill pits mus	t be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and knowledge and COMMISSION				
2/1/07		unlin	dy Black FEB 0 2 2007	
Date			of Applicant or Agent CONSERVATION DIVISION	
KCC OFFICE USE ONLY WICHITA, KS				
Date Received: $\frac{2\sqrt{a/c7}}{\sqrt{a/c7}}$ Permit No	ımber:	Permit Date	Steel Pits Lease Inspection: Tyes Y No	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.