For KCC Use:	2 7 07
Effective Date: _	2-7-07
District #	3
SGA? XYes	No

# Kansas Corporation Commission Oil & Gas Conservation Division

### **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date February 18 2007	Spot	✓ East
month day year	W2E2 NE SE Sec. 1 Twp. 31 S. H	3. 21 West
OPERATOR: License# 3473		Line of Section
Name: William T. Wax	495 Feet from F E / W	Line of Section
Addrson, P. O. Box 276	Is SECTION <u>✓ Reg</u> ularIrregular?	
City/State/Zip: McCune, KS 66753	(Note: Locate well on the Section Plat on rever	se side)
Contact Person. Bill Wax	County: Crawford	
Phone: 620-724-3400	Lease Name: Mullen	Well #; G81
	Field Name: McCune	
CONTRACTOR: License# 3473	Is this a Prorated / Spaced Field?	Yes ✔ No
Name: Co. Tools	Target Formation(s): Cattlemen	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 495	
	Ground Surface Elevation:	
	Water well within one-quarter mile:	Yes V No.
Gas Storage Pool Ext. Air Rotary ~  OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
Other	Depth to bottom of usable water:	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator: N/A	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 250	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cattlemen	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other Air	
If Yes, true vertical depth:		
Bottom their Leasting	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
Bottom Hole Location: KCC DKT #:	(Note: Apply for Permit with DWR	Yes VNo
	(Note: Apply for Permit with DWR	Yes VNo
KCC DKT #:	(Note: Apply for Permit with DWR	Yes VNo
KCC DKT #:	(Note: Apply for Permit with DWR	Yes VNo
KCC DKT #:	(Note: Apply for Permit with DWR	Yes VNo
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous of the second of the	(Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe en underlying formation.  iistrict office on plug length and placement is necessary priged or production casing is cemented in;  ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Pes No  The shall be set  The
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the term of the term of the well is dry hole, an agreement between the operator and the description of the set	(Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe en underlying formation.  iistrict office on plug length and placement is necessary priged or production casing is cemented in;  ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Pes No  The shall be set  The plugging;  The soft spud date,  The server is a server in the server is a server in the server in the server is a server in the server in th
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous of the second of the	(Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If by circulating cement to the top; in all cases surface pipe en underlying formation.  iistrict office on plug length and placement is necessary priged or production casing is cemented in;  ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Pes No  The shall be set  The
AFF  The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead  3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the decent of the surface of	(Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig; If by circulating cement to the top; in all cases surface pipe underlying formation.  iistrict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to the production of the plugged. In all cases, NOTIFY district office prior to the plugged.  Title:	re shall be set prior to plugging; ys of spud date, termate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the appropriate district office price as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plug to the support of the shall be computed of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the copy of the spud date.  Signature of Operator or Agent:  For KCC Use ONLY	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe underlying formation.  Istrict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to the production of the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged.	re shall be set prior to plugging; ys of spud date. termate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dropposition of the set of t	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe underlying formation.  Istrict office on plug length and placement is necessary proged or production casing is cemented in;  ed from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to the programment of the programment of the programment of the programment of the prior to the	Yes No  We shall be set  whor to plugging;  ys of spud date.  emate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the specific will be notified before well is either plug of the sequence o	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe underlying formation.  Instrict office on plug length and placement is necessary proged or production casing is cemented in;  If yed from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the programment of the plugged.  If the prince prior to the prior to the prior to the plugged. In all cases, NOTIFY district office prior to the plugged.  File Drill Pit Application (form CDP-1) with Intent to Drill Pile Completion Form ACO-1 within 120 days of spud-  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worker.	Yes No  We shall be set  where to plugging;  we of spud date, emate II cementing any cementing,  date; corders; ver or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the drope of the surface district office will be notified before well is either plug for the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the through that the statements made herein are true and to the best of the surface prior of Agent:    Date: 1/29/07	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the virculating cement to the top; in all cases surface pipe underlying formation.  In istrict office on plug length and placement is necessary proged or production casing is cemented in;  and from below any usable water to surface within 120 day  #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the plugged. In all cases, NOTIFY district office prior to the plugged.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill  File Completion Form ACO-1 within 120 days of spud  File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worked.  Submit plugging report (CP-4) after plugging is completed.	Yes No  We shall be set  where to plugging;  we of spud date, emate II cementing any cementing,  date; orders; ver or re-entry; sted;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the de 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of  Pote: 1/29/07 Signature of Operator or Agent:  For KCC Use ONLY API # 15 - 037 -2/882-0000  Conductor pipe required Now feet Minimum surface pipe required feet per Alt. (2) Approved by LH 2-2-07	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe in the underlying formation. Instrict office on plug length and placement is necessary progred or production casing is cemented in; ed from below any usable water to surface within 120 day #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the progression of the progress	re shall be set  rior to plugging;  rys of spud date.  remate II cementing any cementing.  ; date; orders; over or re-entry; sted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the drope of the surface district office will be notified before well is either plug for the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the through that the statements made herein are true and to the best of the surface prior of Agent:    Date: 1/29/07	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In the by circulating cement to the top; in all cases surface pipe in the underlying formation.  Institute office on plug length and placement is necessary priged or production casing is cemented in;  ed from below any usable water to surface within 120 day.  #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the prior to prior prior to prior prior to prior prior prior to prior	re shall be set  rior to plugging;  rys of spud date.  remate II cementing any cementing.  ; date; orders; over or re-entry; sted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set into the set of the set o	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe in the underlying formation.  In istrict office on plug length and placement is necessary programmed in great from below any usable water to surface within 120 day.  #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the prior to pri	re shall be set  rior to plugging;  rys of spud date.  remate II cementing any cementing.  ; date; orders; over or re-entry; sted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all setherough and the operator and the description of the setherough and	(Note: Apply for Permit with DWR Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe in a underlying formation.  iistrict office on plug length and placement is necessary progred or production casing is cemented in; ed from below any usable water to surface within 120 day.  #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to provide to the completion of the completion form ACO-1 within 120 days of spudent in the completion File acreage attribution plat according to field proration.  Notify appropriate district office 48 hours prior to worked.  Submit plugging report (CP-4) after plugging is completed.  If this permit has expired (See: authorized expiration decheck the box below and return to the address below.  Well Not Drilled - Permit Expired.	re shall be set  rior to plugging;  ys of spud date.  remate II cementing any cementing.  ; date; orders; over or re-entry; sted; alt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set into the set of the well is either plug to the set of the se	(Note: Apply for Permit with DWR  Will Cores be taken?  If Yes, proposed zone:  IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe in the underlying formation.  In istrict office on plug length and placement is necessary programmed in great from below any usable water to surface within 120 day.  #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the prior to pri	re shall be set  rior to plugging;  ys of spud date.  remate II cementing any cementing.  ; date; orders; over or re-entry; sted; alt water.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0.37- 21882-0000	Location of Well: County: Crawford
Operator: William T. Wax	
Lease: Mullen	1980 feet from N / S Line of Section 495 feet from E / W Line of Section
Well Number: G81 Field: McCune	Sec1 Twp31 S. R21
Number of Acres attributable to well:	Is Section: PRegular or Irregular
QTR / QTR / QTR of acreage: W2E2 - NE - SE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · ·	· · · · · · · · · · · · · · · · · · ·	EXAMPLE
		· · · · · · · · · · · · · · · · · · ·	495
			3390
	-		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED
FEB 0.1 2007
KCC WICHITA

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: William T. Wax			License Number: 3473		
Operator Address: P. O. Box 276 McCune, KS 66753					
Contact Person: Bill Wax			Phone Number: ( 620 ) 724 - 3400		
	81		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W2 _ E2 _ NE _ SE</u>		
Emergency Pit Burn Pit	✔ Proposed  Existing		Sec. 1 Twp. 31 R. 21 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		1980 North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		495 Feet from 🗹 East / 🔲 West Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Crawford County		
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🔽	No	native clay		
Pit dimensions (all but working pits):	5 Length (fe	net) 3	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	epest point: 6	(feet)		
If the pit is lined give a brief description of the		l	dures for periodic maintenance and determining		
material, thickness and installation procedure n/a		n/a	ncluding any special monitoring.		
Tira		11/4			
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh water unknown feet.		
n/a feet Depth of water well feet		Source of information:			
Emergency, Settling and Burn Pits ONLY:	1661	measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: air			
Number of producing wells on lease:		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:		Abandonment procedure: backfill when dry			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
i hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
4441/					
1/29/07 // // Date s			MICLICATE OF Applicant or Applicant		
Date / Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 2 1 07 Permit Number: Per			it Date: 2 1 67 Lease Inspection: Yes K No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED FEB 0 1 2007