For KCC Use:	2 -7 0-7
Effective Date:	d- 101
District #	<i>1</i>

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Expected Spud Date February 22 2007	Spot
month day year	SW . NW Sec. 16 Twp. 21 S. R. 12 West
OPERATOR: License# 5144 V	1018 feet from N / S Line of Section
Name: Mull Drilling Company, Inc.	349feet from ☐ E / ✓ W Line of Section
P.O. Box 2758	Is SECTION Regular Irregular?
City/State/Zip: Wichita KS 67201-2758	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Mark Shreve	County: Stafford
Phone: 316-264-6366 Ext. 13	Lease Name: Steckel Farms "B" Well #: 1-16
/	Field Name: Mueller
CONTRACTOR: License# 5142	!s this a Prorated / Spaced Field? Yes   ✓ No
Name: Sterling Drilling Company, Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 349'
	Ground Surface Elevation: 1872.8 feet MSL
	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary  OWWD Disposal Wildcat Cable	Public water supply well within one mile: Yes   ✓ No
OWWO   Disposal   Wildcat   Cable	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 240'
	Surface Pipe by Alternate: 🗸 1 🔲 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 3800'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #: Contractor will apply
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗸 )
KCC DKT #:	Will Cores be taken?Yes ✓ No
	If Yes, proposed zone:
It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the standard of the shall t	ch drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> The underlying formation. It is in the complete or plug length and placement is necessary <b>prior to plugging</b> ; Tigged or production casing is cemented in; The deform below any usable water to surface within <b>120 days</b> of spud date. The surface within <b>120 days</b> of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if	ch drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. district office on plug length and placement is necessary <b>prior to plugging</b> ; aged or production casing is cemented in; def from below any usable water to surface within <b>120 days</b> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified bef	ch drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Itsirict office on plug length and placement is necessary <b>prior to plugging</b> ; tiged or production casing is cemented in; ted from below any usable water to surface within <b>120 days</b> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing. If my knowledge and belief.  Title: Tannis Tritt, Assistant to President
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified bef	ch drilling rig; the by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. district office on plug length and placement is necessary <b>prior to plugging</b> ; aged or production casing is cemented in; def from below any usable water to surface within <b>120 days</b> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I  I hereby certify that the statements made herein are true and to the best of Date: 1/31/07  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 185-23426-0000  Conductor pipe required 1000000000000000000000000000000000000	ch drilling rig; Int by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Tannis Tritt, Assistant to President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the specified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plus certify that the statements made herein are true and to the best of the plus certify that the statements made herein are true and to the best of the plus certify that the statements made herein are true and to the best of the plus certify that the statements made herein are true and to the best of the plus certify that the statements made herein are true and to the best of the plus certified that the statements of the plus certified that the statements of the specified that the statements of the speci	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itsirict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Tannis Tritt, Assistant to President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set of the	ch drilling rig; In the policy of this well will comply with K.S.A. 55 et. seq.  In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation.  In this policy or production casing is cemented in; the first office on plug length and placement is necessary prior to plugging; the deform below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Tannis Tritt, Assistant to President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the description of the search through a minimum of 20 feet into the description through the search through a minimum of 20 feet into the description through the provided within 30 days of the spud date or the well shall be represented to the search through the search through a minimum of 20 feet into the description to the description through the search through a minimum of 20 feet into the description through the search through a minimum of 20 feet into the description through the search through the provided within 30 days of the spud date or the well shall be search through the search through the posterior of the search through the search through the posterior to the description through the search through the provided through through the search through th	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Itsirict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Tannis Tritt, Assistant to President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23426-0000	Location of Well: County: Stafford
Operator: Mull Drilling Company, Inc.	1018 feet from N / S Line of Section
Lease: Steckel Farms "B"	
Well Number: 1-16	Sec. 16 Twp. 21 S. R. 12 East ✓ Wes
Field: Mueller	
Number of Acres attributable to well: 40	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW - NW - NW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		FNL					
*I		1018	· · · · · · · · · · · · · · · · · · ·				
349'	FWL	+ · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	•	·				• • • •	
				6	•		
			II	n			
	:				•	•	

EXAMPLE	· · · · · · · · · · · · · · · · · · ·	
	1980	
	3390'	
SEWARD CO	: :	

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- The distance to the nearest lease or unit boundary line.
   If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached REGENTED CG-8 for gas wells). FEB 0 1 2007

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Mull Drilling Company, Inc.			License Number: 5144		
Operator Address: P.O. Box 2758 Wichita KS 67201-2758					
Contact Person: Mark Shreve			Phone Number: ( 316 ) 264 - 6366		
Lease Name & Well No.: Steckel Farms "B" #1-16			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SESWNWNW</u>		
Emergency Pit Burn Pit	✓ Proposed		Sec16Twp21SR12		
Settling Pit	If Existing, date constructed:		1018 Feet from 🗸 North / 🔝 South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		Feet from ☐ East / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	2500	(bbls)	Stafford County		
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes	No No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  ✓ Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?  Bentonite Sealer		
Land Control of the C					
Pit dimensions (all but working pits):8			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
material, unorthopo and motariation processes			and any opening any		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.		
		Source of information:			
1712feet Depth of water well100feet		measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of material utilized in drilling/workover: Bentonite Sealer			
			working pits to be utilized: 3		
Barrels of fluid produced daily: Ab.		Abandonment procedure: Haul fluids off site and backfill with original soil.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
RECEIVED					
		FEB 0 1 2007			
Date		S	ignature of Applicant or Agent		
	KCC OFFICE USE ONLY				
Date Received: 2 (C7 Permit Num	shore	De	it Date: Lease Inspection: 🔀 Yes 🗌 No		
Date Received. 1. 10 / Permit Num	IDEI	Perm	rease inspection. M ies 140		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

February 1, 2007

Mr. Mark Shreve Mull Drilling Company, Inc. PO Box 2758 Wichita. KS 67201-2758

RE: Drilling Pit Application

Steckel Farms B Lease Well No. 1-16

NW/4 Sec. 16-21S-12W Stafford County, Kansas

Dear Mr. Shreve:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File