For KCC	Use:	2-7-07
Effective	Date: _	a-101
District #		<u> 3</u>
SGA?	Yes	⋈ No

Expected Spud Date

February

14

2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Spot

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

✓ East

month day year	S2NE SW Sec. 31 Twp. 30 S. R. 22 West
3473	824 feet from N / V S Line of Section
OPERATOR: License# 3473 Name: William T. Wax	990feet fromE /W Line of Section
Address: P. O. Box 276	Is SECTION Regular Irregular?
City/State/Zip: McCune, KS 66753	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Bill Wax	County: Crawford
Phone: 620-724-3400	Lease Name: Underwood Well #: R29
	Field Name: McCune
CONTRACTOR: License# 3473	Is this a Prorated / Spaced Field?
Name: Co. Tools	Target Formation(s): Cattlemen
W. I.D. III. I.G. W. II. O'cons. Tree Service and	Nearest Lease or unit boundary: 825
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. V Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 1000
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20
Operator: N/A	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 250
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cattlemen
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE is COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illustrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. ##135,891-C, which applies to the KCC District office prior to any cementing. ##136,891-C, which applies to the KCC District office prior to any cementing.
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 037-2/886-0000	- File Completion Form ACO-1 within 120 days of spud date;
None	- File acreage attribution plat according to field proration orders;
20	Notify appropriate district office 48 hours prior to workover or re-entry; Submit allogains report (CR 4) office plugging in completed:
Minimum surface pipe required feet per Alt.	Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Approved by: 14 2-2-07	
This authorization expires: \$-2-07	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	
Orand data.	Well Not Drilled - Permit Expired Signature of Operator or Agent:
Spud date: Agent:	, <u> </u>
Spud date: Agent: Mail to: KCC - Conservation Division, 130	Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 037-21886-0000	Location of Well: County: Crawford
Operator: William T. Wax	
Lease: Underwood	feet from N / S Line of Section 990 feet from E / W Line of Section
Well Number: R29	Sec. 31 Twp. 30 S. R. 22
Field: McCune Number of Acres attributable to well:	is Section: Fegular or Irregular
QTR / QTR / QTR of acreage: S2NE - SW - SW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NE SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				,			
			_	١.			
				1			
			•				
			•				
		•	•				•
				ŀ			
		•	•	·			•
l			-	.			-
		_		Ι.			
l	•			l			
		•					
] .			
				l .			_
	•	•	•				-
ł		•	. 🧇	,			•
							
	•		: 3 /	′ 			,
			. रू/				•
1		·	•	/ ————————————————————————————————————			,
1	· .	·	•	/ —— <u>.</u> I			•
1		·	•	/ 			
			•		•	· · · · · · · · · · · · · · · · · · ·	· · · · ·
			•			· · · · · · · · · · · · · · · · · · ·	
			•		•	· · · · · · · · · · · · · · · · · · ·	
			•			· · · · · ·	
			•			· · · · · ·	
			•		•	· · · · · ·	
			•			· · · · · ·	
			•			· · · · · ·	
			•			· · · · · ·	
			•			· · · · · ·	
99c			•			· · · · · ·	
99c			•			· · · · · ·	
99c			•			· · · · · ·	
99c			•			· · · · · ·	
99c			•			· · · · · ·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED
FEB 0 1 2007
KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Contact Person: Bill Wax	Operator Name: William T. Wax		License Number: 3473				
Case Name & Well No.: Underwood R29	Operator Address: P. O. Box 276 McCune, KS 66753						
Pit Location (QQQQ): Type of Pit:	Contact Person: Bill Wax						
Emergency Pit Burn Pit Setting Pit Setting Pit Morkover Pit Haul-Off Pit Pit capacity: Pit cap		d R29		Pit Location (QQQQ):			
Settling Pit		_ -		<u>S2NESWSW</u>			
Workover Pit	Emergency Pit Burn Pit	✔ Proposed	Existing				
Pit capacity:	Settling Pit Drilling Pit	If Existing, date of	onstructed:	825 824 Feet from North / South Line of Section			
Is the pit located in a Sensitive Ground Water Area?		Pit capacity:		990 Feet from East / 🗹 West Line of Section			
Is the bottom below ground level?	(If WP Supply API No. or Year Drilled)	' '	(bbls)	<u>Crawford</u> County			
Pit dimensions (all but working pits): 25	ts the pit located in a Sensitive Ground Water	Area? Yes	No				
Pit dimensions (all but working pits): 25 Length (feet) 3 Width (feet) NIA: Steel Pits Depth from ground level to deepest point: 6 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Destribe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Depth to shallowest fresh water UNKNOWN feet. Source of information: — measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: air Number of working pits to be utilized. 1 Abandonment procedure: backfill when dry Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Destribe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Plescribe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. In/a Describe procedure integrity, including	Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?			
Depth from ground level to deepest point: 6 (feet)	Yes No	Yes 🗸	No	native clay			
Depth from ground level to deepest point: 6	Pit dimensions (all but working pits):2	Length (fe	et)3	Width (feet) N/A: Steel Pits			
Iliner integrity, including any special monitoring. In/a Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Unknown feet. Source of information: In/a feet Depth of water well feet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			epest point: 6	(feet)			
Distance to nearest water well within one-mile of pit Depth to shallowest fresh water Unknown feet.	•			· · · · · · · · · · · · · · · · · · ·			
Source of information:	n/a		n/a				
Source of information:							
Source of information:							
Type of material utilized in drilling/workover: air	Distance to nearest water well within one-mile	of pit					
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Type of material utilized in drilling/workover: air Number of working pits to be utilized: Abandonment procedure: Dackfill when dry Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant or Agent	n/afeet Depth of water well	feet					
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Number of working pits to be utilized: backfill when dry	Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Abandonment procedure: backfill when dry Drill pits must be closed within 365 days of spud date.	Producing Formation:		Type of materi	al utilized in drilling/workover: <u>air</u>			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Date	Number of producing wells on lease:						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 1/29/07 Date Drill pits must be closed within 365 days of spud date. 1/29/07	Barrels of fluid produced daily:		Abandonment	procedure: backfill when dry			
1/29/07 Date 1/29/07 Date Signature of Applicant or Agent		spilled fluids to	Drill pits must be closed within 365 days of spud date.				
Date Signature of Applicant or Agent	I hereby certify that the above state	ements are true and	correct to the bes	it of my knowledge and belief.			
Date Signature of Applicant or Agent			fi.	tH -1			
		MONT 01	Hay I car				
KCC OFFICE USE ONLY	Date Signature of Applicant or Agent						
, , , , , , , , , , , , , , , , , , ,		KCC	OFFICE USE O	NLY			
Date Received: 2 1 67 Permit Number: Permit Date: 2 1 67 Lease Inspection: Yes V No	Date Received: 2/1/67 Permit Num	nber:	Perm	nit Date: 2 (c7 Lease Inspection: Yes V No			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
FEB 0 1 2007
KCC WICHITA