| For KCC Use: | 2-11-07 |
|-----------------|---------|
| Effective Date: | 2 11 01 |
| District # | |
| | TV8 |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| expected Spud Date 02/11/07 month day year | Spot SW NE NE Sec. 29 Twp. 23 S | East S. R. 16 West |
|--|--|---|
| | 4055 feet from N / √ | |
| PERATOR: License# 32710 | 1055feet from V E / | |
| ame: Laymon Oil B, ELC | Is SECTION Regular Irregular? | W Line of Section |
| ddress: 1998 Squirrel Road | | |
| itv/State/Zip: Neosho Falls, KS 66758 | (Note: Locate well on the Section Plat on rev | /erse side) |
| ontact Person, Kenneth Laymon | County: Woodson | 20.07 |
| hone: 620-963-2495 | Lease Name: L.E. Robison | Well #: 20-07 |
| CONTRACTOR: License# company tools 32710 | Field Name: Vernon | |
| CONTRACTOR: License# Company tools | Is this a Prorated / Spaced Field? | Yes 🗸 No |
| Name: | Target Formation(s): Squirrel | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 165 | |
| | Ground Surface Elevation: Ma | |
| | Water well within one-quarter mile: | Yes ✓ No |
| | Public water supply well within one mile: | Yes 🗸 No |
| OWWO Disposal Wildcat Cable Seismic; —# of Holes Other | Depth to bottom of fresh water: 150 | · - |
| <u>—</u> | Depth to bottom of usable water: 150 | |
| _ Other | Surface Pipe by Alternate: 1 2 | |
| f OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: | |
| Operator: | Length of Conductor Pipe required: | |
| Well Name: | Projected Total Depth: 1200 Squirrel | |
| Original Completion Date:Original Total Depth: | Total Diplom | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Well 🗸 Farm Pond Other | |
| f Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #: | Will Cores be taken? | Yes ✓ No |
| | If Yes, proposed zone: | |
| AFF The undersigned hereby affirms that the drilling, completion and eventual p | olugging of this well will comply with K.S.A. 55 et. seq. | |
| The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea | ach drilling rig: | nina chall ha eat |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be singlet through all unconsolidated materials plus a minimum of 20 feet into the second secon</i> | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior | y prior to plugging; days of spud date. alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120; #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. | y prior to plugging; days of spud date. alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120; #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. | y prior to plugging; days of spud date. alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaring or production casing is cemented in; attend from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. | y prior to plugging; days of spud date. alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the foundation of the well is dry hole, an agreement between the operator and the foundation of the well is either plus and the foundation of the statement in the statement of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the plus of the spud date or the well shall the shall the plus of the spud date or the well shall the shall | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; atted from below any usable water to surface within 120 attention #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Title: | y prior to plugging; days of spud date. alternate II cementing to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the second of the province of intent to drill <i>shall be</i> posted on each and the second of the province of the province of intent to drill <i>shall be</i> posted on each and the second of the s | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. ### Title: ** ################################## | y prior to plugging; days of spud date. alternate II cementing to any cementing. Drill; ud date; |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 15. The appropriate district office will be notified before well is either plu 16. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent: Date: 1/29/07 | ach drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. ### Title: | y prior to plugging; days of spud date. alternate II cementing. to any cementing. Drill; ud date; attion orders; |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the determinant of the district office will be notified before well is either plu of the appropriate district office will be notified before well is either plu of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plant of the district of the district of the district of the district of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the district of the | ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; thed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. ### Title: | y prior to plugging; days of spud date. alternate II cementing to any cementing. Drill; ud date; ution orders; prkover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the well is dry hole, an agreement between the operator and the second of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production o | ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. ### Title: ** Ti | days of spud date. alternate II cementing. or to any cementing. Orill; ad date; attion orders; orkover or re-entry; inpleted; |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the confidence of the surface properties district office will be notified before well is either plused. If an ALTERNATE II COMPLETION, production pipe shall be determined to appendix "B" - Eastern Kansas surface casing ordermust be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the confidence of the properties o | ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to I File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to word of the surface of th | y prior to plugging; days of spud date. alternate II cementing to any cementing. Drill; ud date; tion orders; prkover or re-entry; npleted; g salt water. |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the sum of the well is dry hole, an agreement between the operator and the sum of the well is dry hole, an agreement between the operator and the sum of the well is dry hole, an agreement between the operator and the sum of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27 106 - 00 - 00 - 00 - 00 - 00 - 00 - 00 | ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 r #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to I File Completion Form ACO-1 within 120 days of spin in the completion of the comple | prior to plugging; days of spud date, alternate II cementing to any cementing. Drill; ud date; tion orders; prkover or re-entry; npleted; g salt water. In date) please |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 1 hereby certify that the statements made herein are true and to the best of the complete of the c | che drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 if #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to It. File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is con Obtain written approval before disposing or injecting these kine box below and return to the address below | prior to plugging; days of spud date, alternate II cementing to any cementing. Drill; ud date; tion orders; prkover or re-entry; npleted; g salt water. In date) please |
| The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the state of the well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27 106 - 00 - 00 - 00 - 00 - 00 - 00 - 00 | ch drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 if #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to It. File Completion Form ACO-1 within 120 days of spice. Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is contain written approval before disposing or injecting. If this permit has expired (See: authorized expiration check the box below and return to the address below Well Not Drilled - Permit Expired | days of spud date. alternate II cementing to any cementing. Drill; ud date; tion orders; orkover or re-entry; npleted; g salt water. In date) please |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the fourth of the well is dry hole, an agreement between the operator and the fourth of the well is either plusified before well is either plusified | che drilling rig; et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 if #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to It. File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is con Obtain written approval before disposing or injecting these kine box below and return to the address below | prior to plugging; days of spud date. alternate II cementing to any cementing. Drill; ud date; ttion orders; prkover or re-entry; npleted; g salt water. In date) please |

FEB 0 5 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 207 - 27 106 - 00 - 00 | Location of Well: County: Woodson |
|---------------------------------------|--|
| Operator: Laymon Oil II, LLC | 4055 feet from N / S Line of Section |
| Lease: L.E. Robison | 1055 feet from 🗸 E / W Line of Section |
| Well Number: 28-07 | Sec. 29 Twp. 23 S. R. 16 ✓ East Wes |
| Field: Vernon | |
| Number of Acres attributable to well: | Is Section: ✓ Regular or Irregular |
| QTR / QTR / QTR of acreage:SWNENE | If Section is irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



KCC WICHITA

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Form CDP-1

Kansas Corporation Commission Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | | | T | | |
|--|---------------------------------|--|--|-------------------------------|--|
| Operator Name: Laymon Oil II, LLC | | License Number: 32710 | | | |
| Operator Address: 1998 Squirrel R | load, Neosho | Falls, KS | 66758 | | |
| Contact Person: Kenneth Laymon | | Phone Number: (620) 963 - 2495 | | | |
| Lease Name & Well No.: L.E. Robison #28-07 | | Pit Location (QQQQ): | | | |
| Type of Pit: Pit is: | | SW NE NE NE | | | |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 29 Twp. 23 R. 16 | | |
| Settling Pit | If Existing, date constructed: | | 4055 | | |
| | ii Existing, date constitucted. | | Feet from N | lorth / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drillied) Pit capacity: | | | Feet from 🗸 E | ast / West Line of Section | |
| | 240 | (bbls) | Woodson | County | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: n/a | mg/l | |
| | 1 | | | and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? Yes ✓ | No | How is the pit lined if a plastic liner is not used? | | |
| L | | <u></u> | Native clay | | |
| Pit dimensions (all but working pits): | Length (fe | et)8 | Width (feet) | N/A: Steel Pits | |
| Depth fo | om ground level to de | eepest point: 4 | (feet) | | |
| | | | | | |
| Distance to nearest water well within one-mile of pit | | Depth to shallowest fresh waterfeet. Source of information: | | | |
| N/Afeetfeetfeet | | measured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: Drilling gel | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: One | | | |
| | | Abandonment | Abandonment procedure: backfill w/dirt | | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must | be closed within 365 days of spuc | | |
| I hereby certify that the above state | ements are true and o | correct to the bes | t of my knowledge and belief. | RECEIVED | |
| | | · . | | FEB 0 5 2007 | |
| 01/29/07 | Ka | and Las | man, agt | KCC WICHITA | |
| Date | | / - 7s | ignature of Applicant of Agent | | |
| 1 / | KCC | OFFICE USE O | NLY | | |