For KCC Use: 2-14-07 Effective Date: 2-14-07	
Effective Date:	_
District #	_
CCA2 Voc V No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	7
Expected Spud Date February 13, 2007	Spot
month day year	NE Sw Sec. 11 Twp. 30 S. R. 19 West
OPERATOR: License# 33344	1980feet from N / S Line of Section  1980feet from E / V W Line of Section
Name. Quest Cherokee LLC	
9520 North May Avenue, Suite 300	is SECTION RegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Richard Marlin	County: Neosho Lease Name: Beachner Bros Inc Well #: 11-30-19-2
Phone: (405) 286-9316	Lease Name: Beachner Bros Inc Well #: 11-30-19-2
<i>,</i>	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 983 feet MSL
Oil Enh Rec V Infield Mud Rotary  Gas Storage Pool Ext. V Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic;# of Holes Other	Depth to bottom of fresh water: 100
✓ Other Coalbed Methane	Depth to bottom of usable water-200-1573
V 000001	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Formation at Iolai Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?Yes ✓ No
	If Yes, proposed zone:
	DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants are completed as a completion and eventual plants.	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	DAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP
The undersigned hereby affirms that the drilling, completion and eventual plat it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of  Date: February 6, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt.	by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to surface within 120 days of spud date. by circulating cement to surface within 120 days of spud date. by circulating cement to surface within 120 days of spud date. by circulating cement to surface within 120 days of spud date. by circulating cement to surface within 120 days of spud date. by circulating cement to surface within 120 days of spud date. by circulating cement to the top; in all cases, NOTIFY district office prior to any cementing. by circulating cement to the top; in all cases surface pipe shall be set by circulating right to plugging in completed; by circulating right to plugging of the shall be set by circulating right to plugging in completed; by circulating right to plugging of the shall be set by circulating right to plugging in completed; by circulating right to plugging of the shall be set by circulating right to plugging of the shall be set by circulating right to plugging of the shall be set by circulating right to plugging right to plugging in completed; by circulating right to plugging r
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: February 6, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  In which application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete to the statements made herein are true and to the best of the provided statements.  The provided shall be a completed and the provided shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the provided shall be a completed within 30 days of the spud date or the well is either plug.  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet per Alt. (2)  Approved by 144-2-2-2-07	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: February 6, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt. (2)	by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specified below shall be set into the set of the specified below shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. It has been a surface prior to the shall be completed within 30 days of the spud date or the well shall be completed. It has been of the specified below shall be set of the spud date or the well shall be completed. It has a surface prior to specified below shall be set of the spud date or the well shall be completed. It has a surface prior to specified below shall be set of the specified	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It is strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  If it is permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-2684000	Location of Well: County:_ Neosho							
Operator: Quest Cherokee LLC								
Lease: Beachner Bros Inc								
Well Number: 11-30-19-2	Sec. 11 Twp. 30 S. R. 19 ✓ East Wes							
Field: Cherokee Basin CBM	_							
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular							
QTR / QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.							
	Section corner used: NE NW SE SW							

### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	 					7	 							
	•	•		•			•		٠			•		
	•	•		•	Ì	il	•					•		
	•	•		•	- 1	ı	•		-			•		
- 1						il .								
	•	,		•			•		•					
1	•	,		•			•		•			•		
	 ٠			٠			 •					٠.		
- 1														
	•	•		•			•		٠			•		
	•	•					•		•			•		
ı	•	•		•			•							
- [	 							• •						
ı		•							•					
	•	•			j	1	,		•					
	•	•		•		ï	•		•			•		
				<u> </u>	I İ	) _	 		•			•		
ı	•				۱,	į l								
- [	•				į				٠					
-	-			-		1			٠					
) <del>K</del>														
_	 			† ` `		1.					•	•	٠.	•
				ł	1		•		•					
	•	•		1	į				٠					
١.	 			1.	ı									
				1	- 1	1				• •	•	,		•
ı	•	•		i	1		•		•					
	•	•		1			•							
1	•	٠		1	Î		•		•					
1.	 		• •		!	-							٠.	٠
[		•		t										
	•	•		1	1	}	•					•		
	•	•			Ì		•					•		
1	•	•		V			•		•			•		



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee L	LC	License Number: 33344								
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120							
Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 - 9316								
Lease Name & Well No.: Beachner B	Bros Inc #11-3	0-19-2	Pit Location (QQQQ):							
Type of Pit:	Pit is:		<u>NESW</u>							
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 11 Twp. 30 R. 19 ✓ East ☐ West							
Settling Pit	If Existing, date co	onstructed:	1980 Feet from North / 🗸 South Line of Section							
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(h.h.a.)	1980 Feet from East / ✓ West Line of Section Neosho							
Is the pit located in a Sensitive Ground Wate	300 Yes 🗸		Chloride concentration: mg/l							
is the pit located in a consider croam visit	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(For Emergency Pits and Settling Pits only)							
Is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?							
	30 Length (fe		Width (feet) N/A: Steel Pits 10 (feet)							
Distance to nearest water well within one-mi	ile of pit	Depth to shallowest fresh waterfeet. Source of information: feetric log KDWR								
N A feet Depth of water well	feet	measured well owner electric log KDWR								
Emergency, Settling and Burn Pits ONLY	ſ:	Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Air Drilled  Number of working pits to be utilized: One								
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled								
Number of producing wells on lease:		Mulliber of Working pito to be delized;								
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover							
Does the slope from the tank battery allow a flow into the pit? Yes No	all spilled fluids to	Drill pits must be closed within 365 days of spud date.								
I hereby certify that the above sta	tements are true and	correct to the bes								
February 7, 2007  Date	X	· chard	RECEIVED  KANSAS CORPORATION COMMISSION  Signature of Applicant or Agent FEB 0 8 2007							
	ксс	OFFICE USE C	CONSERVATION DIVISION WICKITA, KS							
Date Received: $2/8/67$ Permit Nu	mber:	Pern	nit Date: 2/8/07 Lease Inspection: Yes 2 No							