For KCC Use:	2-14-07
District #	
	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date 2 2 14 07	Spot X East
month day year	SE NE NW Sec. 1 Twp. 15 S. R. 20 West
PERATOR: License# 6142	
Town Oil Company, Inc.	
idress: 16205 West 287th St.	Is SECTION X Regularirregular?
ty/State/Zip: Paola, Kansas 66071	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Lester Town	County: Douglas
none: 913-294-2125	Lease Name: JOHNSON Well #: E-2
0	Field Name Baldwin
ONTRACTOR: License# Company Tools / 1192	Is this a Prorated / Spaced Field?
ame:	Target Information(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:510 '
X Oil Enh Rec X Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes XNO
Seismic; # of Holes Other	Depth to bottom of fresh water: 150
Other	Depth to bottom of usable water: 300
	Surface Pipe by Alternate: 1 x 2 Length of Surface Pipe Planned to be set: 40
OWWO: old well information as follows:	Length of Conductor Pipe required:None
Operator:	Projected Total Depth: 850
Well Name:	Formation at Total Depth: Squirre1
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
Yes, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR 🔲)
ottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes XNo
ottom Hole Location:	Will Cores be taken? If Yes, proposed zone:
ottom Hole Location:CC DKT #:	Will Cores be taken? If Yes, proposed zone: IDAVIT
Ottom Hole Location: CC DKT #: AFFI The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: DAVIT
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and rounded in the set of the se
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall is hereby certify that the statements made herein are true and to the best or	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best or	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; and grow production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
AFFI the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best or that: 2-6-07 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; and great or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
AFFI the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the complete of the complete of the plant o	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Instrict office on plug length and placement is necessary prior to plugging; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFFI the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the conductor pipe required	If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KGC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AFFI the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the complete of the production of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KGC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6748 0 8 200/

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21307-000	Location of Well: County:	
Operator:		
Lease:	feet from N / S Line of Section feet from E / W Line of Section	
Well Number:	Sec Twp S. R East Wesi	
Field:		
Number of Acres attributable to well:	Is Section: Regular or I Irregular	
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.	
•	Section comer used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

4160'

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Town Oil Comp	Town Oil Company, Inc.		License Number: 6142
Operator Address: 16205 W. 287t		la, Kansas	
Contact Person: Lester Town		Phone Number: (913) 294 2125	
Lease Name & Well No.: Johnson E-2		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Workover Pit Settling Pit Drilling Pit Burn Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? XX Yes No Pit dimensions (all but working pits):	Area? Yes X Artificial Liner? Yes X) (bbls) No	SW SE NE NW Sec. 1 Twp. 15 R. 20 East West 4160 Feet from North / X South Line of Section 3150 Feet from East / West Line of Section Douglas County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Pits not lined unless not holding flui Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the material, thickness and installation procedure Distance to nearest water well within one-mile	of pit	liner integrity, is	edures for periodic maintenance and determining including any special monitoring. west fresh water
	1 25 feet		red well owner electric log KDWR
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No		Type of material Number of wor Abandonment _is_comp	al utilized in drilling/workover: <u>fresh water</u> king pits to be utilized: 2 procedure: <u>Pits filled as soon a well</u> Leted De closed within 365 days of spud date.
I hereby certify that the above states $\frac{2-10-07}{\text{Date}}$		correct to the best	cof my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISSION FEB 0 8 2007 ignature of Applicant or Agent CONSERVATION DIVISION
Date Received: 2/8/07 Permit Numb		OFFICE USE OI	WINDLIN IS