For KCC Use:	2-14-07	
Effective Date:	3	
District #	<u> </u>	
SGA? Yes	🗓 No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date February 13, 2007 month day year	Spot NE SW Sec. 6 Twp. 28 S. R. 18 West
22244	1980feet from N / VS Line of Section
DPERATOR: License# 33344	1980feet fromE / V W Line of Section
Name: Quest Cherokee LLC 9520 North May Avenue, Suite 300 Address: 9520 North May Avenue, Suite 300	is SECTION RegularIrregular?
Address: Oklahoma City, Oklahoma 73120 Oity/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip:	County: Neosho
Contact Person: Richard Marlin Phone: (405) 286-9316	Lease Name: Seidi FarmsWell #:
Shone: (400) 200	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
T Cavinganti	Nearest Lease or unit boundary:
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 972feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other Other Coalbed Methane	Depth to bottom of usable water.
✓ Other Obtained Wildlife	Surface Pipe by Alternate: 1 2 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: Cherokee Coals 5
Original Completion Date:Original Total Depth:	Formation at Total Depth: 1500 Water Source for Drilling Operations:
Dispetional Deviated or Horizontal wellhore? Yes ✓ No	Well Farm Pond Other Air
Directional, Deviated of Fiorizontal Weinstein	DWR Permit #:
If Yes, true vertical depth:	
m)	(Note: Apply for Permit with DWR)
	. (Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple if an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing life be plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the residue.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to find the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be care.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a constant of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. The appropriate district office will be notified before a casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the pession of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - 133 - 2 G FD F COOD Conductor pipe required feet Minimum surface pipe required feet per Alt.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to fine plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either piece. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the test. I hereby certify that the statements made herein are true and to the test. Date: February 6, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26308 COOD Conductor pipe required feet Minimum surface pipe required feet per Alt. X 2 Approved by: 44 2-9-07 This authorization expires: 8-9-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the statements of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2 USOS - COOD Conductor pipe required feet Minimum surface pipe required feet per Alt. X (2) Approved by: WH 2-9-07	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to find plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 - 2008-0000 Operator: Quest Cherokee LLC Lease: Seidi Farms Well Number: 6-2	Location of Well: County: Neosho 1980			
Field: Cherokee Basin CBM	Sec Twp28 S. R18 ✓ East Wes			
Number of Acres attributable to well: NE SW	Is Section: 🗸 Regular or 📗 Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SE			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			•	•				
			•		!			
		•						
				. [
		•						
	1					٠ .		•
			• • •	' ' ' '		· · · ·	• • •	
		•	•					
				,				
			· Virginia de la Compania del Compania de la Compan		, 			
	•							
	/		•			•	•	
148D			/	· · ·				
		• •	1	i				
			İ	i		•		I
		•	1	ł				
		٠.						
			- 1]		•		
		•		, [•	•	·	ļ
ļ			<u> </u>		<u> </u>			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120						
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316			
Lease Name & Well No.: Seidi Farms #6-2			Pit Location (QQQQ):			
Type of Pit: Pit is:		<u>NE</u> SW				
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 6 Twp. 28 R. 18 ✓ East West			
Settling Pit	If Existing, date constructed:		1980 Feet from North / ✓ South Line of Section 1980 Feet from East / ✓ West Line of Section			
Workover Pit Haul-Off Pit						
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neosho			
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes ✓ No			How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)						
material, thickness and installation procedure. liner integrity, including any special monitoring. Air Drilling Operation lasting approx 3 days						
		Depth to shallo Source of infor	allowest fresh waterfeet.			
		measu	well owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:			al utilized in driffing/workover: Air Drilled			
Number of producing wells on lease:		Number of working pits to be utilized: One Abandonment procedure: Air Dry, Back Fill and Cover				
Barrels of fluid produced daily:		Abandonment	procedure: All Diy, Back I ill and Gover			
		Drill pits must be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above statements are true and correct to the best of my knowledge and beliefansas corporation COMMISSION FEB 0 8 2007						
February 7, 2007 Date	5	whow.	Signature of Applicant or Agent WICKITA, KS			
KCC OFFICE USE ONLY						
Date Received: 2/8/c1 Permit Num	nber:	Perm	nit Date: 2 8 07 Lease Inspection: Yes 4 No			