For KCC		2-14-07	
Effective	Date:	0-1101	
District #			
0040	[""] V-	- [V] No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date	2/13/200)7	Spot	x East
thected obde bate	month di	ay year	NW . NW . SE Sec. 27 Twp. 26S S. R. 20E	West
DEDATOR: Lineare	32912		2280 feet from N / X S tine of Se	
PERATOR: License# Carroll			individual and a second	SCHOLL
2198 V	/alley High Dr		Is SECTION X Regular Irregular?	
ty/State/Zip: Indepe	ndence, KS 67301		(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Terry C	Carroll Jr.		County: Allen 27	7-C3
10ne: (620) 3	330-7213		Lease Name: WESTERBERG A Well #: 27	-03
••••	33374		Field Ivalitie.	C
ONTRACTOR: License#-	Well Service, LLC			s XN
ame: Lacy	VVEII SELVICE, LLO	A CONTRACTOR OF THE PARTY OF TH	Target Formation(s): Cherokee Coals 360'	
Well Drilled For:	Weil Class:	Type Equipment:	Nearest Lease or unit boundary:	feet MS
X Qil / Enh Re		Mud Rotary	Ground Surface Elevation:	s XN
X Gas Storag		x Air Rotary	774.01	s XN
OWWO Dispos	-	Cable	100'+	<u> </u>
tunia tuni	Holes Other	السيبيط	Depth to bottom of fresh water: 3007 /75	
		***************************************	Depth to bottom of usable water.	
			Length of Surface Pipe Planned to be set: 20'	
OWWO: old well informa	ation as follows:		Length of Conductor Pipe required:	
Operator:		**************************************	Projected Total Depth: 1000'	
Weil Name:			Formation at Total Depth: Mississippi	
Original Completion Da	ate: Ongi	nal Total Depth:	Water Source for Drilling Operations:	
irectional, Deviated or Ho	orizontal wellbore?	Yes 🗓 Yo	Well X Farm Pond Other	
			DWR Permit #:	
			(Note: Apply for Permit with DWR 🔲)	
Bottom Hole Location:		THE RESERVE AND THE PERSON AND THE P	(Note: Apply for Permit with DWR) Will Cores be taken?	es XN
ottom Hole Location:			Will Cores be taken? If Yes, proposed zone:	es XN
Bottom Hole Location: CCC DKT #: The undersigned hereby a	affirms that the drilling	AFF , completion and eventual p	Will Cores be taken?	es XN
Rottom Hole Location: CCC DKT #: The undersigned hereby at is agreed that the follow	affirms that the drilling ving minimum requiren	AFF , completion and eventual p nents will be met: to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq.	es XN
The undersigned hereby at its agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amounthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate desertions	affirms that the drilling wing minimum requirent ate district office <i>prior</i> coved notice of intent of surface pipe as olidated materials plus bie, an agreement between the office will be notiful COMPLETION, proceedix "B" - Eastern K within 30 days of the	AFF completion and eventual presents will be met: to spudding of well; dill shall be posted on ea specified below shall be set a minimum of 20 feet into tween the operator and the died before well is either plustion pipe shall be cemen (ansas surface casing order spud date or the well shall	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If the triangle to the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; If the triangle triangle to the KCC District 3 area, alternate it is be plugged. In all cases, NOTIFY district office prior to any cemented.	e set lugging; i date. cementii
The undersigned hereby at is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate descriptions and the completed hereby certify that the s	affirms that the drilling wing minimum requiren ate district office <i>prior</i> ownt of surface pipe as olidated materials plus sirict office will be notif if COMPLETION, proceedix "B" - Eastern K is within 30 days of the statements made herein	AFF , completion and eventual prents will be met: to spudding of well; odrill shall be posted on ea specified below shall be so a minimum of 20 feet into tween the operator and the did before well is either plustation pipe shall be cemen cansas surface casing order spud date or the well shall in are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying formation. Jugically in the underlying formation and placement is necessary prior to play length and play length and play length in the length and play	• set lugging; i date. cementii
The undersigned hereby at is agreed that the follows 1. Notify the appropriate the minimum annot through all unconso. 4. If the well is dry hose. 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed.	affirms that the drilling wing minimum requirent ate district office <i>prior</i> but of surface pipe as olidated materials plus ble, an agreement betwint office will be notiful COMPLETION, proceedix "B" - Eastern K within 30 days of the statements made hereint	AFF , completion and eventual prents will be met: to spudding of well; odrill shall be posted on ea specified below shall be so a minimum of 20 feet into tween the operator and the did before well is either plustation pipe shall be cemen cansas surface casing order spud date or the well shall in are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spuce #133,891-C, which applies to the KCC District 3 area, alternate if the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and be plugged. Title: Land Manager	e set lugging; i date. cementi
ottom Hole Location: CC DKT #: he undersigned hereby a is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis hereby certify that the s pate: 02/07/2007 For KCC Use ONLY API # 15 - OF Conductor pipe required Minimum surface pipe re	affirms that the drilling wing minimum requiren ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ole, an agreement betwint of office will be notiful COMPLETION, proceedix "B" - Eastern Kawithin 30 days of the statements made hereion Signature of Operation of the statements made hereion of	AFF I, completion and eventual prents will be met: It to spudding of well; It of drill shall be posted on ea specified below shall be so a minimum of 20 feet into the ween the operator and the offied before well is either plustiction pipe shall be cemen sansas surface casing order spud date or the well shall in are true and to the best of rator or Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying coment to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spuding #133,891-C, which applies to the KCC District 3 area, alternate it to be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and be inf. Title: Land Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-	e set lugging i date. cementi enting.
The undersigned hereby at its agreed that the follows 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amouthrough all unconsequents of the well is dry how 1. If the well is dry h	affirms that the drilling wing minimum requirent ate district office <i>prior</i> curt of surface pipe as olidated materials plus ble, an agreement between the office will be notiful COMPLETION, proceeding "B" - Eastern K within 30 days of the statements made hereing Signature of Ope North Company (Company 1987) and the olidate of the statement of t	AFF I, completion and eventual prents will be met: It to spudding of well; It of drill shall be posted on ear specified below shall be set a minimum of 20 feet into the ween the operator and the collection pipe shall be cement spud date or the well shall in are true and to the best of the complete shall be completed by the complete spud date or the well shall in are true and to the best of the complete shall be completed.	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the underlying coment to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spudiet from below any usable water to surface within 120 days of spudiet #133,891-C, which applies to the KCC District 3 area, alternate it is be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and be inf. Title: Land Manager Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re- Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	e set iugging i date. cementi enting.
The undersigned hereby at its agreed that the follows 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amouthrough all unconsciptors of the well is dry how 1. If the well is dry h	affirms that the drilling wing minimum requirent ate district office <i>prior</i> curt of surface pipe as olidated materials plus bie, an agreement between the office will be notiful COMPLETION, produced "B" - Eastern K within 30 days of the statements made hereing Signature of Ope North Signature of Ope 129577~000 and 120 are of 20 are	AFF I, completion and eventual prents will be met: It to spudding of well; It of drill shall be posted on ear specified below shall be set a minimum of 20 feet into the ween the operator and the collection pipe shall be cement spud date or the well shall in are true and to the best of the complete shall be completed by the complete spud date or the well shall in are true and to the best of the complete shall be completed.	Will Cores be taken? If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Justict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of sput #133,891-C, which applies to the KCC District 3 area, alternate it is plugged. In all cases, NOTIFY district office prior to any cement in the plugged. In all cases, NOTIFY district office prior to any cement in the plugged. Title: Land Manager Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re- Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	e set iugging 1 date. cementi enting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 00	01-29577-0000	Location of Well: County:Allen_
Operator:	Carroll Energy, LLC	0000
Lease:	WESTERBERG A	
Well Number:	27-C3	Sec27
Fleid:	HUMBOLDT-CHANUTE	5. <u>N. = 95 </u>
Number of Acres	attributable to well:	ls Section: 💢 Regular or 🔲 Irregular
QTR / QTR / QTI	R of acreage: <u>NW</u> - <u>NW</u> - <u>SE</u>	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW XSE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·	
	EXAMPLE	
	2280	1980
	3390' · · · · · · · · · · · · · · · · · · ·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

In plotting the proposed location of the well, you must show:

FEB 0 8 2007

 The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc. WICHITIA, KS

- 2. The distance of the proposed drilling location from the section's south / north and east / west. 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Dupilcate

Operator Name: Carroll Energy, LLC			License Number: 32912	
Operator Address: 2198 Valley High Dr, Independence, KS 67301				
Contact Person: Terry Carroll Jr.			Phone Number: (620) 330-7213	
Lease Name & Well No.: WESTERBERG			Pit Location (QQQQ):	
Type of Pit: Pit is:			C <u>NW_</u> <u>SE</u>	
Emergency Pit Bum Pit	Proposed Existing		Sec. 27 Twp. 26S R. 20E X East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		2280 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2280_ Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300 (bbls)		Allen County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l	
	Artificial Liner?		(For Emergency Pite and Settling Pite only) How is the pit lined if a plastic liner is not used?	
is the bottom below ground level? X Yes No	Yes X	No	CLAY	
Pit dimensions (all but working pits):	20 Length (fe	eet) 8	Width (feet)N/A: Steel Pits	
	om ground level to de			
if the pit is lined give a brief description of the material, thickness and installation procedure	.	liner integrity, i	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
<u>N A feet</u> Depth of water wellfeet		measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	:	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: FRESH WATER		
Number of producing wells on lease:		Number of working pits to be utilized:1		
Barrels of fluid produced daily:		Abandonment procedure: AIN DN1		
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED WANSAS CORPORATION COMMISSION				
02/07/2007 FFR 0 8 2007				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY WICHITA, KS				
Date Received: 2867 Permit Number: Permit Date: 2807 Lease Inspection: Yes 1/4 No				