For KCC Use:	2 18-07
Effective Date:_	2-18-07
District #	
2040	[17] A.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

SGA!   Tes K NO	(5) days prior to commencing well
•	o, any a prior to commonly tron
Expected Spud Date February 23 2007	Spot East
month day year	NW NW Sec. 17 Twp. 28 S. R. 40 West
OPERATOR: License# 9855	330 feet from N / S Line of Section
Name: Grand Mesa Operating Company	330 Feet from E / W Line of Section
Address: 200 E. First St., Ste 307	ls SECTION <u>✓ RegularIrregular?</u>
City/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Ronald N. Sinclair	County: Stanton 2-17
Phone: 316-265-3000	Lease Name:
CONTRACTOR: License#	Field Name: Vilideat  Is this a Prorated / Spaced Field?  Yes V No
Name: Abercrombie RTD, Inc.	Target Formation(s): St. Louis
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3314' feet MSL
✓ OII Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary  OWNO Disposal Wildcat Cable	Public water supply well within one mile:
OWWO. Disposal V Wildcat Cable  Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depirite deficition of deadle water.
	Surface Pipe by Alternate:  1 1 2  Length of Surface Pipe Planned to be set:  200 760 Minimum
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:  Length of Conductor Pipe required:  None
Operator:	Projected Total Depth: 5700'
Well Name:Original Total Depth:	Formation at Total Depth: St. Louis
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Weil Farm Pond Other Haul City Water
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗾)
KCC DKT #:	Will Cores be taken? Yes ✓ No
PROPATED & SPACED: HULDOTON & PANOMA	If Yes, proposed zone:
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plants are supplied to the complete of the complete	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	FEB 1 2 2007
1. Notify the appropriate district office <i>prior</i> to spudding of well;	sh drilling rig:
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each 3. The minimum amount of surface pipe as specified below <b>shall be set</b>	ch drilling rig; If by circulating cement to the top; in all cases sulfacepwidinity
through all unconsolidated materials plus a minimum of 20 feet into the	ne underlying formation.
4. If the well is dry hole, an agreement between the operator and the d	istrict office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either plug	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	Trry knowledge and belief.
Date: February 9, 2007 Signature of Operator or Agent:	Set tecro Title: President
ROMALD N. SI	NCLAIR
T. WOO U. ONLY	Remember To:
For KCC Use ONLY  API # 15 - 187 - 21091-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
Alone	- File acreage attribution plat according to field proration orders;
7100	Notify appropriate district office 48 hours prior to workover or re-entry;
Willimum Surface hipe required loot por Alt. 1 /2	<ul> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>
Approved by: 2-13-07	
Approved by Province	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 8-13-07	
0-12-0-7	- Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
This authorization expires: 8-13-07	- Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 187- 21091-0000	Location of Well: County: Stanton
Operator: Grand Mesa Operating Company	
Lease: Circle 8	5eet from E / V W Line of Section
Well Number: 2-17 Field: Wildcat	Sec. 17 Twp. 28 S. R. 40 ☐ East ✓ West
Number of Acres attributable to well:	Is Section:    Regular or    Irregular
QTR / QTR / QTR of acreage: NW - NW - NW - NW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



RECEIVED FEB 1 2 2007 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Grand Mesa Operating Company			License Number: 9855		
Operator Address: 200 E. First St.,	Ste 307	67202			
Contact Person: Ronald N. Sinclair	•		Phone Number: ( 316 ) 265 - 3000		
Lease Name & Well No.: Circle 8 #	2-17		Pit Location (QQQQ):		
Type of Pit:	Pit is:		C <u>NWNWNW</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 17 Twp. 28S R. 40 East 🗸 West		
Settling Pit	If Existing, date c	onstructed:	Feet from 🗸 North / 🗌 South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit			Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Stanton County		
Is the pit located in a Sensitive Ground Water		7 No	Chloride concentration:mg/i		
	T		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?  ✓ Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?		
			Drilling mud		
	Length (fe	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	5 (feet)		
			edures for periodic maintenance and determining notuding any special monitoring.		
			FEB 1 2 2007		
			KCC WICHITA		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water167feet.		
3,366 feet Depth of water well	559feet		redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease:		Number of wor	king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment			procedure: Evaporation and Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge, and belief.					
Come Postert .					
February 9, 2007	<i>}</i> ₩	es const	CLUS /RONALD N. SINCLAIR		
Date	· · · · · · · · · · · · · · · · · · ·	<u> </u>	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 2/12/07 Permit Number: Permit Date: 2/12/07 Lease Inspection: Yes [x] No					
Traile Received 7 / A / V / Perint Num	rest	Permi	r Date. ♥* \&\♥ Lease\mspechbf(      Yes  V  NO		

# KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

### NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.