For KCC Use:	7-19-07
Effective Date:_	2-11-01
District #	<i></i>
SGA2 TVes	∇ Na

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

	TENT TO DRILL Form must be signed (5) days prior to commencing well
widst be approved by NCC live	(5) days prior to continencing well
Expected Spud Date February 28 2007	Spot
month day year	SE - NE - NE Sec. 28 Twp. 18 S. R. 20 West
OPERATOR: License# 5144	780
Name: Mull Drilling Company, Inc.	470 feet from Feet from E / W Line of Section
Addross: P.O. Box 2758	Is SECTIONRegularIrregular?
City/State/Zip: Wichita KS 67201-2758	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Mark Shreve	County: Rush
Phone: 316-264-6366 Ext. 13	Lease Name: FritzlerWell #: 1-28
33575	Field Name: Wildcat
CONTRACTOR: License# 33575 V Name: WW Drilling, LLC	Is this a Prorated / Spaced Field?
Name: TVV Braining, EES	Target Formation(s): Cherokee Sand
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 470°
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2098.2 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No Depth to bottom of fresh water: 180'
Seismic;# of Holes Other	Depth to bottom of usable water: 50er 420
Other	Surface Pipe by Alternate: 1 \[\sqrt{2} \]
	Length of Surface Pipe Planned to be set: 200'
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4300'
Well Name:Original Total Depth:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #: Contractor will apply
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗾)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACE	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
It is agreed that the following minimum requirements will be met:	ragging of this work will comply when the said as a seq.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 	ch drilling rig:
	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into t	he underlying formation.
	district office on plug length and placement is necessary prior to plugging;
The appropriate district office will be notified before well is either plug If an ALTERNATE IL COMPLETION, production nine shall be cement.	gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	of my knowledge and belief.
Date: 2/13/07 Signature of Operator or Agent: 24 NA	Title: Assistant to President
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 165-21815-000	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required Nove feet	- File acreage attribution plat according to field proration orders;
2-2	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Approved by: [442-1407	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 8-14-07 (This authorization void if drilling not started within 6 months of approval date.)	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
, , , , , , , , , , , , , , , , , , , ,	Well Not Drilled - Permit ERECEIVED
Spud date:Agent:	Signature of Operator (ANSAS CORPORATION COMMISSION
<u> </u>	Date: FFR 1 4 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 165 - 21815 - DOOD	Location of Well: County:_Rush
Operator: Mull Drilling Company, Inc.	
Lease: Fritzler	780 feet from ✓ N / S Line of Section 470 feet from ✓ E / W Line of Section
Well Number: 1-28	Sec. 28 Twp. 18 S. R. 20 ☐ East 🗸 Wes
Field: Wildcat	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SE _ NE _ NE _ NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

 	 		780' FNI	* 470' FEL
 ·	 	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
 •	 	- - · · ·		
• •	 2	8	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
 	 	. , ,		
 	 		:	· · · · · · · · · · · · · · · · · · ·
			•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Contact Person: Mark Shreve Lease Name & Well No: Fritzler #1-28 Type of Pit: Generating Pit Drilling Pit Proposed Existing Pit Existing, date constructed: Fritzler #1-28 Pit Location (QQQQ); NW SE NE NE NE Sec 20 East West Section Pit Mark Shreve Pit is: Proposed Existing Pit Existing, date constructed: Fritzler #1-28 Pit Location (QQQQ); NW SE NE NE NE NE Sec 20 East West Ne Ne Ne Ne Ne Ne Ne N					
Contact Person: Mark Shreve Phone Number: (316) 264 - 6366	Operator Name: Mull Drilling Compa	any, Inc.		License Number: 5144	
Pit Location (QQQQ): Type of Pit:	Operator Address: P.O. Box 2758	Wichita KS 6	7201-2758		
Type of Pit: Pit is: Pit is: Seetling Pit Burn Pit Feet From Pit Pit Capacity: Rush County Pit Capacity: Rush County Pit Capacity: Rush County Pit Capacity: Pit Capacity: Pit Capacity: Rush County Pit Capacity: Rush County Pit Capacity: Rush County Pit Capacity: Pit Capacity: Pit Capacity: Rush County Pit Capacity:	Contact Person: Mark Shreve			Phone Number: (316) 264 - 6366	
Emergency Pit	Lease Name & Well No.: Fritzler #1-2	8		Pit Location (QQQQ):	
Setting Pit	Type of Pit:	Pit is:		_NW _ SE _ NE _ NE_	
Setting Pit	Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Two. 18S R. 20 East V West	
Workover Pit	Settling Pit			780	
(Ibble) Rush County				470	
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration:	(If WP Supply API No. or Year Drilled)	Pit capacity:			
Stephology Ste			(bbls) -	County	
Is the bottom below ground level? Artificial Liner? Pres No Prilling Mud Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Describe procedures fresh water 4 feet. Source of information: measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Distance of fluid produced daily: Abandonment procedure: Ablow to evaporate and backfill with original soil. Dies the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No No No No RECEIVED KANSAS CORPORATION COMMISS FEB 1 4 2007 CONSERVATION DAYSION WIGHT (feet) NIA: Steel Pits NIA: S	Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🔽	'] No	- 1	
Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet) Describe procedures for periodic maintenance and determining liner inlegrity, including any special monitoring. Distance to nearest water well within one-mile of pit Source of information: measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover. Drilling Mud Number of producing wells on lease: Number of working pits to be utilized: 3 Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be dosed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISS FEB 1 4 2007 CONSERVATION DIVISION WICKITA, RS	Is the bottom below ground level?	Artificial Liner?			
Depth from ground level to deepest point: 4	✓ Yes No	☐ Yes 🗸	No	Drilling Mud	
Depth from ground level to deepest point: 4	Pit dimensions (all but working pits):	30 Length (fe	eet) 80	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Depth to shallowest fresh water			_	` '	
Source of information:					
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION				owest fresh water	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION	1 004			uredwell owner electric log KDWR	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION			Drilling, Workover and Haul-Off Pits ONLY:		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. Abandonment procedure: Allow to evaporate and backfill with original soil. Drill pits must be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMMISSION			Type of material utilized in drilling/workover: Drilling Mud		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Applicant or Agent Conservation Division	1				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Applicant or Agent Conservation Division			Abandonment	procedure: Allow to evaporate and backfill with	
2/13/07 Date Signature of Applicant or Agent KCC OFFICE USE ONLY KANSAS CORPORATION COMMISSI FEB 1 4 2007 CONSERVATION DIVISION WICKITA, KS	Does the slope from the tank battery allow all splited holds to				
Date Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS	I hereby certify that the above state	ements are true and o	correct to the bes	, INDUCTOR	
KCC OFFICE USE ONLY			anni	FEB 1 4 2007	
		KCC (OFFICE USE O	WICHTA, KS	
Date Received: $\frac{2}{4}\frac{14}{67}$ Permit Number: Permit Date: $\frac{2}{4}\frac{4}{67}$ Lease Inspection: Yes $\frac{1}{8}$ No	2/ /			hit Date: $2/14/67$ Lease Inspection: Yes \sqrt{N}	