KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002

For KCC Use: NOTICE OF INTEN	Form must be Typed
Effective Date: Conference of the VCC Fig. (5) do	•
District #	yo provide communicating work
SGA? Yes X No	Spot
Expected Spud Date $\frac{2}{2}$ $\frac{19}{9}$ $\frac{07}{9}$	<u>NW NE NE Sec 20 Twp 33 S.R 39 X Wes</u>
month day year	
_	520 feet from XN/S Line of Section
OPERATOR: License # 5278	1120 feet from X E / W Line of Section
Name: ECG Resources, Inc.	Is SECTION X Regular Irregular?
Address: 3817 NW Expressway, Suite 500	(Note: Locate well on Section Plat on Reverse Side)
City/State/Zip: Oklahoma City, Oklahoma 73112	,
Contact Person: MINDY BLACK	County:
Phone: (405) 246-3130	Eddo Harre.
CONTRACTOR: License #: 30684	Field Name: Is this a Prorated/Spaced Field? Yes X No
ADEDODOMOTE DED TAC	Target Formation(s): MORROW
Name: Abertatible RID, INC.	Nearest Lease or unit boundary: 520'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3244' feet MSL
	Water well within one-quarter mile: yes x no
Oil Enh Rec Infield X Mud Rotary	Public water supply within one mile: yes x no
Gas Storage Pool Ext. Air Rotary	Depth to bottom of fresh water: 3501
OWWO Disposal X Wildcat Cable	Depth to bottom of usable water: 5501
Seismic; # of Holes Other	Surface Pipe by Alternate: X1 2
Other	Length of Surface Pipe Planned to be set: 1700'
If OWWO: old well information as follows:	Length of Conductor pipe required: 40'
Operator: ————————————————————————————————————	Projected Total Depth: 60001
Original Completion Date: Original Total Depth	Formation at Total Depth: MORROW
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	Well X Farm Pond Other
If yes, true vertical depth:	DWR Permit #:
Bottom Hole Location	(Note: Apply for Permit with DWR X)
KCC DKT#	Will Cores Be Taken?: Yes X No
PRORATED, SPACED HULDTON = PANOMA	If yes, proposed zone:
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pluggir	ng of this well will comply with K.S.A. 55- 101 REGEIVED
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
	FEB 1 4 2007
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to 	drilling rig;
 The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 	e underlying formation: WICHTA, KS
If the well is dry hole, an agreement between the operator and the distriction.	rict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugg	ed or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	d from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing
I hereby certify that the statements made herein are true and to the best of my	
Date: 3-13-07 Signature of Operator or Agent: Www	Title: OPERATIONS ASSISTANT
For KCC Use ONLY / 20 - 2170/0022	Remember to:
API # 15	- File Drill Pit Application (form CDP-1) with Intent to Drill;
Conductor pipe required feet	- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe required feet per Alf 1) X	File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workeyer or re-entry;
Approved by: 44 2-14-07	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CR.4) after plugging is completed:
This authorization expires: 274-07	 Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of effective date.)	- Obtain written approval before disposing or injecting salt water
·	Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please.
	- If permit has expired (See: authorized expiration date) please
Spud date: Agent	

Date:

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 129-21796-000	Location of Well: County:MORGON		
Operator EOG Resources, Inc.	520_ feet from XN/S Line of Section		
Lease LINK	1120_ feet from X E / W Line of Section		
Well Number 20 #1	Sec 20 Twp 33 S. R 39 East X West		
Field			
Number of Acres attributable to well:	Is Section X Regular or Irregular		
QTR/QTR/QTR of acreage: <u>NW - NE - NE</u>	If Section is irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- The distance of the proposed drilling location from the section's south/north and east/west; and3.
- The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within approached or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:	···· - 		License Number:	
EQG Resources, Inc.			5278	
Operator Address:				
3817 NW Expressway, Suite 500 Oklahoma City, OK 73112				
Contact Person:			Phone Number:	
MINDY BLACK		<u> </u>	(405) 246–3130	
Lease Name & Well No.:		:	Pit Location (QQQQ):	
LINK 20 #1	[SWNWNENE_	
Type of Pit:	Pit is			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. <u>20</u> Twp. <u>33S</u> R. <u>39</u> East 🔀 West	
Settling Pit X Drilling Pit	If existing, date constructed		Feet from North/ South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		Feet from X East/ West Line of Section	
(If WP Supply API No. or Year Drilled)	12,500	(bbls)	MORION County	
Is the pit located in a Sensitive Ground Wate	r Area? Yes X	☑ No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits, only)	
is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?	
X Yes No	│ │ │ Yes ဩ	No No		
Pit dimensions (all but working pits):	Length	(feet)	Width (feet) X N/A Steel Pits	
Depth from ground level to deepest point (feet)				
If the pit is lined give a brief description material, thickness and installation procedure			clures for periodic maintenance and determining cluding any special monitoring. RECEIVED *ANSAS CORPORATION COMMISSING FEB 1 4 2007 CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit		Depth to sha	allowest fresh water 398 110 feet.	
3.51		Source of information:		
			ed well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Work		ver and Haul-Off Pits ONLY:		
Producing Formation: Type of materia		al utilized in drilling/workover <u>CET</u>		
Number of producing wells on lease: Number of wor		king pits to be utilized NONE		
Barrels of fluid produced daily: Abandonment		procedure: HAUL TO HAUL-OFF PIT.		
Does the slope from the tank battery allow all spilled fluids to flow into the pond? Yes No Drill pits mus		t be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
Minde Bloom				
		Signature o	of Applicant or Agent	
KCC OFFICE USE ONLY Steel PITS				



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

"The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."

- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.