For KCC Use:	2-2/-07
Effective Date	2-26-07
District #	_3
SGA?	es 🗶 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot ✓ East
month day year	SE-SW - SW - NE Sec. 06 Twp. 24 S. R. 17 West
OPERATOR: License# 32710	2805 feet from N / S Line of Section
Name: Laymon Oil II, LLC	2145 feet from VE / W Line of Section
1998 Squirrel Road	is SECTION _✓_RegularIrregular?
City/State/Zip: Neosho Falls, KS 66758	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Laymon	County: Woodson
Phone: 620-963-2495	Lease Name: K. Ellis Well #: 16-07
	Field Name: Neosho Falls
CONTRACTOR: License# 32710	Is this a Prorated / Spaced Field? Yes ✓ No
Name: company tools	Target Formation(s): Squirrel
	Nearest Lease or unit boundary: 165
Well Drilled For: Well Class: Type Equipment:	
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic; # of Holes Other	Depth to bottom of fresh water: 125
Other	Depth to bottom of usable water: 200-150
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 1000
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	11011 11011 11111
If Yes, Irue vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	— Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and even	
	noon progging or this from the compry than the or to out or q.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	lan anala diillian day
2. A copy of the approved notice of intent to drill shall be posted	
	t be set by circulating cement to the top, in all cases surface pipe shan be set
3. The minimum amount of surface pipe as specified below shall	
through all unconsolidated materials plus a minimum of 20 feet	t into the underlying formation.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and	it into the underlying formation. d the district office on plug length and placement is necessary prior to plugging ;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either	It into the underlying formation. d the district office on plug length and placement is necessary prior to plugging ; are plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing	It into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing	It into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; are plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing	It into the underlying formation. d the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing if shall be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the I	It into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing, best of my knowledge and belief.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well	It into the underlying formation. d the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing if shall be plugged. In all cases, NOTIFY district office prior to any cementing.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the I	In the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agt.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the incompleted within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the incomplete of the spud date or the well between the statements of the spud date or the well between the statements of the spud date or the well between the statements of the spud date or the well between the statements of the spud date or the well between the spud date or the well between the statements of the spud date or the well between the spud date or the spud date or the well between the spud date or the spud date	In the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. If the company to the comp
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be compursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the incompleted within 30 days of the spud date or the well. Date: 02/14/07 Signature of Operator or Agent:	the into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the cemented from below any usable water to surface within 120 days of spud date. If order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. Title: Agt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well. I hereby certify that the statements made herein are true and to the total part of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27117-0000	In the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the plugged of spud date. If the plugged or production casing is cemented in; the plugged of spud date. If the prior to any cementing of the prior to any cementing. If the prior to any cementing. Title: Agt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the interest of the complete signature of Operator or Agent: Por KCC Use ONLY	the into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the plugged of spud date. If the plugged or production casing is cemented in; the plugged of spud date. If the plugged or production casing is cemented in; the plugged of spud date; If the plugged or production casing is cemented in; the plugged or
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is hereby certify that the statements made herein are true and to the interest of the complete of the com	In the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the plugged of spud date. If the plugged or production casing is cemented in; the plugged of spud date. If the prior to any cementing of the prior to any cementing. If the prior to any cementing. Title: Agt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be of Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the II Date: 02/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 271/7-000 Conductor pipe required feet Minimum surface pipe required feet per Alt.	it into the underlying formation. d the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. g order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Title: Agt. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be or Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the total complete the statements of Operator or Agent: Date: 02/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27/17-0000 Conductor pipe required feet Minimum surface pipe required feet Approved by: Put 2-21-07	tinto the underlying formation. d the district office on plug length and placement is necessary prior to plugging; per plugged or production casing is cemented in; permented from below any usable water to surface within 120 days of spud date. It order #133,891-C, which applies to the KCC District 3 area, alternate II cementing it shall be plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Agt. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be or Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the total complete the statements of Operator or Agent: Date: 02/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27117-0000 Conductor pipe required feet Minimum surface pipe required feet Approved by: Put 2-21-07 This authorization expires: 8-21-07	tinto the underlying formation. d the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; her plugged or production and usable water to surface within 120 days of spud date. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be or Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well I hereby certify that the statements made herein are true and to the total complete the statements of Operator or Agent: Date: 02/14/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27/17-0000 Conductor pipe required feet Minimum surface pipe required feet Approved by: Put 2-21-07	tinto the underlying formation. d the district office on plug length and placement is necessary prior to plugging; her plugged or production casing is cemented in; her plugged or production and usable water to surface within 120 days of spud date. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207-27117-0000	Location of Well: County: Woodson	
Operator: Laymon Oil II, LLC	2805 feet from N / ✓ S Line of Section	
Lease: K. Ellis		
Well Number: 16-07	Sec. 06 Twp. 24 S. R. 17 Ves	
Field: Neosho Falls		
Number of Acres attributable to well: OTR / OTR / OTR of acresque: SW - SW - NE	Is Section: ✓ Regular or Irregular	
QTR / QTR / QTR of acreage: SW - SW - NE - NE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached CG-8 for gas wells).

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Laymon Oil II, LLC			License Number: 32710			
Operator Address: 1998 Squirrel Road, Neosho Falls, KS 66758						
Contact Person: Kenneth Laymon			Phone Number: (620) 963 - 2495			
Lease Name & Well No.: K. Ellis #16-07			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SW NE THE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 06 Twp. 24 R. 17 ✓ East West			
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		2145 Feet from 🗸 East / 🗌 West Line of Section			
	240	(bbls)	Woodson County			
Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No			Chloride concentration: n/a mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes V No		Native Clay			
Pit dimensions (all but working pits):	Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	eepest point: 4	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.			
1		Depth to shallo Source of infor	west fresh waterfeet. mation:			
NA feet Depth of water wellfeet		measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
Producing Formation: Type of ma			al utilized in drilling/workover: drilling gel			
l			Number of working pits to be utilized: one			
Barrels of fluid produced daily:		Abandonment	procedure: backfill w/dirt			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
02/14/07	Q.	Land Land	m2 6/32			
Date)	ignature of Applicant or Agent			
KCC OFFICE USE ONLY						
Date Received: 2/20/07 Permit Number: Permit Date: 2/20/07 Lease In RECEIVED Permit No						