

For KCC Use:	2 2/ 27
Effective Date:	2-26-07
District #4	
SGA? Ye	s XNo

#### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1007942

Form C-1 November 2005 Form must be Typed Form must be Figned
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to continuencing wen	
Expected Sould Date: 02/26/2007	Sant Decembras	
Expected Spud Date: W2/20/2007	Spot Description:	21 [7-57]
30717	. NE SE NE Sec. 21 Twp. 14	
OPERATOR: License#	1001 1011	N / S Line of Section
Name: Downing-Nelson Oil Co Inc		E / W Line of Section
Address 1: PO Box 372	ls SECTION: Regular Inregular?	
Address 2:	(Note: Locate well on the Section Plat on	reverse side)
Contact Person: Ron Nelson	County: Trego	4.04
Phone: 785-621-2610	Lease Name: Mike Augustine	Well #: 1-21
	Field Name: Wildcat	
CONTRACTOR: License# 31548 Name: Discovery Drilling	s this a Prorated / Spaced Field?	Yes XNo
Name: Decovery Straing	Target Formation(s): LKC Cherokee	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 520	
XOil ☐ Enh Rec ☐ Infield X Mud Rotary	Ground Surface Elevation: 2191	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	☐Yes ☑No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: II XIII  Length of Surface Pipe Planned to be set: 200	
	Length of Conductor Pipe (if any): 0	
Operator:	Projected Total Depth:4150	
Well Name:Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
Onginal Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
	(Note: Apply for Permit with DWF	₹ <u> </u>
KCC DKT #:	(Note: Apply for Permit with DWF Will Cores be taken?	7 ∐) ☐Yes ☒No
		Yes X No
	Will Cores be taken? If Yes, proposed zone:	RECEIVED
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone:	RECEIVED
KCC DKT #:	Will Cores be taken? If Yes, proposed zone:	RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.	RECEIVED
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  K( drilling rig;	RECEIVED FEB 2 0 2007 CC WICHITA
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  K(  drilling rig;  by circulating cement to the top; in all cases surface pip	RECEIVED FEB 2 0 2007 CC WICHITA
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  KC  drilling rig; by circulating cement to the top; in all cases surface pip underlying formation.	RECEIVED FEB 2 () 2007 CC WICHITA se shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  If Yes, proposed zone;  IDAVIT  Index of this well will comply with K.S.A. 55 et. seq.  Index of this well will comply will comply with K.S.A. 55 et. seq.  Index of this well will comply will comply will be the this will comply will be the thin this will comply will be the thin	PES No RECEIVED FEB 2 0 2007 CC WICHITA The shall be set prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  If Yes, proposed zone:  IDAVIT  In It Yes, proposed zone:  If Y	PEB 2 0 2007  CC WICHITA  The shall be set of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Identifying rig;  In the comply with K.S.A. 55 et. seq.  In the comply with K.S.A. 55 et. seq.  In the complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will comply with K.S.A. 55 et. seq.  If you complete will complete will complete will complete will be you comple	PEE 2 0 2007  CO WICHITA  The shall be set for to plugging;  TYS of spud date.  Tyres   No.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  If Complete the complete t	PEE 2 0 2007  CO WICHITA  The shall be set for to plugging;  TYS of spud date.  Tyres   No.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the statements made herein are true and to the statements are true and to the statements are true and to the statements are the statements are true and to the statements are true and to the statements are true an	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pip underlying formation.  ict office on plug length and placement is necessary pod or production casing is cemented in;  if from below any usable water to surface within 120 DA  33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.	PEE 2 0 2007  CO WICHITA  The shall be set for to plugging;  TYS of spud date.  Tyres   No.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pip underlying formation.  ict office on plug length and placement is necessary pod or production casing is cemented in;  if from below any usable water to surface within 120 DA  33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.	RECEIVED FEB 2 0 2007 CC WICHITA The shall be set for to plugging; The street of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the best of minimum or the district of the statements made herein are true and to the statements made herein are true and to the statements are true and to the statements are true and to the statements are the statements are true and to the statements are true and to the statements are true an	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pip underlying formation.  Ict office on plug length and placement is necessary production casing is cemented in;  If rom below any usable water to surface within 120 DA  33,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to y knowledge and belief.  Title: Agen	RECEIVED FEB 2 0 2007 CC WICHITA we shall be set when to plugging; any of spud date. ernate II cementing any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a liberaby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pip underlying formation.  Ict office on plug length and placement is necessary pod or production casing is cemented in; if from below any usable water to surface within 120 DA  13,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to y knowledge and belief.  Title: Agent	PECEIVED FEB 2 0 2007 CC WICHITA The shall be set or spring to plugging; The shall be set or spring to the shall be set or spr
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pip underlying formation.  ict office on plug length and placement is necessary production casing is cemented in; if from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to y knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to	RECEIVED FEB 2 0 2007 CC WICHITA we shall be set rior to plugging; arys of spud date. ernate II cementing any cementing.  Drill; ud date;
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:  For KCC Use ONLY  API #15 - 195 - 22436-0000	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pip underlying formation.  Ict office on plug length and placement is necessary pod or production casing is cemented in; if from below any usable water to surface within 120 DA  13,891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to y knowledge and belief.  Title: Agent	RECEIVED FEB 2 0 2007 CC WICHITA we shall be set rior to plugging; arys of spud date. ernate II cementing any cementing.  Drill; ud date;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and to the best of my Date: 15 February Ofignature of Operator or Agent:  For KCC Use ONLY  API #15 - 195 - 22436-0000  Conductor pipe required 0 feet	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pipe underlying formation.  Ict office on plug length and placement is necessary post of production casing is cemented in;  If from below any usable water to surface within 120 DA  BASS-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to be a plugged. In all cases, NOTIFY district office prior to be prior to be a plugged. In all cases, NOTIFY district office prior to be plugged. In all cases, NOTIFY district office pr	RECEIVED FEB 2 0 2007 CC WICHITA The shall be set From to plugging; The shall be set F
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "8" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:  For KCC Use ONLY  API #15 - 195 - 22436-0000  Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. I	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  Acrilling rig; by circulating cement to the top; in all cases surface pipe underlying formation.  Ict office on plug length and placement is necessary post or production casing is cemented in;  If rom below any usable water to surface within 120 DAS 3891-C, which applies to the KCC District 3 area, alto plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Agen  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the plugging is come.  Notify appropriate district office 48 hours prior to won. Submit plugging report (CP-4) after plugging is come.	RECEIVED FEB 2 0 2007 CC WICHITA The shall be set strior to plugging; The shall be se
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be competed Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:  For KCC Use ONLY  API #15 - 195 - 22436-0000  Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. II XIII  Approved by 24+2-21-07	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pip underlying formation.  ad or production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the plugging of the prior to work to the plugging report (CP-4) after plugging is commodition written approval before disposing or injecting	RECEIVED FEB 2 0 2007 CC WICHITA The shall be set From to plugging; The shall be set F
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "8" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  15 February Ofignature of Operator or Agent:  For KCC Use ONLY  API #15 - 195 - 22436-0000  Conductor pipe required 0 feet  Minimum surface pipe required 200 feet per ALT. I	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  Acrilling rig; by circulating cement to the top; in all cases surface pip underlying formation.  Ict office on plug length and placement is necessary pounderlying formation.  If rom below any usable water to surface within 120 DAS 3,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Agent Pemember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the plugging attribution plat according to field prorated to the plugging report (CP-4) after plugging is comeditated.  Obtain written approval before disposing or injecting of this permit has expired (See: authorized expiration).	RECEIVED FEB 2 0 2007 CC WICHITA we shall be set when the plugging; any comenting any comenting any comenting.  Drill; ad date; ion orders; whover or re-entry; upleted (within 60 days); p salt water. and date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 15 February Ofignature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  Willing rig;  by circulating cement to the top; in all cases surface pipe underlying formation.  Ict office on plug length and placement is necessary properties of production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to be within all cases, NOTIFY district office prior to be within 120 days of sp.  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp.  File acreage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to word to be subject to the subject of the properties of the properties of the properties of the provided expiration of the properties of the provided expiration of th	RECEIVED FEB 2 0 2007 CC WICHITA The shall be set Inforto plugging; The shall be set I
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and to the best of my.  Date: 15 February Ofignature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  Acrilling rig; by circulating cement to the top; in all cases surface pip underlying formation.  Ict office on plug length and placement is necessary pounderlying formation.  If rom below any usable water to surface within 120 DAS 3,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to by knowledge and belief.  Title:  Agent Pemember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spure in the plugging attribution plat according to field prorated to the plugging report (CP-4) after plugging is comeditated.  Obtain written approval before disposing or injecting of this permit has expired (See: authorized expiration).	RECEIVED FEB 2 0 2007 CC WICHITA we shall be set when the plugging; any comenting any comenting any comenting.  Drill; ad date; ion orders; whover or re-entry; upleted (within 60 days); p salt water. and date) please



## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22436-0000	
Operator: Downing-Nelson Oil Co Inc	Location of Well: County: Trego
Lease: Mike Augustine	1,460 feet from N / S Line of Section
Well Number: 1-21	520 feet from Z E / W Line of Section
Field: Wildcat	Sec. 21 Twp. 14 S. R. 21 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: NE _ SE _ NE	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NE SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1007942

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Downing-Nelson Oil Co Inc			License Number: 30717	
Operator Address: PO Box 372			Hays KS 67601	
Contact Person: Ron Nelson			Phone Number: 785-621-2610	
Lease Name & Well No.: Mike Augustine 1-21			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NESENE_	
Emergency Pit Burn Pit	Proposed Existing		Sec21_ <sub>Twp</sub> 14R21East West	
Settling Pit Drilling Pit	If Existing, date constructed:		1,460 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
	3,000 (bbis)		Trego County	
is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/li  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes No		Lined with clay soil, native and fresh mud	
Pit dimensions (all but working pits): 70 Length (feet) 70 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	epest point: 5	(feet) No Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining notuding any special monitoring.	
Distance to nearest water well within one-mile	of pit	Depth to shallo	RECEIVED FEB 2 0 2007  west fresh water 6 feet. CC WICHITA	
4886 feet Depth of water well 20 feet		Source of information:  measured well owner electric log X KDWR		
		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Mud		
		Number of working pits to be utilized: 3		
Barrels of fluid produced daily: Aba		Abandonment	procedure: Allow liquid contents to evaporate, let cuttings dry and backfill.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			outings ary and backing.	
1104 litto tita bir:	spilled fluids to	Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above state			be closed within 365 days of spud date.	
		correct to the bes	be closed within 365 days of spud date.	
I hereby certify that the above state  February 15, 2007	ments are true and o	correct to the bes	be closed within 365 days of spud date.  t of my knowledge and belief.  ignature of Applicant or Agent	