For KCC Use:	2 2/2-27
Effective Date:_	2-26-07
District #	3
SGA? X Yes	No

# Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	Spot	X East
month day year S	NE - SW - SE Sec. 1 Twp. 18 S.	R21_ West
DPERATOR: License# 6142	825feet from N / XX 5	S Line of Section
Name: Town Oil Company, Inc.	1815 feet from XXE / 1	N Line of Section
ddress: 16205 W. 287th St.	is SECTION XX_RegularIrregular?	
City/State/Zip: Paola, Kansas 66071	(Note: Locate well on the Section Plat on reve	urse side)
Contact Person: Lester Town	County: Miami	
Phone: 913-294-2125	Lease Name: <u>O'Brien</u>	Well #: 33
Company Tools (4/4)	Field Name: Paola-Rantoul	
CONTRACTOR: License# Company Tools 6/42	Is this a Prorated / Spaced Field?	Yes XXNo
Name:	Target Information(s): <u>Bartlesville</u>	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165	
X Oil Enh Rec X Infield Mud Rotary	Ground Surface Elevation:	feet MSL
Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	Yes XXNo
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes XXNo
Seismic;# of Holes Other	Depth to bottom of fresh water:100	
Other	Depth to bottom of usable water: 200	·
	Surface Pipe by Alternate: 1 1 XX 2	_
f OWWO: old well information as follows;	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth;600	
Original Completion Date:Original Total Depth:	Formation at Total Depth: <u>Bartlesvi</u>	lle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
f Yes, true vertical depth:	Well Farm Pond Other	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	· —
	Will Cores be taken?	Yes XXNo
	If Yes, proposed zone:	
	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual pl		
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:		
The undersigned hereby affirms that the drilling, completion and eventual pl	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; led from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a	prior to plugging;  ays of spud date.  alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the se	ch drilling rig;  et by circulating cement to the top; in all cases surface p he underlying formation.  district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to	prior to plugging;  ays of spud date.  alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe and the operator and the construction of the surface of the surface well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the statements made herein are true and to the best of the surface of	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	prior to plugging;  ays of spud date.  alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe and the operator and the construction of the surface of the surface well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the statements made herein are true and to the best of the surface of	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	prior to plugging;  ays of spud date.  alternate If cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the constitution of the set of	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Di File Completion Form ACO-1 within 120 days of sput File acreage attribution plat according to field prorati	prior to plugging;  ays of spud date.  alternate II cementing.  to any cementing.  iill;  d date;  on orders;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the set of the specified before well is either plus of the specified before well is either plus of the specified before well shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the confidence of the specified before the well shall be completed.  For KCC Use ONLY  API # 15 - 28386-0000 feet  Minimum surface pipe required feet per Alt.	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 df #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Di File Completion Form ACO-1 within 120 days of spur	prior to plugging;  ays of spud date.  alternate II cementing.  io any cementing.  iiil; d date; on orders; kover or re-entry;  bleted;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the state of the set of th	ch drilling rig; et by circulating cement to the top; in all cases surface phe underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to make the production of the prior of the production of the production of the prior of the p	prior to plugging;  ays of spud date.  alternate II cementing.  iii;  d date;  on orders;  kover or re-entry;  oleted;  salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the surface of the set of	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to if my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Di File Completion Form ACO-1 within 120 days of sput Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp	prior to plugging;  ays of spud date.  alternate II cementing.  iiii; d date; on orders; kover or re-entry; bleted; salt water.  date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. The appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  2-16-07 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 28386-0000  Conductor pipe required None feet per Alt. (2)  Approved by: 244-2-21-07  This authorization expires: 8-21-07	ch drilling rig; et by circulating cement to the top; in all cases surface p he underlying formation. district office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 d #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to fing knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Dr File Completion Form ACO-1 within 120 days of sput Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting  If this permit has expired (See: authorized expiration	prior to plugging;  ays of spud date.  alternate II cementing.  iiii; d date; on orders; kover or re-entry; bleted; salt water.  date) please

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - /2 1-28386-DOOD	Location of Well: County:
Operator:	
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	SecS. REast West
Field:	Last [west
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	·		·····	1
	•	•	• • • •	
1	•	•	• •	
		-		
1				·
1	•	-	•	
ı	•	•	•	
		·		
	. ••			
		•	•	
			• •	
	•		· • •	
		•		
1 .			· · · · ·	EXAMPLE
ļ	- <u> </u>	<del></del> 1	-	CVAINILLE
'	•			
] .	•	•		
'	•	•	• •	
				1980
		•		1 1111 1 1 1000
•	•	•		
!	•	=	• •	
[				
				3390'
	•		· · · /	
				l white
	•		· •	-1815 ···································
l				
.				
			· [	
		]	·   · · ·	SEWARD CO.
L			'   ·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 825

# In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Town Oil Comp	any, Inc.		License Number: 6142	
Operator Address: 16205 W. 287t		la, Kansas		
Contact Person: Lester Town			Phone Number: (913 ) 294 - 2125	
Lease Name & Well No.: O'Brien	#33		Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Workover Pit	Pit is:  X Proposed Existing  If Existing, date constructed:  Pit capacity:  100 (bbls)		SW - NE - SW - SE	
Settling Pit X Drilling Pit Burn Pit Haul-Off Pit			Sec. 1 Twp. $18$ R. $21$ X East West $825$ Feet from North / X South Line of Section	
(If WP Supply AP! No. or Year Drilled)			1815 Feet from X East / West Line of Section  Miami County	
Is the pit located in a Sensitive Ground Water	Area? Yes X	<del>] No</del>	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Pits not lined unless not holding flu	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	west fresh waterfeet.	
N/A feet Depth of water well	feet	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: <u>fresh water</u> Number of working pits to be utilized: 2		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		is_completed		
I hereby certify that the above state  2-16-07  Date	ements are true and o	obeita	of my knowledge and belief.  Sown  ignature of Applicant (r Agent )	
	КСС	OFFICE USE O		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67606 B 2 0 2007