| For KCC Use: Effective Date: | 2-27- | 07 |
|---------------------------------|-------|----|
| District # | 3 | |

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed

| | | blanks must be Filled |
|---|--|---|
| musi de apploted by NOO IIVe | (5) days prior to commencing well | |
| Expected Spud Date = 2 27 07 | Spot | ✓ East |
| month day year | E1/2 SE - NW Sec. 32 Twp. 15 | S. R. 21 West |
| 32218 | 3300feet fromN / 🗸 | |
| OPERATOR: License# 32218 V Name: TDR Construction, Inc. | 2970 feet from | |
| Name: 15N Constitution, Inc. Address: 1207 N. 1st Street East | Is SECTION Regular Irregular? | , T. Line of Goodon |
| Address: Louisburg, KS. 66053 | | |
| City/State/Zip: Contact Person: Lance Town | (Note: Locate well on the Section Plat on res | /erse side) |
| Phone: 913-710-5400 | County: Franklin Lease Name: Coons | Well #: W-25 |
| / | Field Name: Paola-Rantoul | |
| CONTRACTOR: License# 33715 V | Is this a Prorated / Spaced Field? | Yes ✓ No |
| Name: Town Oilfield Service, Inc. | Target Formation(s): Squirrel | Tags A Mo |
| | Nearest Lease or unit boundary: 990' | |
| Well Drilled For: Well Class: Type Equipment: | Ground Surface Elevation: | feet MSL |
| Oil Fish Rec / Infield / Mud Rotary | Water well within one-quarter mile: | Yes VNo |
| Gas Storage Pool Ext. ✓ Air Rotary | Public water supply well within one mile: | Yes ✓ No |
| O/W/O Disposal Wildcat Cable | Depth to bottom of fresh water: 100 | |
| Seismic;# of Holes Other | Depth to bottom of usable water: 200 | |
| Other | Surface Pipe by Alternate: 1 2 | <u> </u> |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20 | |
| Operator: | Length of Conductor Pipe required: None | |
| Well Name: | Projected Total Depth: 750' | · · · · · · · · · · · · · · · · · · · |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Squirrel | |
| | Water Source for Drilling Operations: | |
| Directional, Deviated or Horizontal wellbore? | Welf Farm Pond Other X | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWR | |
| KCC DKT #: | Will Cores be taken? | Yes ✓ No |
| | If Yes, proposed zone: | |
| AFFI | DAVIT | |
| The undersigned hereby affirms that the drilling, completion and eventual pl | | |
| It is agreed that the following minimum requirements will be met: | | |
| Notify the appropriate district office <i>prior</i> to spudding of well; | | |
| | | |
| 2. A copy of the approved notice of intent to drill shall be posted on each | ch drilling rig; | |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se | <u> </u> | pipe shall be set |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the | of by circulating cement to the top; in all cases surface page underlying formation. | |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount. | of by circulating cement to the top; in all cases surface per the underlying formation. district office on plug length and placement is necessary | prior to plugging; |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the dollar The appropriate district office will be notified before well is either plug | of by circulating cement to the top; in all cases surface properties and entire to the underlying formation. In this is the case of the c | prior to plugging; |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discount. | of by circulating cement to the top; in all cases surface prine underlying formation. In this issues that is necessary in the production casing is cemented in; and from below any usable water to surface within 120 or | prior to plugging; |
| The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement. | of by circulating cement to the top; in all cases surface per underlying formation. Illustrict office on plug length and placement is necessary uped or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, | prior to plugging; lays of spud date. alternate II cementing |
| The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order | It by circulating cement to the top; in all cases surface place underlying formation. Identification of the structure of the | prior to plugging; lays of spud date. alternate II cementing |
| The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the level of the statements made herein are true and to the best of the statements. | of by circulating cement to the top; in all cases surface place underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation is necessary and the underlying formation casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior the underlying and belief. | prior to plugging; lays of spud date. alternate II cementing |
| The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the sether plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to | It by circulating cement to the top; in all cases surface place underlying formation. Identification of the structure of the | prior to plugging; lays of spud date. alternate II cementing |
| The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the level of the statements made herein are true and to the best of the statements. | of by circulating cement to the top; in all cases surface place underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation is necessary and the underlying formation casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior the underlying and belief. | prior to plugging; lays of spud date. alternate II cementing |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the statements made herein are true and to the best of Date: 2 - 19 - 07 Signature of Operator or Agent: For KCC Use ONLY | of by circulating cement to the top; in all cases surface place underlying formation. iistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior may knowledge and belief. Title: Agent | prior to plugging; lays of spud date. alternate if cementing to any cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the left of the statements made herein are true and to the best of Date: 2 - 19 - 07 Signature of Operator or Agent: For KCC Use ONLY | of by circulating cement to the top; in all cases surface price underlying formation. iistrict office on plug length and placement is necessary iged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior may knowledge and belief. Title: Agent Remember to: | prior to plugging; fays of spud date. alternate if cementing to any cementing. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the set of the production of the set of | It by circulating cement to the top; in all cases surface price underlying formation. Identification is commented in; and for production casing is commented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior may knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuring the surface particular according to field prorate. | rill; d date; in prior to plugging; fays of spud date. alternate if cementing to any cementing. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to be the statements made herein are true and to the best of Date: 2 - 19 - 07 Signature of Operator or Agent: 100 Date: 2 - 19 - 07 Signature of Operator or Agent: 100 Date: 115 - 115 | It by circulating cement to the top; in all cases surface price underlying formation. Identification casing is cemented in; and form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Define Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field prorate. Notify appropriate district office 48 hours prior to work. | rill; d date; ion orders; kover or re-entry; |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of Date: 2 - 19 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25193-000 Conductor pipe required 100 feet per Alt. (2) | It by circulating cement to the top; in all cases surface pre underlying formation. Identification is the underlying formation. Identification is the underlying formation. Identification casing is cemented in; and or production casing is cemented in; and form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of sputh in File acreage attribution plat according to field prorated in Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is completed. | rill; d date; ion orders; kover or re-entry; pleted; |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus an appropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the least of Date: 2 - 19 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25193 - 0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. (2) Approved by: 444-2-22-07 | the by circulating cement to the top; in all cases surface price underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation casing is cemented in; and the underlying form below any usable water to surface within 120 of the the unitarity and unitarity | rill; d date; ion orders; kover or re-entry; bleted; salt water. |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus an inimum of 20 feet into the sether plus an apreement between the operator and the description of the sether plus and street in the statement of the sether plus and the set of the set of the sether sether and the sether plus and the set of the sether plus and the sether pl | It by circulating cement to the top; in all cases surface price underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation. Indicate the underlying formation casing is cemented in; and the underlying form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior the underlying many knowledge and belief. In the underlying and belief. File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of sputh in 120 days of sputh | rill; d date; ion orders; kover or re-entry; bleted; salt water. date) please |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus an inimum of 20 feet into the sether plus an apreement between the operator and the description of the sether plus and street and the description of the sether plus and sether plus and the description of the sether plus and the description of the sether plus and the sether | the by circulating cement to the top; in all cases surface price underlying formation. Indistrict office on plug length and placement is necessary iged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, to plugged. In all cases, NOTIFY district office prior in my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to District acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is compact of this permit has expired (See: authorized expiration check the box below and return to the address below. | rill; d date; ion orders; kover or re-entry; beleted; salt water. date) please |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus an inimum of 20 feet into the sether plus an aprenent between the operator and the description of the sether plus and state of the sether plus and state of the sether plus and sether | It by circulating cement to the top; in all cases surface preduction formation. Identification is compared to the top; in all cases surface preduction formation. Identification is compared to the top; in all cases any iged or production casing is comented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior may knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spure in File acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to word in written approval before disposing or injecting if this permit has expired (See: authorized expiration check the box below and return to the address below. Well Not Drilled - Permit Expired | rill; d date; ion orders; kover or re-entry; beleted; salt water. date) please w. |
| 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether plus an appropriate district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the latest plus certify that the statements made herein are true and to the best of Date: 2 - 19 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25193 - 0000 Conductor pipe required Now feet Minimum surface pipe required feet Approved by: 444-2 - 22-07 This authorization expires: 8-22-07 | the by circulating cement to the top; in all cases surface price underlying formation. Indistrict office on plug length and placement is necessary iged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, to plugged. In all cases, NOTIFY district office prior in my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to District acreage attribution plat according to field prorated. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is compact of this permit has expired (See: authorized expiration check the box below and return to the address below. | rill; d date; ion orders; kover or re-entry; bleted; salt water. date) please |

KANSAS CORPORATION COMMISSION

FEB 2 2 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 059-25193-000 | Location of Well: County: Franklin |
|--|--|
| Operator: TDR Construction, Inc. | 3300feet from N / ✓ S Line of Section |
| Lease: Coons | 2970 feet from 🗸 E / 🔲 W Line of Section |
| Well Number: W-25 Field: Paola-Rantoul | Sec. 32 Twp. 15 S. R. 21 Ves |
| Number of Acres attributable to well: | Is Section: 🗸 Regular or 🔲 Irregular |
| QTR / QTR / QTR of acreage: E1/2 - SE - NW | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- WICHITA KS

 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: TDR Construction, Inc. | | License Number: 32218 | | | |
|--|--------------------------------|---|---|--|--|
| Operator Address: 1207 N. 1st Street East Louisburg, KS. 66053 | | | | | |
| Contact Person: Lance Town | | Phone Number: (913) 710 - 5400 | | | |
| Lease Name & Well No.: Coons W | /-25 | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | C _ E1/2 _ SE _ NW | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 32 Twp. 15 R. 21 | | |
| Settling Pit | If Existing, date constructed: | | 3300 Feet from North / 🗸 South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 2970 Feet from 🗸 East / 🗌 West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | | | Franklin County | | |
| is the pit located in a Sensitive Ground Water | Area? Yes ✓ | No | Chloride concentration:mg/l | | |
| is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? | | |
| ✓ Yes No | Yes No | | Pits not lined unless not holding fluid | | |
| Pit dimensions (all but working pits): | 8 Length (fe | et) 12 | Width (feet) N/A: Steel Pits | | |
| Depth from ground level to deepest point: 5 (feet) | | | | | |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. | | | | | |
| Source of int | | Source of infor | <u>.</u> | | |
| 4787 feet Depth of water well 60 feet | | measured well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| | | Type of material utilized in drilling/workover: Fresh water Number of working pits to be utilized: 2 | | | |
| Number of producing wells on lease: | | Abandonment procedure: Pits filled as soon as well is completed | | | |
| Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 2-19-07 Date Signature of Applicant of Agent) | | | | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: $2/22/c7$ Permit Number: Permit Date: $2/22/c7$ Lease Inspection: Yes X No | | | | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED KANSAS CORPORATION COMMISSION

FEB 2 2 2007

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.