For KCC Use:	2-27-07
Effective Date:	<u>a-2101</u>
District #	
ma	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed

NOTICE OF INTENT TO DRILL

Expected Spud Date	Must be approved by KCC five	(5) days prior to commencing well
Address: 1207 N. 1st Street East Cortact Person Lance Town Proceedings of the Section Plat on reverse side) Contact Person Lance Town Proceedings of the Section Plat on reverse side) Contact Person Lance Town Profit Services, Inc. Weel Drilled Services, Inc. Weel Se	Expected Spud Date 2 2 - 27 - 07	Spot
County. Mamil County County. Mamil County County. Mamil County County. Mamil County County County County County County County County County County County County County Coun	Name: IDR Construction, Inc.	feet from JE / W Line of Section
Lease Name: McKcorn Well s. DD2	City/State/Zip: Louisburg, KS. 66053	
Field Name_Inherent Inherent	Contact Person: Lance Town	County: Wolf #- DD2
Strike a Prorested / Spaced Field? Vee Name: Town Offided Service, Inc. Is this a Prorested / Spaced Field? Vee Name: Town Offided Service, Inc. Is the substitution of the property of the substitution of the substitution of the property of the substitution of the		Field Name Unknown Paola - Randou)
Target Formation(s): Peru	CONTRACTOR: License# 33715	· · · · · · · · · · · · · · · · · · ·
Ground Surface Elevation: seek MSI Gas Storage Pool Ext.	Name: Town Oilfield Service, Inc.	Target Formation(s): Peru
Ground Surface Elevation: Ground Surface Elevation: Teet MSI Ground Surface Elevation: Feet MSI Water well within one rulle: Public water supply well within one rulle: Public water s	Well Drilled For: Well Class: Type Equipment:	
Case Corage Code Cabe		
Common		
Selsmic: if of Holes Other		· · · · · · · · · · · · · · · · · · ·
If OWWO: old well information as follows: Operator:	Seismic; # of Holes Other	
If OWWO: old well information as follows: Operator: Well Names: Original Completion Date: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Oriling Operations: Water Source for Oriling Operations: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Source for Oriling Operations: Water Farm Pond Other X DWR Permit #: Water Farm Pond Other X DWR Permit #: Water Source for Other X DWR Permit #: Water Farm Pond Other X DWR Permit #: Water Farm Pond Other Y Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion on the set of the water of the underlying formation. 1. Notify appropriate district office with DWR Y Sala Part Part Pond Other Y Water Farm Pond Other Y Water Farm Pond Other Y Water Farm Pond Other Y Water Source for Water Source with In the Approp	Other	
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT *: Well Farm Pond Other X DWR Permit *: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well its either plugged or production casing is cemented in; 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented from below any usable were to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belight. For KCC Use ONLY API # 15 . All - 2839/-000 Conductor pipe required feet within 6 months of approval date.) File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACD-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACD-1 within 120 days of spud date; File Drill Pit Application (form	# CIARA/Ou and well information as fallows:	
Well Name: Original Completion Date: Original Total Depth: Sormation at Total Depth: Water Source for Drilling Operations: Water Source For Drilli		Length of Conductor Pipe required: None
Original Completion Date: Original Total Depth: Formation at Total Depth: Peru Water Source for Orifling Operations: Water Successing Fam Pond Other X Water Source for Orifling Operations: Water Successing for Permit with DWR Water Source for Orifling Operations: Water Successing for Permit with DWR Water Source for Orifling Operations: Water Successing for Operations: Water Source for Orifling Operations: Water Successing for Operations with In DWR Water Source for Orifling Operations: Water Successing for Operations in Indian Dwar	•	
Water Source for Drilling Operations: Water Source for Drilling Operation: Water Supportation: Water Support Support Supports S	Original Completion Date:Original Total Depth:	Formation at Total Depth: Peru
If Yes, true vertical depth: Bottom Hote Location: (Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB) Will Cores be taken? Yes Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit with DWB Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for Permit Paper Note: Apply for	-	Water Source for Drilling Operations:
Note: Apply for Permit with DWR Yes Note: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shell be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C. which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTHFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - IAI - 2839/-COCO Minimum surface pipe required		
## Will Cores be taken? If Yes, proposed zone: ## Yes		
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or prusuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate if cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Por KCC Use ONLY API # 15 - 12 - 28391-0000 Conductor pipe required feet feet feet feet feet feet feet fe		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	ROODKI #.	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Por KCC Use ONLY API # 15		11 103, proposod 2010.
it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate if cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: 2.19 - 0.7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 23 - 23 - 0.7 Approved by: 44 - 23 - 0.7 This authorization expires: 8 - 23 - 0.7 This authorization void if drilling not started within 6 months of approval date.) This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired		
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials pius a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 2-19-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - \(\begin{align*} \lambda \) \(\begin{align*} \lambda \) \(\text{Pile Completion Form ACO-1 within 120 days of spud date;} \) \(\text{File Completion Form ACO-1 within 120 days of spud date;} \) \(\text{File acreage attribution plat according to field proration orders;} \) \(\text{Notify appropriate district office 48 hours prior to workover or re-entry;} \) \(\text{Submit plugging report (CP-4) after plugging is completed;} \) \(\text{Obtain written approval before disposing or injecting salt water.} \) \(\text{If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.} \(\) \(\text{Well Not Drilled - Permit Expired} \)		lugging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE if COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate il cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 2-19-07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101- 28391-0000 Approved by: 124 3-32-07 This authorization expires: 8-22-07 This authorization expires: 8-22-07 This authorization expires: 8-22-07 This authorization expires: 8-22-07 This authorization void if drilling not started within 6 months of approval date.) Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:		
For KCC Use ONLY API # 15 - 121 - 28391-0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. X2 Approved by: 144 2-22-07 This authorization expires: 8-22-07 (This authorization void if drilling not started within 6 months of approval date.) Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	 A copy of the approved notice of intent to drill shall be posted on ear The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plug. If an ALTERNATE if COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 	of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15 - 121 - 28391 - 0000 Conductor pipe required		
For KCC Use ONLY API # 15 - 121 - 28391 - 0000 Conductor pipe required		Remember to:
This authorization expires: (This authorization void if drilling not started within 6 months of approval date.) - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. - Well Not Drilled - Permit Expired Signature of Operator or Agent:	API # 15 - /2/- 2839/-0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. X 2	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notity appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent:	Approved by, 22-07	- If this permit has expired (See: authorized expiration date) please
Well Not Drilled - Permit Expired		
Spud date: Agent: Signature of Operator or Agent:		-
Date: RECEIVED	Spud date:Agent:	

FEB 2 2 2007


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28391-0000	Location of Well: County: Miami
Operator: TDR Construction, Inc.	•
Lease: McKoon	4785 feet from N / S Line of Section 4125 feet from F E / W Line of Section
Well Number: DD2	Sec. 36 Twp. 17 S. R. 21 VEast West
Field: Unknown	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE - NW - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location to the nearest lease or unit boundary line.)



- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: CENTED il wells; CG-8 for gas wells).

FEB 2 2 2007

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.			License Number: 32218	
Operator Address: 1207 N. 1st S	Street East	Louisbur	g, KS. 66053	
Contact Person: Lance Town			Phone Number: (913) 710 - 5400	
Lease Name & Well No.: McKoon #	DD2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE NE NW NW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 36 Twp. 17 R. 21	
Settling Pit	If Existing, date c	onstructed:	4785 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit and the		4125 Feet from V East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Miami County	
Is the pit located in a Sensitive Ground Wate			Chloride concentration: mg/l	
is the pit rocated in a Sensitive Ground Water	, , dea: 💌 103 🛊		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	Pits not lined unless not holding fluid	
Pit dimensions (all but working pits):	dimensions (all but working pits): 8 Length (feet) 12		Width (feet) N/A: Steel Pits	
Depth t	from ground level to de	eepest point: 5	(feet)	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
4164 feet Depth of water well	<u>~{℃</u> feet	measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Emergency, Settling and Burn Pits ONLY	':	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh water		
Number of producing wells on lease:		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: Pits filled as soon as well is completed	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: Pits filled as soon as well is completed Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	tements are true and	correct to the bes	t of my knowledge and belief.	
2-19-07 Date		Hori :	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED	
KCC OFFICE USE ONLY CONSERVATION DIVISION				
Date Received: $\frac{3/22/67}{2}$ Permit Nur	mber:	Perm	WICHITA, KS it Date: 2/22/07 Lease Inspection: Yes (A) No	