For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date month day year	Spot
/	Apw2 - NENE - SE Sec. 2 Twp. 32 S. R. U West 2310 feet from N / S Line of Section
OPERATOR: License# 3591	335 feet from \checkmark E / \checkmark W Line of Section
Name- C & E Oil Company	is SECTION V Regular Irregular?
Address: 422 Elm	
Address:	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Ed Indoulet	County: Chautauqua Lease Name: Rogers Well #: 6-A
Phone: (620) 647-3601	Lease Name: Rogers Well #: 6-A Oliver
CONTRACTOR: License# 6282	
Name: Darnall, Walter E.	Is this a Prorated / Spaced Field? Target Formation(s): Mississippian Yes V No
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1116.5 feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary	Water well within one-quarter mile: Yes √ No.
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
O/W/O Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic;# of Holes Other	Depth to bottom of usable water: 480'
Other	Surface Pipe by Alternate: 1 2
If Clankic, and well information on follows:	Length of Surface Pipe Planned to be set: 40'
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 2,100'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AEC	DAVIT
The understand hereby effirms that the drilling completion and eventual ni	unning of this well will comply with K.S.A. 55 et SECEIVED
The directigned hereby alimns that the drining, completion and eventual pr	WISAS CORPORATION CONTINUES
It is agreed that the following minimum requirements will be met:	
	FED 2 0 000
 Notify the appropriate district office prior to spudding of well; 	FEB 2 2 2007
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> 	th drilling rig; the drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> 	th drilling rig; th by circulating cement to the top; in all cases purface pipe shall be set the underlying formation
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the drift the second of the drift of the second o	th drilling rig; thy circulating cement to the top; in all cases unface pipe shall be set to underlying formation. istrict office on plug length and placement is necessiring to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the does not the district office will be notified before well is either plug 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	th drilling rig; the by circulating cement to the top; in all cases purious pipe shall be set the underlying formation. istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	th drilling rig; th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	th drilling rig; It by circulating cement to the top; in all cases purious pipe shall be set to production. It is in all cases purious pipe shall be set to product to plug length and placement is necessary to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of 	th drilling rig; It by circulating cement to the top; in all cases puriace pipe shall be set the underlying formation. Istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the set of the	th drilling rig; It by circulating cement to the top; in all cases purious pipe shall be set to underlying formation. It is is in all cases purious pipe shall be set to plugging; is compared in; and placement is necessary pure to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of 	th drilling rig; It by circulating cement to the top; in all cases purface pipe shall be set be underlying formation. In all cases purface pipe shall be set be underlying formation. In all cases purface pipe shall be set be underlying formation. In all cases, NOTIFY district office prior to any cementing. It may knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of 	th drilling rig; It by circulating cement to the top; in all cases purface pipe shall be set the underlying formation. In this property is the set of the set of the set of the underlying formation. It is the underlying formation is the set of
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: February 22, 2007 	th drilling rig; It by circulating cement to the top; in all case purface pipe shall be set be underlying formation. Istrict office on plug length and placement is necessify to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the	th drilling rig; It by circulating cement to the top; in all cases entace pipe shall be set be underlying formation. Istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the search of the approved notice of intent to drill <i>shall be</i> posted on each of the search of the s	th drilling rig; It by circulating cement to the top; in all case purface pipe shall be set be underlying formation. Istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the spudding all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the spudding order must be completed within 30 days of the spuddate or the well shall be remembled. I hereby certify that the statements made herein are true and to the best of the place of the spudding of t	th drilling rig; It by circulating cement to the top; in all case purface pipe shall be set by circulating cement to the top; in all case purface pipe shall be set be underlying formation. Istrict office on plug length and placement is necessary to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implication Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill all unconsolidated materials plus a minimum of 20 feet into the search office well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the well is district office will be notified before well is either plug of the interval of the properties of the spud date of the well shall be completed within 30 days of the spud date or the well shall be retained to the post of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - DI9 - 26 783 - ODOO Conductor pipe required feet Minimum surface pipe required feet per Alt. Approved by 144 2 - 22 - 07	th drilling rig; It by circulating cement to the top; in all case puriace pipe shall be set the underlying formation. In all cases puriace pipe shall be set the underlying formation. In all cases puriace pipe shall be set the underlying formation. In all cases puriace pipe shall be set the underlying formation. In all cases puriace pipe shall be set to plugging; and from below any usable water to surface within 120 days of spud date. If all cases, NOTIFY district office prior to any cementing. If the prior to any cementing. If th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the spudding all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the spudding order must be completed within 30 days of the spuddate or the well shall be remembled. I hereby certify that the statements made herein are true and to the best of the place of the spudding of t	th drilling rig; It by circulating cement to the top; in all case purface pipe shall be set the underlying formation. In all cases purface pipe shall be set the underlying formation. In all cases purface pipe shall be set the underlying formation. In all cases purface pipe shall be set the underlying formation. In all cases purface pipe shall be set to underlying formation. In all cases purface pipe shall be set to plugging; to plugging; the form below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of the spud date or the well shall in the later of later	th drilling rig; It by circulating cement to the top; in all capper accepting shall be set by circulating cement to the top; in all capper accepting shall be set by circulating formation. In production casing is cemented in; and placement is necessial parts to plugging; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Agent Agent Agent
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the appropriate of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dots. The appropriate district office will be notified before well is either plug. It is either	th drilling rig; It by circulating cement to the top; in all capper acceptance pipe shall be set by circulating cement to the top; in all capper acceptance pipe shall be set by circulating formation. In production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: February 22, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DI9 - 26 783 - ODOO Conductor pipe required	th drilling rig; It by circulating cement to the top; in all capper face pipe shall be set be underlying formation. In instrict office on plug length and placement is necessify have to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0/9-26783-0000	Location of Well: County: Chautauqua		
Operator: C & E Oil Company	2310 feet from N / V S Line of Section		
Lease: Rogers	335 feet from 🗸 E / 🗌 W Line of Section		
Well Number: 6-A	Sec. 2 Twp. 32 S. R. 10 ✓ East Wes		
Field: Oliver Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage: ApW2 - NENE - SE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	• •			
				· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	•		•	
	·	:		· · · · · · · · · · · · · · · · · · ·
	• •	•		
	· · · · · · · · · · · · · · · · · · ·			
	· · · · · · · · · · · · · · · · · · ·			• • • • • • • • • • • • • • • • • • • •
		•		
t		•	•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: C & E Oil Company		License Number: 3591			
Operator Address: 422 Elm, Moline, KS 67353					
Contact Person: Ed Triboulet		Phone Number: (620) 647 - 3601			
Lease Name & Well No.: Rogers 6-A	***************************************		Pit Location (QQQQ):		
Type of Pit:	Pit is:		ApW2 NE NE SE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2 Twp. 32 R. 10		
Settling Pit Drilling Pit	If Existing, date constructed:		2310 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit			335 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 350	(bble)	Chautauqua County		
		(bbls)	Chloride concentration: mg/l		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸 I	No	native clay		
Pit dimensions (all but working pits):	SO Length (fe	et)7	Width (feet)N/A: Steel Pits		
Depth fr	rom ground level to de	epest point: 6	(feet)		
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining			edures for periodic maintenance and determining		
material, thickness and installation procedure	э.	liner integrity, i	ncluding any special monitoring.		
Double to challe		west fresh waterfeet.			
Distance to nearest water well within one-mile	e or pit	Source of info	mation:		
NA feet Depth of water well	feet	measu	uredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:	:		Orilling, Workover and Haul-Off Pits ONLY:		
y			rial utilized in drilling/workover: fresh water		
Number of producing wells on lease: Number of wo		Number of wor	orking pits to be utilized: 2		
Barrels of fluid produced daily: Abandonment		procedure: Let water evaporate and backfill			
Does the slope from the tank battery allow all spilled fluids to		The second data			
flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
FEB 2 2 2007					
February 22, 2007	W	una	Thanda CONSERVATION DIVISION		
Date			Signature of Applicant or Agent WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: $\frac{2/22/c7}{}$ Permit Nun	nber:	Perm	iit Date: 2 22 07 Lease Inspection: Yes X No		