For KCC Use: 2 2 2 7	
Effective Date: 3-3-0/	
District #	
SGA? Yes X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

OPERATOR: Licensee 6994 Name: M.S. Denking Address: P. O. Bax in Section Mrs. Secti	Expected Spud Date March 6 2007	Spot ✓ East
Section Sect		,
Name. W. Stalling Activists (P. O. Bed W. City/State/Q. S. Pauk, KS 6977) City/State/Q. S. Pauk, KS 6977) Contract Peanor, Mark Som Phone, 200469-2000 CONTRACTOR: Licensee 2004 Well Drilled For: Well Class: Type Equipment: Out Enh Rac Pool Est. Multi Polary Wilder Multi Polary Wilder Multi Polary Well & Pool Est. Multi Polary Wilder Multi Polary Well & Pool Est. Multi Polary Wilder Pool Est. Well Reasy Wilder Pool Est. Well Reasy Wilder Polary Well will not equated mile. Weel & Polary Well will not equated mile. Weel & Polary Well will not equated mile. Well & Polary Well will not equated mile. Well & Polary Well & Polary Well will not equated mile. Well & Polary Wel	ODER 1700 11 9684	4650
Address: P. O. Sex 87 Contact Parson. Mark. Snath Contact Parson. Mark.	OPERATOR: License#	2240
Colorest Peanon, Mark. Somb Phone : 600449 2200 CONTRACTOR: Licensee : 6684 Name : Co. Tooks Well Drilled For: Well Class: Type Equipment: Col. Enh Rec Instead Most Robary Food Ext. F	Address P. O. Box 87	
Contract Person Mark Smith Name: Co. Tools Well Drilled For. Well Class: Type Equipment: Oil	City/State/Zin: St. Paul, KS 66771	·
ContractOrs Licenses GGA	Contact Person. Mark Smith	
CONTRACTOR: Licenses 9084 Name: Co. Tools Well Drilloof For: Well Drilloof For: Well Class: John Schrift Starry OWNO: Disposal Widcoat Mud Rotary Sesience: If of Hollee Other	Phone: 620/449-2200	Lease Name: Franklin Weil #: 2
Name: Co. Tools Well Drilled For. Well Class: Type Equipment: Most Botlary Grand Storage Pool Est. Air Rotary Wilcoat Grand Moud Rotary Water well within one-quarter mile: Yes No. No. Well Valve: No.		Field Name: Wildcat
Well Drilled For Well Class: Type Equipment: Surface Surface Pool Ext Air Rotary Cable	CONTRACTOR: License# 3004	Is this a Prorated / Spaced Field?
Ground Surface Elevation: feet May feet feet	Name: Oct 10018	
Water well within one quarter mile:	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330
Water well within one quarter mile: Yes No	Oil / Enh Rec Infield Mud Botary	
Depth to bottom of fresh water. 2000		· · · · · · · · · · · · · · · · · · ·
Seismic follows Other	OWWO Disposal Wildcat Cable	
I OWNO: old well information as follows: Operator: NIA	Seismic;# of Holes Other	Depth to bottom of tresh water: 1230
If OWWO. old well information as follows: Operator: NA Well Name: Original Completion Date: Original Condition Date: Original Completion Date: Original Condition Date: Original	Other	
Length of Conductor Pipe required: NA	If CHARACO, and well information on follows:	
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations: (Note: Apply for Permit with DWR Water Source for Drilling Operations on Drilling Operation on Drilling Operation Operation Operation Operation Operati		Length of Conductor Pipe required: N/A
Original Completion Date:Original Total Depth:		
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations on Source for Drilling Operation Source for Source for Source for Source for Indianation Source for Source for Source for Indianation Source for Source for Source for Indianation Source for Source for Indianation Source for Source		
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: **Ref DAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: **AFFIDAVIT** The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the folkowing minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix B** Teaster Kansass surface casing order #133,891-C, which applies the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my, knowledge, and belief. Park CC Use ONLY API # 15		
Bottom Hole Location:	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
Will Cores be taken? Yes New	If Yes, true vertical depth:	DWR Permit #:
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top, in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my, knowledge and belief. Pate: File Completion Form ACO-1 within 120 days of spud date;		(Note: Apply for Permit with DWR)
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production easing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knoyfledge and belief. Park KCC Use ONLY API #15 - D37 - 21892 - CCC Approved by: Put 2 - 26 - D7 The authorization expires: \$20-07 The authorization expires: \$20-07 The authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Mell to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	KCC DKT #:	Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my, knowledge and belief. Pate:		If Yes, proposed zone:
For KCC Use ONLY API # 15 - D37 - 21892 - CCCC Conductor pipe required	It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> ; through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; tigged or prior to any date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The plugged and belief.
For KCC Use ONLY API # 15 - D37 - 21892 - CCC Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12 Approved by: PH 2-26-07 This authorization expires: 8-26-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	Signature of Operator of Agent.	
API # 15 - D37 - 21892 - DDD Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 12 Approved by: PH 2-26-D7 This authorization expires: 8-26-D7 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	Far- MCC Mar ONLY	
Conductor pipe required		
Minimum surface pipe required 20 feet per Alt. Y 2 Approved by: Put 2-26-07 This authorization expires: 8-26-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	ilone	
Approved by: Put 2-26-D7 This authorization expires: 8-26-D7 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Da	200	
This authorization expires: 8-20-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Date	,	
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date: Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	Approved by: WH d-dlu-01	1
Spud date:Agent: Signature of Operator or Agent: Date: Date: Signature of Operator or Agent: Date: Date: Date: Date: Date: Date: Date:	The dution alternation of the second of the	
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	·	The state of the s
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720RECEIVED	Spud date:Agent:	- I
		a distribution of the contract
	Mail to: KCC - Conservation Division, 130 S	i. Market - Room 2078, Wichita, Kansas 6720EECEIVED
		FFR 2 2 2007


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21892-0000	Location of Well: County: Crawford
Operator: MS Drilling	1650 feet from VN / S Line of Section
Lease: Franklin	2310 feet from F E / W Line of Section
Well Number: 2 Field: Wildcat	Sec. 23 Twp. 29 S. R. 23 East West
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

FEB 2 3 2007

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: M S Drilling		License Number: 9684			
Operator Address: P. O. Box 87, St. Paul, KS 66771					
Contact Person: Mark Smith		Phone Number: (620) 449 - 2200			
		Pit Location (QQQQ):			
Pit is:	1	<u>NW _ SW _ NE</u>			
✓ Proposed	Existing	Sec. 23 _{Twp.} 29 _{R.} 23			
If Existing, date constructed:		1650 Very 1650 Feet from Very North / South Line of Section			
Pit capacity:		2310 Feet from 🗹 East / 🗌 West Line of Section			
	(bbls)	Crawford County			
Area? ☐ Yes 🗸	No	Chloride concentration: mg/l			
A air air air air air		(For Emergency Pits and Settling Pits only)			
		Native Clay			
Induve Olay					
Pit dimensions (all but working pits): 25 Length (feet) 3 Width (feet) N/A: Steel Pits					
		ncluding any special monitoring.			
N/A N/A					
		west fresh water ?feet.			
		ıredwell owner electric logKDWR			
		over and Haul-Off Pits ONLY:			
Producing Formation: Type of mater		al utilized in drilling/workover: Air			
Number of producing wells on lease: Number of wor		king pits to be utilized: 1			
arrels of fluid produced daily: Abandonment		procedure: Backfill when dry			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
	Swells				
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
	Pit is: Proposed If Existing, date of Pit capacity: 80 Area? Yes Artificial Liner? Yes Length (for or ground level to do liner) e of pit feet I spilled fluids to	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: 80 (bbls) Area? Yes No Artificial Liner? Yes No 25 Length (feet) 3 rom ground level to deepest point: 6 Iner Describe procelliner integrity, in N/A Proposed Existing N/A Depth to shallor Source of informeast Type of material Number of work Abandonment I spilled fluids to Drill pits must the meast are true and correct to the best process.			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED

FEB 2 3 2007