Effective Date: _ SGA? ☐ Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

FAUGUIGU GUUU DARO	Spot ✓	East
Expected Spud Date March 3, 2007 month day year	C - W2 - SE Sec. 29 Twp. 34 S. R. 3	West
30253	1320feet from N / ✓ S Line of Sect	_
OPERATOR: License# 30253 Vame: Cyclone Petroleum, Inc.	1980 feet from VE / W Line of Sect	
Name: Oyder Paroleum, mc. Address: 1030 West Main Street	Is SECTION RegularIrregular?	
Address: City/State/Zip: Jenks, OK 74037	·	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side) County: Cowley	
Contact Person: Darren Broyles Phone: (620) 441-7223	Lease Name: JD Baird Well #: 1	
Phone: (020) 477725	Field Name: Gibson	
CONTRACTOR: License# 32854		✓No
Name: Gullick Drilling Company, Inc.	Is this a Prorated / Spaced Field? Yes Target Formation(s): Arbuckle	₹]NO
	Nearest Lease or unit boundary: 660'	
Well Drilled For: Well Class: Type Equipment:		et MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary		V No
Gas Storage Pool Ext. Air Rotary	,	=
OWWO Disposal Wildcat Cable	· · · ·	√ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 150'	-
Other	Depth to bottom of usable water: 236 280	
	Surface Pipe by Alternate: \[\sqrt{1} \] 2 **Length of Surface Pipe Planned to be set: 200 minimum.	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 3,800'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No.	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	- Will Cores be taken? Yes	✓ No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual	FIDAVIT RECEIVED plugging of this well will comply with K.S.A. KANSAS CORPORATION COI	amissic
	FIDAVIT	amissic
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall.	plugging of this well will comply with K.S.A. KARSAS CORPORATION COLOR FEB 2 6 2007 Bach drilling rig; set by circulating cement to the top; in all cases the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud deer #133,891-C, which applies to the KCC District 3 area, alternate II centall be plugged. In all cases, NOTIFY district office prior to any cementic	9 K ging; ate. nenting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	plugging of this well will comply with K.S.A. KARSAS CORPORATION COLOR FEB 2 6 2007 Bach drilling rig; set by circulating cement to the top; in all cases the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugginged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud deer #133,891-C, which applies to the KCC District 3 area, alternate II centall be plugged. In all cases, NOTIFY district office prior to any cementic	9 K ging; ate. nenting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be retired to the position of the	PIDAVIT I plugging of this well will comply with K.S.A. KINGAS CORPORATION COLOR FEB 2 6 2007 Peach drilling rig; Set by circulating cement to the top; in all cases SUNSERVATION DIMENSION To the underlying formation. WICHITA, KS Redistrict office on plug length and placement is necessary prior to plugging or production casing is cemented in; Pented from below any usable water to surface within 120 days of spud deer #133,891-C, which applies to the KCC District 3 area, alternate II central be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent	9 K ging; ate. nenting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the statements of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best pate: February 26, 2007	PEDAVIT I plugging of this well will comply with K.S.A. KINSAS CORPORATION CONFEB 2 6 2007 Beach drilling rig; Set by circulating cement to the top; in all cases SUNSERVATION DIMENSAL to the underlying formation. WICHITA, KS Is district office on plug length and placement is necessary prior to plugging dor production casing is cemented in; Ented from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II central be plugged. In all cases, NOTIFY district office prior to any cemental of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entral submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ging; tte. nenting ng.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best date: Por KCC Use ONLY	plugging of this well will comply with K.S.A. KARRAS CORPORATION CONFEB 2 6 2007 each drilling rig; set by circulating cement to the top; in all cases support to plugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud days of spud days all be plugged. In all cases, NOTIFY district office prior to any cementate of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entrescent of the property of the plugging is completed;	ging; tte. nenting ng.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the first office will be notified before well is either properties of the surface of the spuddate of the well is either properties of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of	PIDAVIT RECEIVED Plugging of this well will comply with K.S.A. KINSAS CORPORATION CONFEB 2 6 2007 Bach drilling rig; set by circulating cement to the top; in all cases conservation on the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging or production casing is cemented in; ented from below any usable water to surface within 120 days of spud dater #133,891-C, which applies to the KCC District 3 area, alternate II central be plugged. In all cases, NOTIFY district office prior to any cementic of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entral control of the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ging; tte. nenting ng.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 035-24265-0000	Location of Well: County: Cowley
Operator: Cyclone Petroleum, Inc.	1320 feet from N / V S Line of Section
Lease: JD Baird	1980 feet from 🗸 E / W Line of Section
Well Number: 1 Field: Gibson	Sec. 29 Twp. 34 S. R. 3 VEast Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: C - W2 - SE	Is Section:

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

]
· · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
1



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cyclone Petroleum, Inc.	,	License Number: 30253	
	nko OK 740		
Operator Address: 1030 West Main Street, Je	inks, OK 740		
Contact Person: Darren Broyles		Phone Number: (620) 441 - 7223	
Lease Name & Well No.: JD Baird #1		Pit Location (QQQQ):	
Type of Pit: Pit is:		CSE	
Emergency Pit ☐ Burn Pit ✓ Proposed	d Existing	Sec. 29 Twp. 34 R. 3	
Settling Pit	e constructed:	1320 Feet from North / South Line of Sec	tion
Workover Pit Haul-Off Pit		1980 Feet from 🗸 East / West Line of Sec	tion
(If WP Supply API No. or Year Drilled) Pit capacity: 500	(bbis)	Cowley	
Is the pit located in a Sensitive Ground Water Area?	√ No	Chloride concentration: m (For Emergency Pits and Settling Pits only)	3/1
Is the bottom below ground level? Artificial Liner?	?	How is the pit lined if a plastic liner is not used?	
✓ Yes No	✓ No	sealed with bentonite	
Pit dimensions (all but working pits): 60 Length	h (feet) 60	Width (feet) N/A: Steel Pits	
Depth from ground level t			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proc	edures for periodic maintenance and determining including any special monitoring.	
If the pit is lined give a brief description of the liner	Describe proc	edures for periodic maintenance and determining	
If the pit is lined give a brief description of the liner	Describe procliner integrity, Depth to shalle	edures for periodic maintenance and determining including any special monitoring.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe procliner integrity, Depth to shalle	edures for periodic maintenance and determining including any special monitoring.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3357 feet Depth of water well 62 feet	Describe procliner integrity, Depth to shalle Source of info	edures for periodic maintenance and determining including any special monitoring.	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3357 feet Depth of water well 62 feet Emergency, Settling and Burn Pits ONLY:	Describe procliner integrity, Depth to shall Source of info measu	edures for periodic maintenance and determining including any special monitoring. Divest fresh water	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3397 feet Depth of water well 62 feet Emergency, Settling and Burn Pits ONLY: Producing Formation:	Describe procliner integrity, Depth to shall Source of info mease Drilling, Work Type of materi	edures for periodic maintenance and determining including any special monitoring. Divest fresh water	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit	Describe procliner integrity, Depth to shall Source of info mease Drilling, Work Type of materi	edures for periodic maintenance and determining including any special monitoring. Divest fresh water	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3357 feet Depth of water well 62 feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	Describe procliner integrity, Depth to shall Source of info meas: Drilling, Work Type of materi Number of wo Abandonment	by the second state of the	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit 3357 feet Depth of water well	Describe procliner integrity, Depth to shalls Source of informeas: Drilling, Work Type of materian Number of wo Abandonment Drill pits must	by the state of th	
Distance to nearest water well within one-mile of pit 3357 feet Depth of water well	Describe procliner integrity, Depth to shalls Source of informeas: Drilling, Work Type of materian Number of wo Abandonment Drill pits must	by the state of th	— — — — — — — — — — — — — — — — — — —