	17	400000	***	
For KCC Use: 2-28-07	KANSAS CORPORATION COMMISSION 1008029 Fo			
2.1000,700 D0.107 2.2222	OIL & GAS CON	SERVATION DIVISION X 2-27-67	Form must be T	
District #2 SGA? Yes No	NOTICE OF IN	ITENT TO DRILL $oldsymbol{UURRF0}$	Form must be Si	
2004. Lies VIII0		e (5) days prior to commencing well	Form must be Si anks must be I	
	must be approved by Noo me	, , , ,		
Expected Spud Date:04/01/200)7	Spot Description: 220 'E N/2 S/2	NE	
month	day year	. N2 - S2 - NE Sec. 32 Twp.	25 s R 5 ∏F	
5030		(0/0/0/0) 1 650 test from		
JPEHAIOH: License#		11650 teet from feet from	Mr. / My Line of Se	
Name: Vess Oil Corporation	1 500	Is SECTION: Regular Irregular?	ME / My cline or se	
Address 1: 1700 Waterfront Parkway, Bl	ag suu	is SECTION: Regular I irregular?		
Address 2:	KS Zip: 67206 + 5504	(Note: Locate well on the Section P	lat on reverse side)	
City: Wichita State:	Zip: <u>67200</u> + <u>3304</u>	County: Butler	400	
Phone: 316-682-1537		Lease Name: Pierpoint A	Well #: 123	
		Field Name: EL DORADO		
CONTRACTOR: License# 32701		Is this a Prorated / Spaced Field?	☐Yes 🔀	
Name: C & G Drilling, Inc.		Target Formation(s): Viola, Simpson	MARYAN TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE T	
Well Drilled For: Well Clas.	s: Type Equipment:	Nearest Lease or unit boundary line (in footage):	990	
	<u>*'-</u> ' '	Ground Surface Elevation: 1364	fe <u>e</u> t	
X Oil Enh Rec X infiel	· · · · · · · · · · · · · · · · · · ·	Water well within one-quarter mile:	☐Yes 🔀	
Gas Storage Pool Disposat Wildo		Public water supply well within one mile:	☐ Yes 🔀	
Seismic ; # of Holes Othe		Depth to bottom of fresh water: 160		
Other:	··	Depth to bottom of usable water: 180		
		Surface Pipe by Alternate: XI III		
If OWWO: old well information as fol	llows:	Length of Surface Pipe Planned to be set: 250		
Operator:		Length of Conductor Pipe (if any):		
Well Name:		Projected Total Depth: 2500		
Original Completion Date:		Formation at Total Depth: Simpson		
original completion sale.		Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore?	? ☐Yes ☒ No	Well Farm Pond Other: trucke	d	
f Yes, true vertical depth:		DWR Permit #:		
Bottom Hole Location:		(Note: Apply for Permit with	DWR (
CCC DKT #:		Will Cores be taken?	Yes X	
IS: N/2 -5/2-NE , 1320'F	FL	If Yes, proposed zone:		
45: N/2 · 5/2·NE , 1320 F 5: 220'E N/2-5/2-NE	HON EE			
S. HADE MINDIENT	AFF	FIDAVIT		
		gging of this well will comply with K.S.A. 55 et. seq		
The undersigned hereby affirms that the o				
t is agreed that the following minimum re-	quirements will be met:	•		
t is agreed that the following minimum re- 1. Notify the appropriate district office	quirements will be met: prior to spudding of well;	drillina ria:		
t is agreed that the following minimum re- 1. Notify the appropriate district office 2. A copy of the approved notice of interests.	quirements will be met: • prior to spudding of well; tent to drill shali be posted on each	drilling rig; by circulating cement to the top; in all cases surfac	e pipe shall be set	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material	quirements will be met: • prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the	by circulating cement to the top; in all cases surface underlying formation.		
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen	quirements will be met: • prior to spudding of well; • tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the • to between the operator and the dist	by circulating cement to the top; in all cases surface a underlying formation. rict office on plug length and placement is necessa		
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pig through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b	quirements will be met: • prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set ls plus a minimum of 20 feet into the it between the operator and the dist ie notified before well is either pluge	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessated or production casing is cemented in;	ary prior to plugging ;	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pig through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set ls plus a minimum of 20 feet into the to between the operator and the dist e notified before well is either plugg I, production pipe shall be cemente	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12	ary <i>prior to plugging;</i> O DAYS of spud date.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of ini 3. The minimum amount of surface pipe through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East	quirements will be met: * prior* to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the it between the operator and the dist e notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaged or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area	ary <i>prior to plugging;</i> O DAYS of spud date.	
t is agreed that the following minimum re- 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Easter must be completed within 30 days of	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set ls plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessated or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areast plugged. In all cases, NOTIFY district office principles.	ary <i>prior to plugging;</i> O DAYS of spud date.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of ini 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days a hereby certify that the statements made	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaried or production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office printly knowledge and belief.	ary prior to plugging; O DAYS of spud date. It alternate II cementing or to any cementing.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of ini 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days thereby certify that the statements made	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaried or production casing is cemented in; defrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office printly knowledge and belief.	ary prior to plugging; O DAYS of spud date. It alternate II cementing or to any cementing.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of ini 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days thereby certify that the statements made	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set ls plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaried or production casing is cemented in; deform below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office printly knowledge and belief. Title:	ary prior to plugging; O DAYS of spud date. It alternate II cementing or to any cementing.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of init 3. The minimum amount of surface pipthrough all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days hereby certify that the statements made Date: 2-23-97 Signature	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaried or production casing is cemented in; deform below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 areas plugged. In all cases, NOTIFY district office printy knowledge and belief. Remember to:	ary prior to plugging; DAYS of spud date. It alternate II cementing or to any cementing.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the property of the statements made Date: 2-23-07 Signature For KCC Use ONLY	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessarily in the plug length and placement is necessarily in the plug length and placement in the form below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area is plugged. In all cases, NOTIFY district office printy knowledge and belief. Title: **Remember to:* File Drill Pit Application (form CDP-1) with Interest of the print of the plug length in the plug leng	nry prior to plugging; no DAYS of spud date. It, alternate II cementing or to any cementing.	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface ping through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg. I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessarily in the plug length and placement is necessarily in the plug length and placement in the form below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area in plugged. In all cases, NOTIFY district office printy knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Interest in the plug completion form ACO-1 within 120 days of the plug formation.	nry prior to plugging; to DAYS of spud date. It, alternate II cementing or to any cementing. Int to Drill; of spud date;	
t is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the pr	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaried or production casing is cemented in; difrom below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Interies of the completion Form ACO-1 within 120 days of File acreage attribution plat according to field printing to the complete of the comp	nry prior to plugging; to DAYS of spud date. It, alternate II cementing or to any cementing. Int to Drill; of spud date; proration orders;	
t is agreed that the following minimum re- 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the p	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaled or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printy knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Interesting to File acreage attribution plat according to field p. Notify appropriate district office 48 hours prior	nry prior to plugging; no DAYS of spud date. It, alternate II cementing or to any cementing. Int to Drill; of spud date; or oration orders; to workover or re-entry;	
t is agreed that the following minimum reference 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the complete certify that the statements made 1. Date: 2-23-97 Signature 1. Signature 1. Signature 2. Si	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaled or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printy knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Interesting to File acreage attribution plat according to field p. Notify appropriate district office 48 hours prior	nry prior to plugging; and DAYS of spud date. It, alternate II cementing or to any cementing. Int to Drill; of spud date; or or attornation orders; to workover or re-entry; s completed (within 60 days)	
t is agreed that the following minimum reference 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the east of	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set Is plus a minimum of 20 feet into the at between the operator and the dist ae notified before well is either plugg I, production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaled or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Inte File Completion Form ACO-1 within 120 days in File acreage attribution plat according to field produced in Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injuried (See: authorized exp	ary prior to plugging; to DAYS of spud date. to any cementing or to any cementing. Int to Drill; of spud date; or oration orders; to workover or re-entry; secompleted (within 60 days) ecting salt water. iration date) please	
t is agreed that the following minimum reference 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pipe through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days whereby certify that the statements made Date: 2-23-07 Signature For KCC Use ONLY API # 15 - 0/5-23 72 2 - Conductor pipe required 0 Minimum surface pipe required 200 Approved by: **List* 2-33-07 / Pun This authorization expires: 8-23-	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg. In production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaled or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office primy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Inteen in the File Completion Form ACO-1 within 120 days in File acreage attribution plat according to field produced in the plugging report (CP-4) after plugging is Obtain written approval before disposing or injection of the product of the plugging is obtain written approval before disposing or injection formation.	ary prior to plugging; to DAYS of spud date. to any cementing or to any cementing. Int to Drill; of spud date; or oration orders; to workover or re-entry; secompleted (within 60 days) ecting salt water. iration date) please	
t is agreed that the following minimum reference 1. Notify the appropriate district office 2. A copy of the approved notice of int 3. The minimum amount of surface pip through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the east of	quirements will be met: a prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set is plus a minimum of 20 feet into the at between the operator and the dist be notified before well is either plugg. In production pipe shall be cemente ern Kansas surface casing order #1 of the spud date or the well shall be herein are true and to the best of n of Operator or Agent:	by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessaled or production casing is cemented in; d from below any usable water to surface within 12 33,891-C, which applies to the KCC District 3 area plugged. In all cases, NOTIFY district office printy knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Inte File Completion Form ACO-1 within 120 days in File acreage attribution plat according to field produced in Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or injuried (See: authorized exp	ary prior to plugging; and DAYS of spud date. It, alternate II cementing or to any cementing. Int to Drill; of spud date; or oration orders; to workover or re-entry; se completed (within 60 days) ecting salt water. iration date) please below.	



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	
Operator: Vess Oil Corporation	Location of Well: County: Butler
Lease: Pierpoint A	1,650 feet from N / S Line of Section
Well Number: 123	1100 feet from X E / W Line of Section
Field: EL DORADO	Sec. <u>32</u> Twp. <u>25</u> S. R. <u>5</u> E W
Number of Acres attributable to well:	ls Section: Regular or Irregular
QTR/QTR/QTR of acreage: N2 _ S2 _ NE	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			1650 ft.	
	· · . ! !			
			•	1320 ft.
				EXAMPLE
: 	3	2	,	
 			! !	1980
			·	3390'
				SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wellsRECEIVED CG-8 for gas wells).

FEB 2 5 2007



SOLAR

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1008029

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Vess Oil Corporat	ion		License Number: 5030			
Operator Address: 1700 Waterfront Parkway, Bldg 500			· · · · · · · · · · · · · · · · · · ·			
		T	٥ر			
Contact Person: Casey Coats		Phone Number: 316-682-1537				
Lease Name & Well No.: Pierpoint A 123		Pit Location (QQQQ):				
Type of Pit:	Pit is:		220'E N2 S2 NE			
Emergency Pit Burn Pit	Nroposed Proposed	Existing	Sec. 32 Twp. 25 R. 5 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		1,650 Feet from North / South Line of Section	ion		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section	ion		
(If WP Supply API No. or Year Drilled)	2,000	(bbls)	Butler Coun			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/			
is the pit located in a definitive Ground water		7140	(For Emergency Pits and Settling Pits only)	μ. ·		
Is the bottom below ground level?	Artificial Liner?	.	How is the pit lined if a plastic liner is not used?	ı		
Yes No	Yes X	No	rock, clay soil and bentonite mud			
Pit dimensions (all but working pits):1	DO Length (fo	eet)100	Width (feet) N/A: Steel Pits			
	om ground level to d	eepest point: 3	(feet) No Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining			
material, thickness and installation procedure	1.	liner integrity, i	ncluding any special monitoring.			
			50			
Distance to nearest water well within one-mile of pit		Source of infor	owest fresh water 50 feet (10)			
4418 feet Depth of water well 52 feet		meası	ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover: fresh water and mud			
		Number of wor	rking pits to be utilized: 2	_		
Barrels of fluid produced daily: Abandon		Abandonment	procedure: Let dry, push rock and clay in, put top	_		
Does the slope from the tank battery allow all spilled fluids to			soil back on top and compact.	_ !		
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
2-23-07			Signature of Applicant or Agent			
Date		S	nginature of Applicant of Agent			
	KCC	OFFICE USE O	NLY RFAC RFAS			
Date Received: 2/a6/07 Permit Num	ber:	Perm	if Date: 2/24/07 Lease Inspection: Yes No			
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078 Wichita, Kansas, 67202						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

FEB 2 b 2007