KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

For KCC Use:

District #

Effective Date:

Spud date:_

Agent:

SGA? Yes X No

Form C-1 December 2002

NOTICE OF INTENT TO DRILL CONSERVATION DIVISION II blanks must be Signed

Form must be Typed

		Must be ap	proved by KCC fiv	e (5) days prior to commencing well 1841 h. KS
Expected Spud Date	March	1	2007	Spot East
Expected Open Bate	month	day	year	S2 - NW - SE Sec. 21 Twp. 32 S. R. 31 ✓ West
4	31933 🗸			1720 feet from N / V S Line of Section
				1980feet from
Name: M. E. KLEIN & ASSO				Is SECTION ✓ RegularIrregular?
MODIANI	OK 73070			
City/State/Zip:	***			(Note: Locate well on the Section Plat on reverse side)
Contact Person: Mark Kie Phone: (405) 321-7171			·	County: SEWARD Lease Name: WRIGHT Well #: 1-21
Phone:				CTHENDDOVED BY
CONTRACTOR: License#			<u>.</u>	Tiold Hallio.
Name: ABERCROMBIE R	TD, INC.			Is this a Prorated / Spaced Field? Target Formation(s): ST. LOUIS
				Nearest Lease or unit boundary: 920'
Well Drilled For:	Well Class	: Type	Equipment:	Ground Surface Elevation: 2805' feet MSL
Oil 🖊 🗌 Enh R	lec Infield	ı 📝 N	lud Rotary	Water well within one-quarter mile: Yes ✓ No.
✓ Gas Storag	ge 🔲 Pool I	Ext. 🖊 🗌 A	ir Rotary	Public water supply well within one mile:
OWWO Dispos	sal 🗹 Wildca	at 🗸 🔲 C	able	Depth to bottom of fresh water: 250'
Seismic;# of	Holes Other			Depth to bottom of usable water:
Other				Surface Pipe by Alternate: 1 2
				Length of Surface Pipe Planned to be set: 1,600'
If OWWO: old well informa				Length of Conductor Pipe required:
				Projected Total Depth: 6000'
Well Name: Original Completion Da				Formation at Total Depth: ST. LOUIS
Original Completion Da	116	_Onginal lotal	Depin.	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore	?	Yes 🗸 No	Well Farm Pond Other
If Yes, true vertical depth:_				DWR Permit #: APPLIED FOR
Bottom Hole Location:				(Note: Apply for Permit with DWR
KCC_DKT #:				Will Cores be taken? Yes ✓ No
PRORATED & SP	ACEA: HU	POTON		If Yes, proposed zone:
1 20 20 10 20 20			٨٥	FIDAVIT
The undereigned hereby s	affirme that the r	lrilling comple		Diugging of this well will comply with K.S.A. 55 et. seq.
•				blugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	-	•		
Notify the appropria A serve of the appropria		•	•	ach drilling rig:
A copy of the appro The minimum amou				et by circulating cement to the top; in all cases surface pipe shall be set
				the underlying formation.
				district office on plug length and placement is necessary prior to plugging;
				gged or production casing is cemented in:
6. If an ALTERNATE I	I COMPLETION	, production p	ipe shall be cemer	ited from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
				be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
•	-	•		the my knowledge and belief.
Thereby certify that the St	atements made	nerem are no	le and to have best	M C M Control of the
Date: 02-28-07	Signature of	Operator or A	Agent:	Title: AGENT
·	•	·	- 010	
F KOO II ONIV			•	Remember to:
For KCC Use ONLY	220041	(200		- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - //3 @	22084-0			File acreage attribution plat according to field proration orders;
Conductor pipe required.	Noise	fe	et 🕠 /	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe re	quired5	40 _{fe}	et per Alt 1	- Submit plugging report (CP-4) after plugging is completed;
Approved by:	28-07			- Obtain written approval before disposing or injecting salt water.
This authorization expires		7		- If this permit has expired (See: authorized expiration date) please
(This authorization void if			of approval date.)	check the box below and return to the address below.
, , , , , , , , , , , , , , , , , , , ,				Well Not Drilled - Permit Expired

Signature of Operator or Agent:_

Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175-22084-0000	Location of Well: County: SEWARD
Operator: M. E. KLEIN & ASSOCIATES, INC.	
Lease: WRIGHT	feet from 🗸 E / W Line of Section
Well Number: 1-21 Field: STUKENBROKER EXT.	Sec. 21 Twp. 32 S. R. 31 East ✓ Wes
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: S2 - NW - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	· · · · · · · · · · · · · · · · · · ·		
	· · · · · ·		· ·
	,		
•	· · · · · · 2	1	
		1980'	
	· · · · · · · · · · · · · · · · · · ·		·
	· · · · · · · · · · · · · · · · · · ·		
	· · · · · · · · · · · · · · · · · · ·		,
,	•	17201	

RECEIVED KANSAS CORPORATION COMMISSION FEB 2 8 2007

CONSERVATION DIVISION WIGHTA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: M. E. KLEIN & ASS	SOCIATES, INC	C.	License Number: 31933
Operator Address: P. O. BOX 7214	436, NORMA	N, OK 73	070
Contact Person: MARK KLEIN			Phone Number: (405) 321 -7171
Lease Name & Well No.: WRIGHT	#1-21	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>S/2 _ NW _ SE</u> _
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 21 Twp. 32 R. 31 East 🗸 West
Settling Pit	If Existing, date co	onstructed:	1720 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			1980 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 4363	(bble)	SEWARD
		(bbls)	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? V Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
V les NO	l	eet) 70	Width (feet) N/A: Steel Pits
	70 Length (fe		
Pit dimensions (all but working pits):	om ground level to de	eepest point:	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMIS
Pit dimensions (all but working pits): Depth fr If the pit is lined give a brief description of the	om ground level to de	eepest point:	dures for periodic maintenance and determining RECEIVED RECEIVED KANSAS CORPORATION COMMING FEB 2 8 2007
Pit dimensions (all but working pits): Depth fr If the pit is lined give a brief description of the	rom ground level to de liner e.	Describe proce liner integrity, in	dures for periodic maintenance and determining RECEIVED COMPORATION COMPONENTS CONSERVATION DIVISION WICHTIA, KS
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor	dures for periodic maintenance and determining ECEIVED KANSAS CORPORATION COMMINENSION CONSERVATION DIVISION WICHTIN, KS
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile.	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor measu	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHINA KS west fresh water 120 2 6 feet. mation: 2 red well owner electric log KDWR over and Haul-Off Pits ONLY:
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile.	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor measu Drilling, Worke	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMISSION FEB 2 8 2007 CONSERVATION DIVISION WICHINA, KS west fresh water 120 2 (feet. mation: 2) red well owner electric log KDWR over and Haul-Off Pits ONLY:
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. 176.2 feet Depth of water well	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor measu Drilling, Worke	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WIGHTIN, KS west fresh water 120 216 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two)
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile and the material procedure. ITG2 feet Depth of water well become because the material producing and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor measu Drilling, Worke Type of material Number of wor Abandonment	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHIDA, KS west fresh water 120 2 (feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile to the material procedure. Producing feet Depth of water well the material producing and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of wor Abandonment dry naturally	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHINA, KS west fresh water 120 2 (feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two)
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile to the material procedure. Producing feet Depth of water well to the material producing and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry naturally Drill pits must to the line of the line o	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHTA, KS west fresh water 120 2 6 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: di utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let phackfill when dry see closed within 365 days of spud date.
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile 1762 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry naturally Drill pits must to the line of the line o	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHTO, KS West fresh water 120 2 6 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: It utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let the backfill when dry the closed within 365 days of spud date. of my knowledge and belief.
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile 1762 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	rom ground level to de liner e.	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry naturally Drill pits must to the line of the line o	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHTA, KS west fresh water 120 2 6 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: di utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let phackfill when dry see closed within 365 days of spud date.
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile 1762 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	rom ground level to de liner	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry naturally Drill pits must to the line of the line o	dures for periodic maintenance and determining RECEIVED KANSAS CORPORATION COMMINE FEB 2 8 2007 CONSERVATION DIVISION WICHTIN, KS west fresh water 120 216 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let phackfill when dry the closed within 365 days of spud date. of my knowledge and belief.
Pit dimensions (all but working pits): Depth from the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. 176.2 feet Depth of water well. Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state. 2/28/07 Date	rom ground level to de liner	Describe proce liner integrity, in Depth to shallo Source of informeasu Drilling, Worke Type of materia Number of wor Abandonment dry naturally Drill pits must be correct to the best Score Control of	dures for periodic maintenance and determining ECEIVED KANSAS CORPORATION COMMINENTAL SECURITY CONSERVATION DIVISION WICHTALKS West fresh water 120 2 6 feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: It utilized in drilling/workover: Native Mud king pits to be utilized: 2 (two) procedure: Cut windows in reserve, let phackfill when dry the closed within 365 days of spud date. of my knowledge and belief.