## For KCC Use: Effective Date: District #\_ SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

# NOTICE OF INTENT TO DRILL

Expected Spud Date March 7, 2008	_ Spot
month day year	NE SW Sec. 31 Twp. 27 S. R. 20 West
OPERATOR: License# 33344	1980feet fromN / V S Line of Section
Jame. Quest Cherokee LLC	feet from ☐ E / ✓ W Line of Section
9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
Address: Oklahoma City, Oklahoma 73120  Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Finley, Amos DWell #: 31-1
/	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	s this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Mall Class. Time Equipment	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 994 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other  ✓ Other Coalbed Methane	Depth to bottom of usable water: 200
Other Odabed Methane	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required;
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	Charakoa Caala
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ Y	No Well Farm Pond Other Air
Yes, true vertical depth:	— DWR Permit #:
Settem Hale Legation.	
sottom note Focation:	— ( <b>Note:</b> Apply for Permit with DWR ☐ )
	(Note: Apply for Permit with DWH;) Will Cores be taken? Yes ✓ No
The undersigned hereby affirms that the drilling, completion and eventu	
The undersigned hereby affirms that the drilling, completion and eventuate is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and the transpropriate district office will be notified before well is either for pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well states.	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  In plugging of this well will comply with K.S.A. 55 et. seq.  RECEIVED  KANSAS CORPORATION COMMISSION  MAR 0 1 2007  In each drilling rig;  If yes very note and plugging of this well will comply with K.S.A. 55 et. seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and plugging of this well will comply with K.S.A. 55 et. seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of seq.  MAR 0 1 2007  In each drilling rig;  If yes very note and yes of yes o
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and to  5. The appropriate district office will be notified before well is either.  6. If an ALTERNATE II COMPLETION, production pipe shall be cerulated or pursuant to Appendix "B" - Eastern Kansas surface casing o	Will Cores be taken?  If Yes, proposed zone:  **PFIDAVIT**  all plugging of this well will comply with K.S.A. 55 et. seq. RECEIVED  **RECEIVED**  **RECEIVED**  **RECEIVED**  **RECEIVED**  **RANSAS CORPORATION COMMISSION**  **MAR 0 1 2007*  **ne each drilling rig;  **e set* by circulating cement to the top; in all cases sitemstrates/forusion**  **WICHTAL No.*  **WICHTAL NO.*  **WICHTAL NO.*  **WICHTAL NO.*  **WICHTAL NO.*  **In district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in: nented from below any usable water to surface within 120 days of spud date. order #133,891-C, which applies to the KCC District 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing.  **State Office of the No.*  **Title: VP**  **Title: VP**
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the provided of the intention of the provided of the intention of the provided in the operator and the intention of the in	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seq.  KANSAS CORPORATION COMMISSION  MAR 0 1 2007  The each drilling rig;  The set by circulating cement to the top; in all cases successary prior to plugging; be district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; the netted from below any usable water to surface within 120 days of spud date. The surface w
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated materials plus a minimum of 20 feet in through all unconsolidated of intent to drill plus a minimum of 20 feet in through all unconsolidated of intent to drill plus all unconsolidated of intent to drill plus all unconsolidated of intent to drill plus all unconsolidated of intent to drill p	If Yes, proposed zone:  IFFIDAVIT  In plugging of this well will comply with K.S.A. 55 et. seq.  IFFIDAVIT  In each drilling rig;  In each drilling rig;  In each drilling rig;  In each drilling rement to the top; in all cases successary prior to plugging; in the underlying formation.  In edistrict office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  In ented from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district 3 area, alternate II cementing that the plugged. In all cases, NOTIFY district office prior to any cementing.  In enter to:  In Elle Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on the intention of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and to the surface properties district office will be notified before well is either in an ALTERNATE II COMPLETION, production pipe shall be cered or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well is thereby certify that the statements made herein are true and to the because:  February 28, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 26844-000  Conductor pipe required 100 feet per Alt.  Minimum surface pipe required 20 feet per Alt.  Approved by: 115-107  This authorization expires: 21-07	Will Cores be taken?  If Yes, proposed zone:  IFFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. seg.  RECEIVED  KANSAS CORPORATION COMMISS  MAR 0 1 2007  The each drilling rig;  The set by circulating cement to the top; in all cases such servation formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; hented from below any usable water to surface within 120 days of spud date.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; hented from below any usable water to surface within 120 days of spud date.  The plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  PRemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26844-0000	26844-0000 Location of Well: County: Neosho		
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section		
Lease: Finley, Amos D.	1980 feet from E / V W Line of Section		
Well Number: 31-1	Sec. 31 Twp. 27 S. R. 20 ✓ East Wes		
Field: Cherokee Basin CBM			
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular		
QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

			· · · · · · · · · · · · · · · · · · ·	
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	klahoma City, Oklahom	na 73120
Contact Person: Richard Marlin			Phone Number: ( 405 ) 463	3 -6880
Lease Name & Well No.: Finley, Amos D. #31-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NESW</u>	
Emergency Pit Burn Pit	✓ Proposed		Sec. 31 Twp. 27 R. 20 Fast West  1980 Feet from North / South Line of Section	
Settling Pit	If Existing, date constructed:			
Workover Pit Haul-Off Pit			1080	t / ✓ West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Neosho	
Is the pit located in a Sensitive Ground Water		/ No	Chloride concentration:	County
is the pit located in a Serisitive Ground water	Area: 103 V		(For Emergency Pits an	-
is the bottom below ground level?  Yes  No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic line	r is not used?
Pit dimensions (all but working pits):	30 Length (fr	eet) 10	Width (feet)	N/A: Steel Pits
	rom ground level to de			
		Air Drilling	Operation lasting approx	3 days
Distance to nearest water well within one-mile of pit  Depth to shallo Source of information in the control of		owest fresh water	feet.	
$\epsilon$		ured well owner ele	ectric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling,		1	prilling, Workover and Haul-Off Pits ONLY:  ype of material utilized in drilling/workover:  Air Drilled  One	
			Type of material utilized in drilling/workover: Air Drilled	
		vorking pits to be utilized: One		
Barrels of fluid produced daily:	ed daily: Abandonment procedure: Air Dry, Back Fill and Cover		over	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes		RECEIVED
February 28, 2007 Date	*	Gard }	Signature of Applicant or Agent	MAR 0 1 2007  CONSERVATION DIVISION
	ксс	OFFICE USE O	NLY	WICHITA, KS
Date Received: 3/1/c/7 Permit Nun	-h	De	nit Date: 3/1/67 Lease Ins	spection: Yes 👔 No
Date Received: 3/1/0/ Permit Nun	ildet.	rem	m Date. U/ I/ U/ LedSe IIIS	PEGGOTI     100   #   140