For KCC Use:
Effective Date:

District #

Solar Ver VIND

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

March 10, 2007	7.
Expected Spud Date March 10, 2007	Spot
month day year	SE NW Sec. 24 Twp. 30 S. R. 13E West
OPERATOR: License# 33074	4450 FSL feet from N / S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	1900 FEL feet from Feet from Feet from W Line of Section
211 W Myrtle	Is SECTIONRegularIrregular?
Address: 211 Independence KS 67301 City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson
Phone: 620-331-7870	Lease Name: H&E Huser et al Well #: A3-24
Phone:	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field? Yes V No
Name: McPherson Drilling	Target Mormation(s): Mississippian
144110.	Nearest Lease or unit boundary: 490 Feet
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic;# of Holes Other	Depth to bottom of fresh water: 150' + -
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 40'
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1700 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
ACC	IDAVIT RECEIVED
	lugging of this well will comply with K KANSAS CORRORATION COMMISSION
It is agreed that the following minimum requirements will be met:	
•	MAR 0 1 2007
1. Notify the appropriate district office prior to solidding of well:	
Notify the appropriate district office <i>prior</i> to spudding of well; A serve of the appropriate district of intent to drill <i>shall be</i> posted on as	ch drilling rig:
2. A copy of the approved notice of intent to drill shall be posted on ea	as her piperinaling company to the topy in all possible to the property of the
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se 	et by circulating cement to the top; in all cases surply think span be set
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c 	et by circulating cement to the top; in all cases sure that the set he underlying formation. district office on plug length and placement is necessary prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus 	et by circulating cement to the top; in all cases supplying the stand be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen 	the by circulating cement to the top; in all cases support the standard be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the by circulating cement to the top; in all cases support the set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	the by circulating cement to the top; in all cases support to the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the by circulating cement to the top; in all cases surplined by circulating cement to the top; in all cases surplined by the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	the by circulating cement to the top; in all cases sure that the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lifeth that the well is dry hole, an agreement between the operator and the constraint of the district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the lifeth that the statements made herein are true and to the bast of the plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the lifeth that the statements made herein are true and to the bast of the plus of the surface casing order. 	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lifeth that the well is dry hole, an agreement between the operator and the constraint of the district office will be notified before well is either plus of the interpretable of the surface casing order must be completed within 30 days of the spud date or the well shall be the lifeth that the statements made herein are true and to the bast of the plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order or surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order or surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed with	the top circulating cement to the top; in all cases surplined by circulating cement to the top; in all cases surplined by set the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lifeth that the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plus to the lifeth that the statement of the specified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the lifeth that the statements made herein are true and to the best of the surface casing order. Date: February 28, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27/22 - 2000	the by circulating cement to the top; in all cases surplined by circulating cement to the top; in all cases surplined by set the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution	the by circulating cement to the top; in all cases surplined by circulating cement to the top; in all cases surplined by set the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constant of the district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the constant of the plant of t	the by circulating cement to the top; in all cases support to plugging; the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the interpret to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constant of the district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the constant of the plant of t	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution	the by circulating cement to the top; in all cases support to plug length he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the second of the well is either plus to 10 feet into 11 feet in a proportial district office will be notified before well is either plus of 12 feet into 12 feet plus in a proportial district office will be notified before well is either plus of 12 feet in a proportion of 13 feet plus in a proportion of 14 feet per Alt. 1. Approved by: 14 feet per Alt. 15 feet per Alt. 16 feet per Alt. 16 feet per Alt. 17 feet plus in a proportion of 14 feet per Alt. 17 feet per Alt. 17 feet per Alt. 17 feet per Alt. 18 feet per Alt. 18 feet per Alt. 19 feet	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the second of the well is either plus to 3. The appropriate district office will be notified before well is either plus to 3. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of the plant of the pl	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the constitution	the by circulating cement to the top; in all cases sure the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27/22-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	4450 FSL feet from N / S Line of Section
Lease: H&E Huser et al	1900 FEL feet from VE / W Line of Section
Well Number: A3-24	Sec. 24 Twp. 30 S. R. 13E
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SE . NW . NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1900 FEL

4450 FSL

R13E


EXAM

T30S

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 1 2007

CONSERVATION DIVISION WICHINA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074	
Operator Address: 211 W. Myrtle Inc		Inde	ependence KS 67301
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870	
Lease Name & Well No.: H&E Huser et al A3-24		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 24 Twp. 30 R. 13E
Settling Pit	If Existing, date constructed:		4450 FSL Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1900 FEL Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	l' '	(bbls)	Wilson County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:mg/l
	1		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? ✓ Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?
			Natural Clays
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de		(feet)
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining EVED ncluding any special monitoring. KANSAS CORPORATION COMMISS
		Describe proce liner integrity, i	
		Describe proce liner integrity, i	KANSAS CORPORATION COMMISS MAR 0 1 2007
material, thickness and installation procedure	9.	ine megnty, i	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS
	9.	ine megnty, i	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS owest fresh water
material, thickness and installation procedure	e of pit	Depth to shallo	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS owest fresh water
material, thickness and installation procedure Distance to nearest water well within one-mile	e of pitfeet	Depth to shallo Source of info measo	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division feet. Immation: Lived well owner electric log KDWR Rover and Haul-Off Pits ONLY:
material, thickness and installation procedure Distance to nearest water well within one-mile N/A feet Depth of water well	e of pit feet	Depth to shallo Source of info measo	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITIA, KS Divest fresh waterfeet. Imation: Liredwell owner electric log KDWR
material, thickness and installation procedure Distance to nearest water well within one-mile N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e of pitfeet	Depth to shallo Source of info measo Drilling, Work	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division feet. Immation: Lived well owner electric log KDWR Rover and Haul-Off Pits ONLY:
material, thickness and installation procedure Distance to nearest water well within one-mile N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pitfeet	Depth to shalk Source of informeast Drilling, Work Type of materi	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Divest fresh water
Distance to nearest water well within one-mile N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	e of pit feet	Depth to shalle Source of informeast Drilling, Work Type of materi Number of wo	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division feet. Intered well owner electric log KDWR Tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Inking pits to be utilized: One
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	e of pit feet :	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	CONSERVATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division Heat. Divisio
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit?	e of pit feet :	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	CONSERVATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division Heat. Divisio
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit?	e of pit feet :	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	CONSERVATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division Heat. Divisio
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	e of pit feet :	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	CONSERVATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Division Heat. Divisio
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? I hereby certify that the above state February 28, 2007	e of pit feet spilled fluids to	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Divest fresh water
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? I hereby certify that the above state February 28, 2007	e of pit feet spilled fluids to	Depth to shalle Source of informease Drilling, Work Type of materi Number of wo Abandonment Drill pits must correct to the best OFFICE USE O	KANSAS CORPORATION COMMISS MAR 0 1 2007 CONSERVATION DIVISION WICHITA, KS Divest fresh water