_//\~/\)	
Effective Date:	_
District #	_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

_	(5) days prior to commencing well	blanks must be Filled
Synanted Smild Date \geq 3 10 07		
Expected Spud Date $\frac{2}{month}$ $\frac{3}{dav}$ $\frac{07}{vear}$	Spot SW NE SW Sec. 32 Twp. 15	✓ East
/		S. R. 21 West S Line of Section
PERATOR: License# 32218	3465	
lame: TDR Construction, Inc.	Is SECTION ✓ Regular Irregular?	TAA CILIS OL SACROLL
Address: 1207 N. 1st Street East City/State/Zip: Louisburg, KS. 66053 Contact Person: Lance Town		
hance Town	(Note: Locate well on the Section Plat on re County: Franklin	verse side)
Phone: 913-710-5400	Lease Name: Duffy	Well #; 21
	Field Name: Paola-Rantoul	
CONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Town Oilfield Service, Inc.	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 990'	
	Ground Surface Elevation:	feet MSL
✓ Oil Enh Rec ✓ Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes No
OWWO Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
Other	Depth to bottom of usable water: 200	
	Surface Pipe by Alternate: 1 2	/
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 750'	
Original Completion Date:Original Total Depth;	Formation at Total Depth: Squirrel	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other X	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	71
CCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the following minimum requirements will be met:		
Notify the appropriate district office <i>prior</i> to spudding of well;	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 		nina <i>chall ha eat</i>
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> 	t by circulating cement to the top; in all cases surface	pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 	of by circulating cement to the top; in all cases surface ne underlying formation.	
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluggen. 	of by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessar ged or production casing is cemented in;	y prior to plugging;
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	If by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessar ged or production casing is cemented in; ed from below any usable water to surface within 120	y <i>prior to plugging;</i>
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in 	If by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessar ged or production casing is cemented in; ed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area,	y prior to plugging; days of spud date. alternate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	If by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessaringed or production casing is cemented in; ed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	y prior to plugging; days of spud date. alternate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in 	If by circulating cement to the top; in all cases surface the underlying formation. It is is issued or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my-knewledge and belief.	y prior to plugging; days of spud date. alternate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of 	If by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessaringed or production casing is cemented in; ed from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior	y prior to plugging; days of spud date. alternate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	If by circulating cement to the top; in all cases surface the underlying formation. It is is issued or production casing is cemented in; and form below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my-knowledge and belief. Title: Agent	y prior to plugging; days of spud date. alternate It cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the statements of the complete of the complete of the statements of the complete of the complete of the statements of the complete of the comple	If by circulating cement to the top; in all cases surface the underlying formation. It is is is is is is included in the underlying formation. It is included in included in it is included in i	y prior to plugging; days of spud date. alternate if cementing to any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 	If by circulating cement to the top; in all cases surface the underlying formation. It is is issued from the production casing is cemented in; and placement is necessarily ged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in the whole generally in the prior is in the prior in th	y prior to plugging; days of spud date. alternate if cementing to any cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plant of	If by circulating cement to the top; in all cases surface the underlying formation. It is is is is is is included in the underlying formation. It is included in included in it is included in i	y prior to plugging; days of spud date. alternate If cementing to any cementing. Drilt; ud date;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plant of the plant of the desired plant. For KCC Use ONLY API # 15 - OS9 - 25208-0000 Conductor pipe required None feet	It by circulating cement to the top; in all cases surface the underlying formation. It is is issued from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior is my knewledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to It. File Completion Form ACO-1 within 120 days of spirits.	y prior to plugging; days of spud date. alternate if cementing to any cementing. Drill; ud date; tion orders;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: Conductor pipe required Monumer Seet Per Alt. 4 Description:	It by circulating cement to the top; in all cases surface the underlying formation. Instrict office on plug length and placement is necessaring ged or production casing is cemented in; ged from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knewledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to I File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is com-	y prior to plugging; days of spud date. alternate if cementing to any cementing. Drill; ud date; tion orders; pricever or re-entry; upleted;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: Conductor pipe required Monumer Seet Per Alt. 4 Description:	It by circulating cement to the top; in all cases surface the underlying formation. Instrict office on plug length and placement is necessaring ged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knewledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to I File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo	y prior to plugging; days of spud date. alternate if cementing to any cementing. Drill; ud date; tion orders; pricever or re-entry; upleted;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25208-0000 Conductor pipe required 1000 feet per Alt. 120 Approved by: 114-35-07	In the permit has expired (See: authorized expiration). In this permit has expired (See: authorized expiration).	days of spud date. alternate if cementing to any cementing. Drill; ud date; tition orders; prover or re-entry; popleted; g salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25208-0000 Conductor pipe required	In the property of the propert	days of spud date. alternate if cementing to any cementing. Drill; ud date; tition orders; prover or re-entry; popleted; g salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25208-0000 Conductor pipe required 1000 feet per Alt. 120 Approved by: 114-35-07	In the permit has expired (See: authorized expiration). In this permit has expired (See: authorized expiration).	days of spud date. alternate if cementing to any cementing. Drill; ud date; tition orders; prover or re-entry; popleted; g salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 2 - 210 - 07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25208-0000 Conductor pipe required	It by circulating cement to the top; in all cases surface the underlying formation. It is is is consistent office on plug length and placement is necessaring good or production casing is cemented in; and or production casing is cemented in; and is consistent of the top of th	prior to plugging; days of spud date. alternate if cementing to any cementing. Drill; ud date; tition orders; priover or re-entry; pleted; g salt water. a date) please ow.

MAR 0 2 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 059-25208-0000	Location of Well: County: Franklin
Operator: TDR Construction, Inc.	•
Lease: Duffy	1805 feet from N / ✓ S Line of Section 3465 feet from ✓ E / W Line of Section
Well Number: 21 Field: Paola-Rantoul	Sec. 32 Twp. 15 S. R. 21 ✓ East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW - NE - SW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	: : :	
 · · · · · · · · · · · · · · · · · · ·		
·		
 •		
· · · · · · · · · · · · · · · · · · ·		EXAMPLE
		· · · · · · · · · · · · · · · · · · ·
 ·		1980
		3465
· · · · · · · ·		3390
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

1805

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION

MAR 0 2 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		onni in Dupiicat	<u> </u>		
Operator Name: TDR Construction, Inc.		License Number: 32218			
Operator Address: 1207 N. 1st Street East Louisburg, KS. 66053					
Contact Person: Lance Town			Phone Number: (913) 710 - 5400		
Lease Name & Well No.: Duffy # 21			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE _ SW _ NE _ SW		
Emergency Pit Burn Pit	Burn Pit Proposed Existing		Sec. 32 Twp. 15 R. 21		
Settling Pit	If Existing, date constructed:		1805 Feet from North / ✓ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3465 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	100	(bbis)	Franklin County		
Is the pit located in a Sensitive Ground Water	Area? Yes] No	Chloride concentration: mg/l		
	B.418		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? Pits not lined unless not holding fluid		
<u> </u>	<u> </u>		<u> </u>		
Pit dimensions (all but working pits):					
Depth f	rom ground level to de	epest point: 2	(feet)		
		Depth to shalld Source of infor	west fresh waterfeet.		
		meası	redwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	al utilized in drilling/workover: Fresh Water		
Number of producing wells on lease:		l .	king pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: Pits filled as soon as well is completed		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		
2-24-07 Date		Kari	Driskell ignature of Applicant or Agent		
	КСС	OFFICE USE O	NLY		
Date Received: 3/2/07 Permit Num	nber:	Perm	it Date: 3/2/07 Lease Inspection: Yes No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita Kanaas 67202 COMMISSION