For KCC Use:	3-11-07
Effective Date:	2 11 -
District #	<u> </u>
SGA? Yes	∑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date March 11, 2007	Spot ✓ East		
month day year	S2NW Sec. 15 Twp. 13 S. R. 22 West		
	794 feet from N / S Line of Section		
PERATOR: License# 5885 Ime: Susie Glaze dba R.S. Glaze Drilling	330feet from ☐ E / ✓ W Line of Section		
22139 South Victory Road	Is SECTION Regular Irregular?		
ty/State/Zip: Spring Hill, KS 66083	(Note: Locate well on the Section Plat on reverse side)		
ty/State/Zip:	County: Johnson		
ontact Person: Susie Glaze	Lease Name: Hale Well #: 2		
lone: (913) 592-2033	Field Name: wildcat		
ONTRACTOR: License# 5885			
Ime: Susie Glaze dba R.S. Glaze Drilling			
AM6:	Target Formation(s): Bartlesville		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:		
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL		
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:		
OWNO Disposal V Wildcat Cable	Public water supply well within one mile:		
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+		
	Depth to bottom of usable water: 330'		
Other	Surface Pipe by Alternate: 1 2		
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'		
Operator:	Length of Conductor Pipe required: none		
Well Name:	Projected Total Depth: 900'		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville		
	Water Source for Drilling Operations:		
rectional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other		
Yes, true vertical depth:	DWR Permit #:		
ottom Hole Location:	(Note: Apply for Permit with DWR 🔟)		
CC DKT #:	Will Cores be taken? Yes ✓ No		
AFFI ne undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken?Yes ✓ NoYes ✓ No		
AFFI the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone:		
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.		
AFFI the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The proposed zone:		
AFFI the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The proposed zone:		
AFFI the undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the seed of the surface of the surface will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the thereby certify that the statements made herein are true and to the spect of the surface of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;		
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set in the s	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. In this proposed some that to the top; in all cases surface pipe shall be set to underlying formation. In this proposed some that to the top; in all cases surface pipe shall be set to underlying formation. In this proposed some that to the top; in all cases surface pipe shall be set to underlying formation. In this proposed some that to propose to plugging; ged or production casing is cemented in; the set of the top		
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the posted on each and the drill and the posted on each and the drill and the drill are through all unconsolidated materials plus a minimum of 20 feet into the search and the drill are the well is dry hole, an agreement between the operator and the drill and all the proposition of the search and the drill are the proposition of the search and the drill are the proposition of the search and the drill are the proposition of the search and the drill are the proposition of the search and the drill are the statements and the proposition of the search and the drill are the statements made herein are true and to the pest of the proposition of the search and the proposition of the search and the proposition of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Its strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please		

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 6 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


Location of Well: County: Johnson
794 feet from N / V S Line of Section 330 feet from E / V W Line of Section
Sec. 15 Twp. 13 S. R. 22 Fast Wes
Is Section: 📝 Regular or 🔲 Irregular
If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		· · · · · · · · · · · · · · · · · · ·		
•]	•	•
				•
•			•	•
				•
•			•	•
′ .				· · · · · · · · · · · · · · · · · · ·
			•	•
			•	•
			•	• •
-			•	
1				
•			•	
			•	•
•			•	•
•			•	
' ' ' ' '				
			•	•
•			•	•
` ` '				
· ·			•	•
1	•		•	•
· ·			•	•
			•	•
			•	•
	•		•	
			•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Susie Glaze dba R.S. Glaze Drilling		License Number: 5885			
Operator Address: 22139 South Victory Road, Spring Hill, KS 66083					
Contact Person: Susie Glaze			Phone Number: (913) 592 - 2033		
Lease Name & Well No.: Hale #2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		S2NWSWSW		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 15 Twp. 13 R. 22 Fast West		
Settling Pit	If Existing, date constructed:		794 Feet from ☐ North / ✓ South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 📝 West Line of Section		
(If WP Supply API No. or Year Drilled)	80	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration: mg/l		
		•	(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? ☐ Yes	No	How is the pit lined if a plastic liner is not used? native clay		
Pit dimensions (all but working pits):2					
	om ground level to de	_	Width (feet) N/A: Steel Pits (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor					
N 수 feet Depth of water well feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		.	brilling, Workover and Haul-Off Pits ONLY:		
			al utilized in drilling/workover: drilling mud		
. "			of working pits to be utilized: 1 nment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
March 6, 2007 Date Dat					
KCC OFFICE USE ONLY					
Date Received: 3/6/07 Permit Number: Permit Date: 3/6/07 Lease Inspection: Yes No					

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 6 2007