* Corrected Intent

For KCC Use: Effective Date:	2-11-01	
District #	1	
0040 🗇	[VA Ata	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MOTICE OF INTENT TO DOM I



	March	12th	2007	04		
Expected Spud Date	month	day	year	Spot 米SE_NW_NE Sec 2	25 17	28 Z
		day	you			
OPERATOR: License#_9	408 /			1000	et from 🗸 N / S	
Name: Trans Pacific Oil	Corporation			. 106	et from 🔽 E / 🔙 W	Line of Section
Address: 100 S. Main, St	uite 200			Is SECTION Regular	Irregular?	
City/State/Zip: Wichita, K	S 67202				the Section Plat on revers	se side)
Contact Person: Scott Oa	atsdean			County: Lane		
hone: 316-262-3596				Lease Name: Burgess 'A'	V	Vell #: <u>1-25</u>
CONTRACTOR: Licensed	. 5929			Field Name: White Rock South		
Jame: Duke Drilling Co	, Inc			Is this a Prorated / Spaced Field?		Yes ✓ I
vame: Duno Drining Oc	, iiio.			Target Formation(s): Kansas City	9001	-
Well Drilled For:	Well Class	s: Type	Equipment:	Nearest Lease or unit boundary:		
✓ Oil ✓ ☐ Enh I	Rec Infield		lud Rotary /	Ground Surface Elevation: 2730 es	<u>t.</u>	feet MS
Gas Stora			ir Rotary	Water well within one-quarter mile:		Yes 🗸
OWWO Dispe			able	Public water supply well within one		Yes 🗸
Seismic: # o		L3	-	Depth to bottom of fresh water: 18		-
Other				Depth to bottom of usable water:		
			-	Surface Pipe by Alternate: 1	2 300'	
f OWWO; old well inform				Length of Surface Pipe Planned to	o de set:	_
=				Length of Conductor Pipe required Projected Total Depth: 4650'	Q:	_
Well Name:				Formation at Total Depth: Miss	issippian	
Original Completion D)ate:	_Original Total	Depth:			
Directional, Deviated or H	lorizontal wellbore	?	Yes 🗸 No	Water Source for Drilling Operation Well Farm Pond	ns: Other	
Yes, true vertical depth:				DWR Permit #:	Vu101	
Sottom Hole Location:					r Permit with DWR 🗾)	
				INDIE. ADDIVIO		
(CC DKT #:						YAR J
(CC DKT #: A5: E/2 W/2 ^	1E 1320'F	NL		Will Cores be taken? If Yes, proposed zone:	•	Yes 🗸
45: E/2 W/2 N	1E 1320'F	NL		Will Cores be taken? If Yes, proposed zone:	·	
AS: E/2 W/2 N S: SE NW N	UE 990' F	NL NL	AFI	Will Cores be taken? If Yes, proposed zone:	RE	CEIVED
A3: $E/2$ W/2 N S: SE NW N The undersigned hereby	VE 990'F affirms that the C	アルー TAL drilling, comple	AFI	Will Cores be taken? If Yes, proposed zone:	RE	CEIVED
AS: E/2 W/2 N S: SE NW A The undersigned hereby t is agreed that the follow	VE 990' F affirms that the d wing minimum re	アレーアルレー drilling, comple quirements wi	AFI etion and eventual ; Il be met:	Will Cores be taken? If Yes, proposed zone:	RE .s.a. skansag corpo	CEIVED DRATION COMMIS
AS: E/2 W/2 N S: SE NW A The undersigned hereby t is agreed that the follow 1. Notify the appropri	VE 990' F affirms that the c wing minimum re iate district office	TAL drilling, comple quirements wi prior to spud	AFI stion and eventual; Il be met: ding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.	RE .s.a. skansag corpo	CEIVED
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr	AF 990' F affirms that the c wing minimum re iate district office oved notice of in	TAL drilling, completion of the completion of t	AFI etion and eventual plus met: ding of well; all be posted on ea	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig:	RE .s.a. skansarcorpo MAR	CEIVED DRATION COMMIS 0 6 2007
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo	Affirms that the coming minimum related district office oved notice of input of surface pi	drilling, complete quirements with prior to spud tent to drill shope as specifie	AFI etion and eventual; Il be met: ding of well; all be posted on ea	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in	RE .s.a. skansarcorpo MAR	CEIVED DRATION COMMIS 0 6 2007
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amough all uncons	AFE 990' F affirms that the c wing minimum re iate district office oved notice of in ount of surface pi colidated materials	drilling, complete quirements with prior to spud tent to drill shope as specifies plus a minim	AFI etion and eventual; Il be met: ding of well; all be posted on each of 20 feet into	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig:	RE. S.A. SKANSAGCORPO MAR all cases surgus ERN WIC	CEIVED DRATION COMMIS 0 6 2007 ATION DIVISION HITA, KS
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amough all uncons 4. If the well is dry he 5. The appropriate dis	affirms that the coming minimum resisted district office oved notice of insurface picolidated materials ole, an agreement strict office will be	drilling, complete quirements with prior to spud tent to drill shape as specifies plus a minimat between the notified before	AFI etion and eventual; Il be met: Iding of well; all be posted on each below shall be some of 20 feet into be operator and the re well is either plu	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. district office on plug length and place agged or production casing is cemented	RE.S.A. SEANSAS CORPO MAR all cases surrections with ement is necessary print in;	CEIVED DRATION COMMIS 0 6 2007 ATION DIVISION HITA, KS for to plugging
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE	affirms that the cowing minimum resiste district office oved notice of insurface pisolidated material ole, an agreement strict office will bull COMPLETION	drilling, complete quirements with prior to spud tent to drill shape as specifies a plus a minimant between the notified beford, production p	AFI ation and eventual in the met: ding of well; all be posted on each the second of 20 feet into the poperator and the re well is either plusipe shall be cemer	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place gged or production casing is cemente- ted from below any usable water to si	RE.S.A. SIANSAS CORPO MAR all cases surges Wide ement is necessary produin; unface within 120 day	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION CHITA, KS for to plugging, s of spud date.
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to App	affirms that the cowing minimum resisted district office oved notice of insum to for surface pisolidated materials ole, an agreement strict office will bull COMPLETION pendix "B" - East	drilling, complete quirements with the prior to spud tent to drill shape as specifies plus a minimat between the notified beford, production patern Kansas s	AFI etion and eventual; Il be met: Iding of well; all be posted on each below shall be some of 20 feet into experator and the re well is either plusipe shall be cemerurface casing orde	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. district office on plug length and place agged or production casing is cemented	RE. S.A. SKANSAS CORPO MAR all cases surface Wild ment is necessary production; urface within 120 day C District 3 area, alte	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementi
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the	affirms that the cowing minimum relate district office oved notice of injunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East district of days of the surface of	drilling, complete quirements with prior to spuditent to drill shape as specifies plus a minimat between the notified before production petern Kansas sof the spud date.	AFI betion and eventual; ill be met: ding of well; all be posted on each of the well shall be comer or the well shall	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place aged or production casing is cemente led from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY desired.	RE. S.A. SKANSAS CORPO MAR all cases surface Wild ment is necessary production; urface within 120 day C District 3 area, alte	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementi
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the	affirms that the cowing minimum relate district office oved notice of injunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East district of days of the surface of	drilling, complete quirements with prior to spuditent to drill shape as specifies plus a minimat between the notified before production petern Kansas sof the spud date.	AFI ation and eventual in the met: ding of well; all be posted on end the delay shall be some of 20 feet into the operator and the repulsive shall be cementate or the well shall be and to the best and to the senting or the well shall be and to the best and to the best and to the best and to the best and to the senting the method of the senting t	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. district office on plug length and place aged or production casing is cemented ted from below any usable water to so #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief.	RE. S.A. SKANSAGCORPO MAR all cases surrace Wilder ement is necessary production; urface within 120 day CC District 3 area, alter listrict office prior to a	ORATION COMMIS ORATION DIVISION ATION DIVISION HITA, KS for to plugging; s of spud date. ernate II cementi
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the	affirms that the cowing minimum relate district office oved notice of inpunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days attatements made	drilling, complete quirements with prior to spuditent to drill shape as specifies plus a minimat between the notified before production petern Kansas sof the spud date.	AFI stion and eventual; Il be met: Iding of well; all be posted on each of the second	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place aged or production casing is cemente led from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY desired.	RE. S.A. SKANSAGCORPO MAR all cases surrace Wilder ement is necessary production; urface within 120 day CC District 3 area, alter listrict office prior to a	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS for to plugging; s of spud date. ernate II cementing
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follor 1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry h 5. The appropriate dis 6. If an ALTERNATE Or pursuant to App must be completed hereby certify that the s	affirms that the cowing minimum relate district office oved notice of inpunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days attatements made	drilling, complete quirements with prior to spuditent to drill shape as specifies plus a minimat between the enotified beford, production patern Kansas sof the spud data herein are true.	AFI stion and eventual; Il be met: Iding of well; all be posted on each of the second	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. listrict office on plug length and place gged or production casing is cemente ted from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief.	RE. S.A. SKANSAGCORPO MAR all cases surrace Wilder ement is necessary production; urface within 120 day CC District 3 area, alter listrict office prior to a	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS From to plugging, s of spud date, emate II cementi
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed hereby certify that the secondary. 2/16/17	affirms that the cowing minimum relate district office oved notice of inpunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days attatements made	drilling, complete quirements with prior to spuditent to drill shape as specifies plus a minimat between the enotified beford, production patern Kansas sof the spud data herein are true.	AFI stion and eventual; Il be met: Iding of well; all be posted on each of the second	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. district office on plug length and place gged or production casing is cemente ted from below any usable water to st #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d fmy knowledge and belief. Remember to:	RE. S.A. STANSAS CORPO MAR all cases surface with microment is necessary produced in; urface within 120 day C. District 3 area, alto listrict office prior to a	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementing
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ha 5. The appropriate dil 6. If an ALTERNATE Or pursuant to Appropriate to the complete of the pursuant to the complete of the complet	affirms that the cowing minimum resiste district office of oved notice of insured on the control of the coverage of the covera	drilling, complet quirements with prior to spud tent to drill shippe as specifies splus a minimat between the toduction production production production production production are true for production of the spud design for the	AFI stion and eventual; Il be met: Iding of well; all be posted on each of the second	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. listrict office on plug length and place aged or production casing is cemente ted from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief. Remember to: File Drill Pit Application (form CDI	RE S.A. SKANSANCORPO MAR all cases surges with microment is necessary produced in; urface within 120 day CD District 3 area, alto listrict office prior to a Title: Geologist P-1) with Intent to Drill;	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS For to plugging; s of spud date. ernate II cementing.
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amough all uncons 4. If the well is dry ha 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appr must be completed hereby certify that the s Date: 3/6/07 For KCC Use ONLY API # 15 - 101 - 2	affirms that the cowing minimum relate district office or oved notice of input of surface pipulated material ole, an agreement strict office will bill COMPLETION pendix "B" - East within 30 days statements made Signature of 2008-000-000-000-000-000-000-000-000-000	drilling, complete quirements with prior to spud tent to drill shape as specifies plus a minimat between the enotified beford, production patern Kansas sof the spud day herein are truef Operator or a specific production of the spud day herein are truef of operator or a specific prior to the spud day herein are truef of operator or a specific prior to the spud day herein are truef of operator or a specific prior to the spud day herein are truef of operator or a specific prior to specific prior	AFI stion and eventual; Il be met: ding of well; all be posted on each delow shall be some of 20 feet into a operator and the re well is either plusipe shall be cemer urface casing order atte or the well shall be and to the best each delay.	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. district office on plug length and place gged or production casing is cemente ted from below any usable water to st #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d fmy knowledge and belief. Remember to:	RE S.A. SKANSANCORPO MAR all cases surges with min secessary productions of the composition of the composi	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS For to plugging; s of spud date. ernate II cementing. any cementing.
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ha 5. The appropriate dil 6. If an ALTERNATE Or pursuant to Appropriate to the complete of the pursuant to the complete of the complet	affirms that the cowing minimum relate district office oved notice of injunt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East within 30 days statements made Signature of 100%.	drilling, complete quirements with prior to spud tent to drill shape as specifies splus a minimal between the enotified beford, production patern Kansas sof the spud day herein are truef Operator or a few completes of the spud day herein are truef of the spud day	AFI stion and eventual; Il be met: ding of well; all be posted on each delow shall be some of 20 feet into a operator and the re well is either plusipe shall be cemer urface casing order atte or the well shall be and to the best each delay.	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place gged or production casing is cemente ted from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 48	RE S.A. SKANSANCORPO MAR all cases surrect with ement is necessary produced in; urface within 120 day CD District 3 area, alte listrict office prior to a Title: Geologist P-1) with Intent to Drill; nin 120 days of spud durding to field proration 8 hours prior to workoverside.	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS For to plugging; s of spud date. ernate II cementing. ate; orders; ver or re-entry;
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appr must be completed hereby certify that the second constant is a second constant is a second constant in the second constant is a second constant in the second constant in t	affirms that the cowing minimum relate district office oved notice of insurt of surface pisolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East within 30 days statements made Signature of	drilling, complete quirements with prior to spud tent to drill shippe as specifies splus a minimate between the toduction production production production production for the spud day herein are truef.	AFI stion and eventual; Il be met: ding of well; all be posted on each delow shall be some of 20 feet into a operator and the re well is either plusipe shall be cemer urface casing order atte or the well shall be and to the best each delay.	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place gged or production casing is cemente ted from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 44 Submit plugging report (CP-4) aff	RE S.A. SKANSANCORPO MAR all cases surrect with ement is necessary produced in; urface within 120 day CD District 3 area, alte listrict office prior to a	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS For to plugging; s of spud date. ernate II cementing. ate; orders; ver or re-entry; ed;
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry he 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appr must be completed hereby certify that the secondary Conductor pipe required	affirms that the cowing minimum relate district office oved notice of insurface pisolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East within 30 days statements made Signature of 100 Medical with 100 Medic	drilling, complete quirements with prior to spud tent to drill ship pe as specifies splus a minim to the tween the enotified before the spud day the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day the spud d	AFI stion and eventual II be met: ding of well; all be posted on ea d below shall be s our of 20 feet into o operator and the re well is either plu ippe shall be cemer urface casing orde ate or the well shall be and to the best Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. listrict office on plug length and place gged or production casing is cemente ted from below any usable water to si #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 48	RE S.A. SKANSANCORPO MAR all cases surrect with ement is necessary produced in; urface within 120 day CD District 3 area, alte listrict office prior to a	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS For to plugging; s of spud date. ernate II cementiany cementing. ate; orders; ver or re-entry; ed;
A5: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appr 3. The minimum amough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Appr must be completed hereby certify that the second constant is a second constant is a second constant in the second constant is a second constant in the second constant in t	affirms that the cowing minimum relate district office oved notice of insurt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days statements made Signature of 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	drilling, complete quirements with prior to spud tent to drill ship pe as specifies splus a minim to the tween the enotified before the spud day the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day therein are true of Operator or a specifies to the spud day the spud d	AFI stion and eventual II be met: ding of well; all be posted on ea d below shall be s our of 20 feet into o operator and the re well is either plu ippe shall be cemer urface casing orde ate or the well shall be and to the best Agent:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. Jistrict office on plug length and place gged or production casing is cemente ted from below any usable water to st #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d fmy knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 4t Submit plugging report (CP-4) aff Obtain written approval before die If this permit has expired (See: a	S.A. STANSANCORPO MAR all cases sures with the second of	CEIVED DRATION COMMIS OF ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementiany cementing. ate; orders; er or re-entry; ed; It water.
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all uncons 4. If the well is dry he 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve thereby certify that the second thereby certify that the second thereby certify that the second that	affirms that the cowing minimum relate district office oved notice of insurt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days statements made Signature of Signature	drilling, complete quirements with prior to spud tent to drill shape as specifies splus a minimate between the enotified before Kansas sof the spud data herein are true of Operator or specifies and the complete of the spud detained in the spud details and the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spe	AFI ation and eventual in the met: ding of well; all be posted on end to be posted on end to end the plum of 20 feet into end to end the plum of 20 feet into end to the well is either plum of 20 feet end to the best end to the best end to the best end to the plum of 20 feet end to the best end to	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in the underlying formation. district office on plug length and place gged or production casing is cemente ted from below any usable water to st #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d f my knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 4t Submit plugging report (CP-4) aff Obtain written approval before di	S.A. STANSANCORPO MAR all cases sures with the second of	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementing. ate; orders; orders; er or re-entry; ed; It water.
AS: E/2 W/2 N S: SE NW N The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all uncons 4. If the well is dry he 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approve thereby certify that the second the second that the	affirms that the cowing minimum relate district office oved notice of insurt of surface picolidated materials ole, an agreement strict office will be II COMPLETION pendix "B" - East of within 30 days statements made Signature of Signature	drilling, complete quirements with prior to spud tent to drill shape as specifies splus a minimate between the enotified before Kansas sof the spud data herein are true of Operator or specifies and the complete of the spud detained in the spud details and the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spud details are true of Operator or specifies of the spe	AFI ation and eventual in the met: ding of well; all be posted on end to be posted on end to end the plum of 20 feet into end to end the plum of 20 feet into end to the well is either plum of 20 feet end to the best end to the best end to the best end to the plum of 20 feet end to the best end to	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K. ch drilling rig; et by circulating cement to the top; in he underlying formation. Jistrict office on plug length and place gged or production casing is cemente ted from below any usable water to st #133,891-C, which applies to the KC be plugged. In all cases, NOTIFY d fmy knowledge and belief. Remember to: File Drill Pit Application (form CDI File Completion Form ACO-1 with File acreage attribution plat acco Notify appropriate district office 4t Submit plugging report (CP-4) aff Obtain written approval before die If this permit has expired (See: a	RE. S.A. STANSAN CORPO MAR all cases surface Wild ment is necessary properties of the prior to a standard prior to a standa	CEIVED DRATION COMMIS 1 6 2007 ATION DIVISION HITA, KS Fror to plugging; s of spud date. ernate II cementing. ate; orders; orders; er or re-entry; ed; It water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PI

Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or space field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Lane
990 feet from VN / S Line of Section
1650 feet from F E / W Line of Section
Sec. 25 Twp. 17 S. R. 28 East ✓ Wes
· · · · · · · · · · · · · · · · · · ·
Is Section: 📝 Regular or 🔲 Irregular
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

			•
	•		
		9	90'
			: 6 1650
			. 0
		į.	
	•	•	•
		•	•
			•
	•		
		. '	•
		. 25	
'	•		•
	•	•	•
		•	
	•	•	•
1 .	•	•	•
1 .		•	•
1.		_	
1	·		
	•	•	•
		•	• •
			-
l .			
		_	
	•	•	• •
	•	•	•
L			

RECEIVED KANSAS CORPORATION COMMISSION

MAR 0 6 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		•								
Operator Name: Trans Pacific Oil Corp.			License Number: 9408	URD						
Operator Address: 100 S. Main,	Suite 200			2 - 3596						
Contact Person: Scott Oatsdean			Phone Number: (316) 26	2 3596						
Lease Name & Well No.: Burgess 'A' #1-25			Pit Location (QQQQ):							
Type of Pit:	Pit is:		C _ SE _ NW _ NE							
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 25 Twp. 17S R. 28	East ✓ West						
Settling Pit			990 Feet from 🗸 North / 🗌 South Line of Sect							
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from ✓ Eas	st / West Line of Section						
(If WP Supply API No. or Year Drilled)	ra capacity.	(bbls)	Lane	County						
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	-						
			(For Emergency Pits a							
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic line	er is not used?						
Pit dimensions (all but working pits):1	50 Length (fe	_{eet)} 150	Width (feet)	N/A: Steel Pits						
	rom ground level to de	eepest point: 4	(feet)							
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance an ncluding any special monitoring.	d determining						
Distance to nearest water well within one-mil	e of pit		west fresh water	feet.						
		Source of information: measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh mud Number of working pits to be utilized: 3								
						Barrels of fluid produced daily:		Abandonment procedure: Let pits dry, fill pits, rip and smooth		
						Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
						I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMMIS
3/6/07 Date		W.B	ignature of Applicant or Agent	MAR 0 6 2007 CONSERVATION DIVISION WICHITA KS						
	KCC (OFFICE USE O	NLY							
Date Received: 3/6/07 Permit Nun	nber:	Perm	it Date: 3/6/67 Lease In:	spection: [_] Yes 🔀 No						