SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (of days phonic commencing wen
Expected Spud Date March 16, 2007	Spot
33074	Sec. 13 Twp. 30 S. R. 14E West 4620 FSL feet from N / ✓ S Line of Section
OPERATOR: License# 33074	4620 FEL feet from VE / W Line of Section
Dan Cherokee basiii Coeralinu Co. EEC	Is SECTION Regular Irregular?
Address: 211 W. Myrtle City/State/Zip: Independence KS 67301	· ·
City/State/Zip: Topy Williams	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson Lease Name: Kauth Well #: A1-15
Phone: 620-331-7870	Lease Name: Kauth Well #: A1-15 Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675	
Name: McPherson Drilling	Is this a Prorated / Spaced Field? Target Information(s): Mississippian Yes ✓ No
Humo.	Nearest Lease or unit boundary: 660 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 932 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes V No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 176-200
Other	Surface Pipe by Alternate: 1 2
_	Length of Surface Pipe Planned to be set: 40'
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1537 feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Wall ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	
NOO DRI #	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
AFFI	DAVIT KANSAS CORPORATION COMMISSIN Jagging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:	igging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	MAR U / 2007
 Notify the appropriate district office prior to spudding of well; 	CONORM
2. A copy of the approved notice of intent to drill shall be posted on each	h drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface properties to the
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i>
5. The appropriate district office will be notified before well is either plug-	bed or production casing is cemented in:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall t	be plugged. In all cases, NOTIFY district office prior to any cementing.
	, , , , , , , , , , , , , , , , , , , ,
I hereby certify that the statements made herein are true and to the best of	
/	my knowledge and belief.
/	my knowledge and belief.
/	my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
Date: March 6, 2007 Signature of Operator or Agent:	my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to:
Date: March 6, 2007 Signature of Operator or Agent:	my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
For KCC Use ONLY API # 15 - 205 - 27/25 - 000	Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required None feet	Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2)	Title: Sr Regulatory & Safety Compliance Specialist **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2)	Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 205 - 7-07	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required	Title: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15 - 205 - 27/25 - 0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 407 - 7-07	Title: Sr Regulatory & Safety Compliance Specialist **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required More feet per Alt. (2) Approved by: 124 3 - 7-07 This authorization expires: 9-7-07	Title: Sr Regulatory & Safety Compliance Specialist **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
For KCC Use ONLY API # 15 - 205 - 27/25 - 000 Conductor pipe required feet per Alt. (2) Approved by: 243 - 7-07 This authorization expires: 9-7-07 (This authorization void if drilling not started within 6 months of effective date.)	Title: Sr Regulatory & Safety Compliance Specialist **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ell: County: Wilson feet from N / S Line of Section feet from V E / W Line of Section Twp. 30 S. R. 14E V East West
feet from 🗸 E / 🗌 W Line of Section
- IWP
Regular or Irregular Irregular, locate well from nearest corner boundary. Tused: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 0 7 2007

CONSERVATION DIVISION WICHITA, KS

NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

SEWARD CO.

R14E

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074	
Operator Address: 211 W. Myrtle Inde		ependence KS 67301	
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870	
Lease Name & Well No.: Kauth A1-15		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>C . NW</u> . <u>NW</u>
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 15 _{Twp.} 30 _{R.} 14E
Settling Pit	If Existing, date constructed:		4620 FSL Feet from North / ✓ South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		4620 FEL Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)			Wilson County
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes 🗸	No .	Natural Clays
Pit dimensions (all but working pits):	Length (fe	eet) 30	Width (feet) N/A: Steel Pits
Depth from	om ground level to de	eepest point: 5	(feet)
		Describe proce liner integrity, i	edures for periodic maintenance and determining ncluding any special monitoring AWSAS CORPORATION COMMISSION
			WWW.SCORPORATION COMMISSION
			MAR 0.7 2007
			MAR 0 7 2007 CONSERVATION DIVISION
Distance to nearest water well within one-mile	e of pit		MAR 0 7 2007 CONSERVATION DIVISION WICHTA, KS owest fresh waterfeet.
Distance to nearest water well within one-mile		Depth to shallo Source of infor	MAR 0 7 2007 CONSERVATION DIVISION WICHTA, KS owest fresh waterfeet.
,	feet	Depth to shalld Source of informal measu Drilling, Work	MAR 0 7 2007 CONSERVATION DIVISION WICHTA, KS mation: med well owner electric log KDWR over and Haul-Off Pits ONLY:
N/Afeet Depth of water well	feet	Depth to shalld Source of informal measu Drilling, Work	MAR 0 7 2007 CONSERVATION DIVISION WICHTA, KS Transition: ured well owner electric log KDWR
	feet	Depth to shalld Source of informeast Drilling, Work Type of materi Number of wor	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. rmation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One
	feet	Depth to shalld Source of informeast Drilling, Work Type of materi Number of wor	MAR 0 7 2007 CONSERVATION DIVISION WICHITA, KS west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air
Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Depth to shalld Source of information measurements Drilling, Work Type of material Number of work Abandonment	CONSERVATION DIVISION WICHITA, KS west fresh waterfeet. rmation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	spilled fluids to	Depth to shalld Source of information measurements. Drilling, Work Type of material Number of work Abandonment. Drilli pits must	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Depth to shalld Source of informeast Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment Drilli pits must correct to the best Management Drilli pits must correct to the best Management Drilli pits must correct to the best Management Management Drilli pits must be sourced to the best Management Drilli pits must be sourced to the best Management M	CONSERVATION DIVISION WICHITA, KS owest fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state March 6, 2007	spilled fluids to ements are true and o	Depth to shallo Source of informeast Drilling, Work Type of materi Number of work Abandonment Drilli pits must correct to the best Management Drilli pits must correct to the best Management Drilli pits must correct to the best Management Management Drilli pits must be sourced to the best Management Drilli pits must be sourced to the best Management M	CONSERVATION DIVISION WIGHTIA, KS west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date. st of my knowledge and belief.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state March 6, 2007	spilled fluids to	Depth to shallo Source of Informers Mork Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION WIGHTIA, KS west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized: One procedure: Air dry, fill be closed within 365 days of spud date. st of my knowledge and belief.