For KCC Use:	2 17-27
Effective Date:	5-1/-0/
District #	
SGA2 Yes	∑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot
month day year	<u>NE</u> - <u>SE</u> Sec. 7 Twp. 28 S. R. 5 ✓ West
PPERATOR: License# 5214 V	2310 feet from N / S Line of Section
Iame: Lario Oil & Gas Company	
ddress: 301 S. Market	Is SECTION Regular Irregular?
ity/State/Zip: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jay G. Schweikert	County: Kingman
Phone: 316-265-5611	Lease Name: Clouse Estate Well #: 1-7
22250	Field Name: Dewey
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?
lame: Southwind Drilling, Inc.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
	Ground Surface Elevation: 1410 est. feet MSL
	Water well within one-quarter mile: Yes ✓ No
	Public water supply well within one mile:
	Depth to bottom of fresh water: 75
Seismic;# of Holes Other	Depth to bottom of usable water: 280 / 200
Other	Surface Pipe by Alternate:
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 4100'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kinderhook
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	770
Yes, true vertical depth:	DWR Permit #:
Dutter Hata Landkon.	(Manage Assets Committee DIATE)
Sottom Hole Location:	(Note: Apply for Permit with DWR 🗹)
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Bottom Hole Location: KCC DKT #:	Will Cores be taken?
CCC DKT #:AF	Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and the form below any usable water to surface within 120 days of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ear #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the state of the surface of the surface to the state of the state of the surface to the surface of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the surface of the su	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the beat coate: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Jay G. Schweikert, Operations Engineer Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best page 1. Signature of Operator or Agent: Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the appropriate district office pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the form the mappropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the specific pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plus of the specific pipe shall be completed. Signature of Operator or Agent: **Topic KCC Use ONLY** API # 15 - **D95 - **22093 - **ODOD**	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ungged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a composition of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either placed. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the complete of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: Signature of Op	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. File are #133,891-C, which applies to the KCC District 3 area, alternate II cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Other written approval before disposing or injection self water.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat control of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the beat conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. File ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Other written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat case. Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pack drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. File are #133,891-C, which applies to the KCC District 3 area, alternate II cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Other written approval before disposing or injection self water.
AF The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat contact. Signature of Operator or Agent: Signature of Operator or Agent: API # 15 - O95 - 22093 - OOO feet minimum surface pipe required feet per Alt. 1) Approved by: Minimum surface pipe required feet per Alt. 1) Approved by: Market State St	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Plugging of this well will comply will be set w
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the beat case. Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. If the prill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 095-22093-0000	Location of Well: County: Kingman
Operator: Lario Oil & Gas Company	2310 feet from N / S Line of Section
Lease: Clouse Estate	330 feet from VE / W Line of Section
Well Number: 1-7	Sec7Twp28 S. R5
Field: Dewey	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE - NE - SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			: :
		:	
· • • • • • • • • • • • • • • • • • • •		,	
•			
•	 :	·	330'
 •			
	,		
 	·		2310'
•	•	•	. 2310
	,		: : ↓



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Cherator Marile. Lario Oli & Gas	C	License Number: 5214
Operator Name: Lario Oil & Gas Company Operator Address: 204 P. Marstack Minhitz ICS 67202		5214
Operator Address: 301 S. Marke	t, Wichita, KS 67202	
Contact Person: Jay G. Schweikert		Phone Number: (316) 265 - 5611
Lease Name & Well No.: Clouse Estate #1-7		Pit Location (QQQQ):
Type of Pit:	Pit is:	NE _ NE _ SE
Emergency Pit Burn Pit	✓ Proposed Existing	Sec. 7 Twp. 28S R. 5 East West
Settling Pit	If Existing, date constructed:	2310 Feet from North / South Line of Section
Workover Pit Haul-Off Pit		330 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	
	7100 (bbls)	County
Is the pit located in a Sensitive Ground Water	Area? Yes ✓ No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓ No	
Pit dimensions (all but working pits):	00 Length (feet) 100	Width (feet) N/A: Steel Pits
Tit differences (all but working pits).	rom ground level to deepest point:	
If the pit is lined give a brief description of the		edures for periodic maintenance and determining
Distance to nearest water well within one-mil	Source of info	owest fresh water1620feet.
NA 2019	NA 56 feet Source of info	
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY	Source of info NA 56 feet meas Drilling, Wor	
NA 2019 Feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	Source of info NA 56 feet meas Drilling, Wor Type of mater	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	Source of info NA 56 feet meas Drilling, Wor Type of mater Number of wo	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud wrking pits to be utilized: Allow for evaporation
NA 2019 Feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	Source of info NA 56 feet meas Drilling, Wor Type of mater Number of wo	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: briking pits to be utilized: criting pits to be utilized: Allow for evaporation.
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	Source of info MA 56 feet meas Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: procedure: Allow for evaporation. Fill in & cover pits.
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	Source of info MA 56 feet meas Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud wrking pits to be utilized: procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date.
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	Source of info MA 56 feet meas Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date.
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	Source of info NA 56 feet Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to Drill pits must	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date.
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	Source of info MA 56 feet Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to Drill pits must ements are true and correct to the be	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date. RECEIVED
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	Source of info MA 56 feet Drilling, Wor Type of mater Number of wo Abandonment Drill pits must ements are true and correct to the be	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date. st of my knowledge and belief. MAR 0 9 20 Signature of Applicant or Agent KCC WICH
NA 2019 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No I hereby certify that the above state	Source of info MA 56 feet Drilling, Wor Type of mater Number of wo Abandonment I spilled fluids to Drill pits must ements are true and correct to the be	well owner electric log KDWR kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: Bentonite Mud orking pits to be utilized: 2 procedure: Allow for evaporation. Fill in & cover pits. be closed within 365 days of spud date. St of my knowledge and belief. MAR 0 9 20 Signature of Applicant or Agent KCC WICH