| KANSAS CORPORATIO OIL & GAS CONSERVA | D |
|---|--|
| For KCC Use: Effective Date: 3-18-07 District # No NOTICE OF INTE Must be approved by KCC five (5) of SGA? Yes No | NT TO DRILL Form must be Typed Form must be Signed |
| Expected Spud Date $\frac{2}{\text{month}} \frac{3 - 18 - 07}{\text{day}}$ year | NE SE NW Sec 8 Twp 33 S. R 39 X West |
| OPERATOR: License # 5278 Name: EOG Resources, Inc. Address: 3817 NW Expressway, Suite 500 City/State/Zip: Oklahoma City, Oklahoma 73112 Contact Person: MINDY BLACK | |
| Phone: (405) 246-3130 CONTRACTOR: License #: 30684 | Lease Name: ANDREWS Well #: 8 #1H Field Name: KINSLER-SOUTH |
| Name: ABERCROMBIE RID, INC. Well Drilled For: Well Class: Type Equipment: | Is this a Prorated/Spaced Field? X Yes No Target Formation(s): MIDDLE MORROW Nearest Lease or unit boundary: 330' |
| Oil Enh Rec Infield X Mud Rotary Storage Pool Ext. Air Rotary OWWO Disposal X Wildcat Cable Seismic; # of Holes Other | Ground Surface Elevation: 3247¹ feet MSL Water well within one-quarter mile: yes x no Public water supply within one mile: yes x no Depth to bottom of fresh water: 350¹ Depth to bottom of usable water: 550¹ Surface Pipe by Alternate: x 1 2 |
| If OWWO: old well information as follows: Operator: Well Name: | Length of Surface Pipe Planned to be set: 1700' Length of Conductor pipe required: 40' Projected Total Depth: 8199' MD 5970' TVD |
| Original Completion Date: Original Total Depth Directional, Deviated or Horizontal wellbore? f yes, true vertical depth: 5970' TVD Bottom Hole Location 330' FNIL & 330' FWIL CCC DKT # 07-00/5-149-01400 PRORATEO S SMCEO: HULDTON & PANOMA | Water Source for Drilling Operations: Well X Farm Pond Other DWR Permit #: (Note: Apply for Permit with DWR X) Will Cores Be Taken?: Yes X No If yes, proposed zone: |
| AFFI The undersigned hereby affirms that the drilling, completion and eventual pluggi It is agreed that the following minimum requirements will be met: | IDAVIT ing of this well will comply with K.S.A. 55- 101 RECEIVED KANSAS CORPORATION COMMISSION |
| The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # | by circulating cement to the top; in all cases suited in the set e underlying formation; trict office on plug length and placement is necessary prior to plugging; |
| I hereby certify that the statements made herein are true and to the best of my Date: 129107 Signature of Operator or Agent: Win | dy Black Title: OPERATIONS ASSISTANT |
| For KCC Use ONLY /29 - 2 1800-01-00 API # 15 | Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If permit has expired (See: authorized expiration date) please check the box below and return to the address below |

Well Not Drilled - Permit Expired

Date: _

Signature of Operator or Agent: __

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15- 129-21800-01-00 Operator EOG Resources, Inc. | Location of Well: County: MORTON 1840 feet from X N / S Line of Section |
|---|--|
| Lease ANDREWS | 2310 feet from E / W X Line of Section |
| Well Number 8 #1H | Sec <u>8 Twp 33 S.R 39</u> East X West |
| Field | · |
| Number of Acres attributable to well: | Is Section X Regular or Irregular |
| QTR/QTR/QTR of acreage: NE - SE - NW | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located withina prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | |
|---|----------------------|---|---|
| ECG Resources, Inc. | | | 5278 |
| Operator Address: | | | |
| 3817 NW Expressway, Suite 500 Oklahoma City, OK 73112 | | | |
| Contact Person: | | Phone Number: | |
| MINDY BLACK Lease Name & Well No.: | | | (405) 246–3130 |
| | | | Pit Location (QQQQ): |
| ANDREWS 8 #1H | | | S/2 - NE - SE - NW |
| Type of Pit: | Pit is | | |
| Emergency Pit Burn Pit | X Proposed | Existing | Sec. <u>8</u> Twp. <u>33S</u> R. <u>39</u> East 🔀 West |
| Settling Pit X Drilling Pit | If existing, date co | nstructed | 1840 Feet from North/ South Line of Section |
| ☐ Workover Pit ☐ Haul-Off Pit | Pit capacity | | Feet from East/ X West Line of Section |
| (If WP Supply API No. or Year Drilled) | 12,500 | (bbls) | County |
| Is the pit located in a Sensitive Ground Wate | r Area? Yes | X No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits, only) |
| Is the bottom below ground level? | Artificial Liner? | | How is pit lined if a plastic liner is not used? |
| X Yes No | ☐ Yes | X No | |
| Pit dimensions (all but working pits): | 125 Len | gth (feet)12 | 5 Width (feet) N/A Steel Pits |
| | Depth from ground le | vel to deeneet noir | nt 5 (feet) |
| If the pit is lined give a brief description material, thickness and installation procedure | | Describe proce liner integrity, in | edures for periodic maintenance aRECEMED cluding any special monitorings as corporation commission FEB 0.7 2007 CONSERVATION DIVISION WICHTA, KS |
| Distance to nearest water well within one-mile of pit Depth to | | Depth to sha | allowest fresh water 98 340' feet. |
| 3.00) | | Source of infor | rmation: edwell ownerEelectric logKDWR |
| | | Drilling, Worko | ver and Haul-Off Pits ONLY: |
| Producing Formation: Type of mate | | Type of materia | al utilized in drilling/workover |
| Number of producing wells on lease: Number of v | | Number of work | king pits to be utilized NONE |
| Barrels of fluid produced daily: Abandonment | | Abandonment p | procedure: EVAPORATION/DEWATER AND |
| | | G OF RESERVE PIT. | |
| flow into the pond? Yes No Drill pits must | | t be closed within 365 days of spud date. | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | |
| 1/29/07 Windows Date Signature of | | dy Black of Applicant or Agent | |
| KCC OFFICE USE ONLY | | | |
| Date Received: 2/7/07 Permit No | umber: | Permit Date | $\frac{2/8/c7}{8}$ Lease Inspection: \square Yes \square No |

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.