For KCC Use:
Effective Date: 3-18-07
District # 2
SGA? Yes \(\) No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

February 10, 2007	
Expected Spud Date February, 10, 2007	Spot East NE SE NE Sec 22 Two 28 S R 6 West
, , ,	
OPERATOR: License# 5399	1650' fnl feet from N / S Line of Section
Name: American Energies Corporation	leet from V 2 7 W Line of Section
Address: 155 North Market, Suite 710	Is SECTIONRegularIrregular?
Address: Wichita, KS 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Karen Houseberg	County: Kingman
Phone: 316-263-5785	Lease Name: Blank Well #: 1-22
	Field Name:
CONTRACTOR: License# 5123	Is this a Prorated / Spaced Field?
Name: Pickrell Drilling	Target Formation(s): Mississippian
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1435' estimated feet MSL
Oil Enh Rec Infield W Mud Rotary	
Gas Storage Pool Ext. Air Rotary	——————————————————————————————————————
OWWO Disposal Wildcat Cable	
Seismic; # of Holes Other	Depth to bottom of fresh water: 20'
Other	Depth to bottom of usable water. 280
· ·	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Other-Ninnescah River
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	*(Note: Apply for Permit with DWR 🔀)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
ACC	
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 th drilling rig; by circulating cement to the top; in all cases surface pipe WAIGHATA
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe WAGHETA the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plus.	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe Walcher A ne underlying formation. In this pay is the sequence of th
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set o	by circulating cement to the top; in all cases surface pipe Walchter A the underlying formation. Is strict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plift is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases surface pipe Walchter A ne underlying formation. Its bright office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plift is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall.	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig: The by circulating cement to the top; in all cases surface pipe which the underlying formation. The instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plift is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig: The by circulating cement to the top; in all cases surface pipe which the underlying formation. The instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; The by circulating cement to the top; in all cases surface pipe which the underlying formation. It is the underlying formation is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plift is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall.	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig: The by circulating cement to the top; in all cases surface pipe which the underlying formation. The instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall the statements are true and to the spud shall	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; The by circulating cement to the top; in all cases surface pipe which the underlying formation. It is the underlying formation is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete to the statements made herein are true and to the best of the certification. Signature of Operator or Agent:	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases surface pipe Wild Hert A the underlying formation. Its production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the seen through all unconsolidated materials plus a minimum of 20 feet into the seen of the se	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases surface pipe will be underlying formation. Its production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the Knowledge and belief. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the intent of the second of the intent of the second of the	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases surface pipe will be underlying formation. Its incirculating cement and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug of the analysis of the appropriate district office will be notified before well is either plug of the analysis of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the appropriate of the spud date or the well shall be the second of the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the well shall be second or the spud date or the spud date or the well shall be second or the spud date	ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; the by circulating cement to the top; in all cases surface pipe Wild Hert A ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set is dry hole, an agreement between the operator and the drop of the set is dry hole, an agreement between the operator and the drop of the set is drived by the set of the set	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 th drilling rig; th by circulating cement to the top; in all cases surface pipe Which Her A ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set is dry hole, an agreement between the operator and the drop of the set is dry hole, an agreement between the operator and the drop of the set is drived by the set of the set	ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe WACHETA the underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the drilling of the second of the well is dry hole, an agreement between the operator and the drilling of the second of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface cacing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the provided of the spud date or Agent: Date: 12/27/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 22095-22095-2000 Conductor pipe required None feet per Alt Approved by 13-13-07	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe Walchter A ne underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intent of the i	paying of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe Walcher A ne underlying formation. In instrict office on plug length and placement is necessary prior to pluggling; ged or production casing is cemented in; It is defined below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If it is the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state o	ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe Walcher A ne underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as the second of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 The drilling rig; It by circulating cement to the top; in all cases surface pipe was been defined by circulating cement to the top; in all cases surface pipe was been defined by circulating cement to the top; in all cases surface pipe was been defined from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the drilling that the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug of the shall be completed within 30 days of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall in the properties of the spud date or the well shall be set to shall be set through the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. JAN 0 3 2007 th drilling rig; It by circulating cement to the top; in all cases surface pipe Walchter A we underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tech. Asst. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22095 - 0000	Location of Well: County: Kingman
Operator: American Energies Corporation	
Lease: Blank	1650' fnl feet from N / S Line of Section 330' fel feet from E / W Line of Section
Well Number: 1-22	Sec. 22 Twp. 28 S. R. 6 East West
Field:	
Number of Acres attributable to well: 160	Is Section: Regular or fregular
QTR / QTR / QTR of acreage: NE - SE - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		0330	RECEIVED JAN 0 3 2007 KCC WICHITA also pezvest lease line
	-22		EXAMPLE : : : : : : : : : : : : : : : : : : :
			10 1980
			SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	Operator Name: American Energies Corporation		License Number: 5399	
Operator Address: 155 North Ma	rket, Suite	710, Wic	hita, KS 67202	
Contact Person: Karen Houseberg		Phone Number: (316) 263 - 5785		
Lease Name & Well No.: Blank 1-22		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE _ SE _ NE_	
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 22 Twp. 28 R. 6 East V West	
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1320 Feet from 🗹 North / 🗌 South Line of Section	
Workover Pit Hauf-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🔽 East / 🗌 West Line of Section	
(if we supply APT No. or teal Diffied)	800	(bbls)	Kingman County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🔽	No -	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	∐ Yes 🛂	No	Natural Clays in soil	4
Pit dimensions (all but working pits):8	Length (fe	eet) 80	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance determining ncluding any special monitoring.	
			3 2007	
			5	1
			KCC WICHITA	
Distance to nearest water well within one-mile	e of pit	Depth to shallo	JAN 0 3 2007 KCC WICHITA	15
	·	Source of infor	west fresh water ^L 🔘feet.	15.09
	43 feet	Source of info	west fresh water feet.	15.095-
& feet Depth of water well	43 feet	Source of info	west fresh water feet. mation: red well owner electric log KDWR	D)
<u>名を目</u> feet Depth of water well Emergency, Settling and Burn Pits ONLY:	43 feet	Source of informease Drilling, Work Type of material Number of work	west fresh water feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3	2209
& feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	43 feet	Source of informease Drilling, Work Type of material Number of work	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud	22095
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	43 feet	Drilling, Work Type of materi Number of work Abandonment backfill	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3 procedure: Pump to reserve pit, allow to dry and	22095
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	43 feet	Drilling, Work Type of materi Number of work Abandonment backfill	west fresh water feet. mation: red well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3	2209
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	feet fluids to	Drilling, Work Type of materi Number of work Abandonment backfill Drill pits must	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3 procedure: Pump to reserve pit, allow to dry and be closed within 365 days of spud date.	22095
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	feet fluids to	Drilling, Work Type of materi Number of work Abandonment backfill Drill pits must	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3 procedure: Pump to reserve pit, allow to dry and be closed within 365 days of spud date.	22095
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet fluids to	Source of informeast Drilling, Work Type of materi Number of work Abandonment backfill Drill pits must correct to the bes	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Chemical mud king pits to be utilized: 3 procedure: Pump to reserve pit, allow to dry and be closed within 365 days of spud date.	22095
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	spilled fluids to	Source of informeast Drilling, Work Type of materi Number of work Abandonment backfill Drill pits must correct to the bes	west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Chemical mud king pits to be utilized: 3 procedure: Pump to reserve pit, allow to dry and be closed within 365 days of spud date. It of my knowledge and belief.	22095



CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

March 12, 2007

Ms. Karen Houseberg American Energies Corporation 155 N. Market Ste 710 Wichita, KS 67202

Re: Drilling Pit Application

Blank Lease Well No. 1-22 NE/4 Sec. 22-28S-06W Kingman County, Kansas

Dear Ms. Houseberg:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
 - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
 - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
 - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;

located, to the haul-off pit application.

- (2) a \$2,500 penalty for the second violation; and
- (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes No	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes No If yes, written permission from the land owner must be obtained. Attach writ permission to haul-off pit application.	tten
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by same operator: Yes No If yes, written permission from the land owner must be obtained. Attapermission and a copy of the lease assignment that covers the acreage where the haul-off pit is to	ach