Form C-1 KANSAS CORPORATION COMMISSION December 2002 OIL & GAS CONSERVATION DIVISION For KCC Use: Form must be Typed NOTICE OF INTENT TO DRILL Effective Date: Form must be Signed Must be approved by KCC five (5) days prior to commencing well All blanks must be Filled District # Spot SW Sec 22 Two 32 **Expected Spud Date** N / S X Line of Section feet from 5278 2450 OPERATOR: License # feet from E / W X Line of Section ECG Resources, Inc. Name: X Is SECTION Regular Irregular? 3817 NW Expressway, Suite 500 Address: (Note: Locate well on Section Plat on Reverse Side) Oklahoma City, Oklahoma 73112 City/State/Zip: STEVENS MINDY BLACK County: Contact Person: 22 #1 UPC 246-3130 Well #: Lease Name: Phone: Field Name: 30684 CONTRACTOR: License #: Is this a Prorated/Spaced Field? LOWER MORROW ABERCROMBIE RID, INC. Name: Target Formation(s): Nearest Lease or unit boundary: 330' Well Class: Type Equipment: Well Drilled For: Ground Surface Elevation: 30571 feet MSt Water well within one-quarter mile: Infield Mud Rotary Public water supply within one mile: Storage Pool Ext. ir Rotary Depth to bottom of fresh water: . owwo Wildcat Disposal Depth to bottom of usable water: 580 Seismic: Other # of Holes | X |1 Surface Pipe by Alternate: Other 1700 Length of Surface Pipe Planned to be set: If OWWO: old well information as follows: Length of Conductor pipe required: 40' Operator: -Projected Total Depth: 8836' MD 5950' Well Name: Formation at Total Depth: LOWER MORROW Original Completion Date: Original Total Depth. Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? |xr|Yes Well X Farm Pond Other 5950' TVD If yes, true vertical depth: DWR Permit #:, 2310' FSL & 330' FEL **Bottom Hole Location** х (Note: Apply for Permit with DWR cons-150-CHOR KCC DKT# Yes X No Will Cores Be Taken?: If yes, proposed zone: -TRORATED & SPACED : HULUTON & PANOMA **AFFIDAVIT** RECEIVED The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. SAMSAS CORPORATION COMMISSION It is agreed that the following minimum requirements will be met: FEB 0 7 2007 1.

- Notify the appropriate district office prior to spudding of well;
- A copy of the approved notice of intent to drill shall be posted on each drilling rig; 2

CONSERVATION DIVISION

- The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating cement to the contract pipe as specified below shall be set by circulating c through all unconsolidated materials plus a minimum of 20 feet into the underlying formation;
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 2-1-07 Signature of Operator or Agent: 17 WC	Title: OPERATIONS ASSISTANT
For KCC Use ONLY /89 - 22580-01-00 API # 15- Conductor pipe required feet Minimum surface pipe required feet per All 1 Approved by: WH 3-/3-07 This authorization expires: 9-13-07 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If permit has expired (See: authorized expiration date) please check the box below and return to the address below Well Not Drilled - Permit Expired Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 189-22580-01-00	Location of Well: County: STEVENS				
Operator EOG Resources, Inc.	500 feet from N/S X Line of Section				
Lease UPC	E / W x Line of Section				
Well Number 22 #1	SecTwp32 S. R36East X We				
Field					
Number of Acres attributable to well:	Is Section X Regular or Irregular				
QTR/QTR/QTR of acreage: SE - SE - SW	If Section is irregular, locate well from nearest corner boundary.				
<u> </u>	Section corner used: NE NW SE SW				

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- The distance of the proposed drilling location from the section's south/north and east/west; and3.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located withina prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

RECEIVED

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA KS

FEB 0 7 2007

Operator Name:		License Number:				
ECG Resources, Inc.			5278			
Operator Address:						
3817 NW Expressway, Suite 500 Oklahoma City, OK 73112						
Contact Person:			Phone Number:			
EGG RESOURCES, INC.			(405) 246–3130			
Lease Name & Well No.:			Pit Location (QQQQ):			
UPC 22 #1H	<u> </u>		N/2 - SE - SE - SW			
Type of Pit:	Pit is					
Emergency Pit Burn Pit	X Proposed Existing		Sec. <u>22</u> Twp. <u>32S</u> R. <u>36</u> East 🔀 West			
Settling Pit X Drilling Pit	If existing, date con	nstructed	Feet from North/ South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		Feet fromEast/ West Line of Section			
(If WP Supply API No. or Year Drilled)	12,500	(bbls)	County			
Is the pit located in a Sensitive Ground Water	er Area? Ves	₩ No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits, only)			
Is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?			
X Yes No	Yes	X No				
Pit dimensions (all but working pits):		gth (feet)12	5 Width (feet) N/A Steel Pits			
		gin (leet)	WA Steel Fits			
	Depth from ground le	vel to deepest poir	nt5(feet)			
material, thickness and installation procedure	a.	liner integrity, in	cluding any special monitoring.			
Distance to nearest water well within one	-mile of pit	Depth to sha	allowest fresh water 275 420 feet.			
974 feet Depth of water well	487 foot	Source of infor	rmation:			
		X_ measur	ed			
Emergency, Settling and Burn Pits ONLY: Drilling, Work			rkover and Haul-Off Pits ONLY:			
Producing Formation: Type of materi		al utilized in drilling/workover <u>GET.</u>				
Number of producing wells on lease: Number of work		king pits to be utilized NONE				
Barrels of fluid produced daily: Abandonment procedure:						
		NG OF RESERVE PIT. st be closed within 365 days of spud date.				
I hereby certify that the above stateme	nts are true and co	rrect to the best	of my knowledge and belief.			
2-1-07 Whind		y Black				
Date Signature of Applicant or Agent KCC OFFICE USE ONLY						
ROO OFFICE ODE ONE!						
Date Received: 2/7/07 Permit N	umber:	Permit Date	: 2/8/07 Lease Inspection: ☐ Yes 【 No			

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION CONSERVATION DIVISION 130 S. Market - Room 2078 Wichita, Kansas 67202

FEB 0 7 2007

Form VPA-1 4/01

CONSERVATION DIVISION WICHITA, KS

PUPA 020701

VERIFIED AFFIDAVIT FOR USE OF MUD AS AN ALTERNATIVE TO THE CEMENTING REQUIREMENT IN ¶18(D) OF THE PANOMA COUNCIL GROVE B.P.O.

FORM MUST BE TYPED Submit in Duplicate Attach to Drilling Permit KCC License No. Operator Name 5278 EOG Resources, Inc. Operator Address 3817 NW Expressway Suite #500 Oklahoma City, 0 K 73112 Contact Person (405)246-3130 Mindy Black API No. KCC Lease Code No. Lease Name & No. UPC 22#1H Location Ft. from N (S)(circle one) Line of Sec. Section 500' Township Range Quarter Ft. from E /W)(circle one) Line of Sec. 23101 32S Mud Weight Producing Formation Group Field Name 8.7 Stevens lower morrow

AFFIDAVIT CERTIFICATE OF SERVICE

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have ben fully complied with and the statements here are complete and correct to the best of my knowledge. The well subscribed to in this Affidavit will be completed in accordance with all applicable rules and regulations of the KCC. However, applicant intends to use drilling mud of sufficient weight across the interval between the base of the Council Grove Group and the top of the Chase Group as an alternative to the cementing requirements found in paragraph 18(D) of the Panoma Council Grove B.P.O. unless an objection is filed within 15 days of service of this Affidavit. I hereby certify that I caused a true and correct copy of the foregoing Affidavit and any attachments of said Affidavit to be served by placing the same in the United States mail, postage prepaid, to the following parties, which represent all of the operators or lessees of record and the owners of record of unleased acreage within a one mile radius of the well, including operators and working interest owners having interests in the lands covered by the unit on which the well is to be drilled:

SignatureOperatio	y Black		Date 1-25-	07	
Title		JANNARN	2007		
Subscribed and sworn to before	_ 	JANOAN- 1	, 20 <u>0 7</u> .		
Notary Public	illes Vealton	1 25 TO A	HEATHER NEALSON	ند ند	
Date Commission Expires	4-26-08	- ((SEAL))	Cleveland County Notary Public in and for		
		Commission	State of Oklahoma n # 04003798 Expires 4/2	s/08 t	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

March 13, 2007

Mindy Black EOG Resources, Inc. 3817 NW Expressway, Suite 500 Oklahoma City, OK 73112

Re: UPC 22#1 API #15-189-22580-01-00

Docket # PVPA 020701 SW Sec.22-T32S-R36W Stevens County, Kansas

Dear Ms. Black,

The form VPA-1 affidavit filed for the above-referenced well stated that service of the affidavit was mailed on January 25, 2007. The fifteen (15) day protest period has expired and we have not received any protests. Therefore, we are advising you that the drilling of this well may commence and, in lieu of cement, drilling mud of the weight specified in your affidavit may be used across the interval between the base of the Council Grove group and the top of the Chase group.

Sincerely,

Rick Hestermann

Production Department