SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date March 19, 2007	Spot East
month day year	SE _ SE _ Sec. 31 _ Twp. 28 _ S. R. 12 _ West
OPERATOR: License# 33365	660feet fromN / \(\subseteq \) S Line of Section
Name: Layne Energy Operating, LLC	660feet from VE / W Line of Section
Address: 1900 Shawnee Mission Parkway	ls SECTION Regular Irregular?
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: M. Brent Nattrass	County: Elk
Phone: 913-748-3960	Lease Name: KellyWell #: 16-31
	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field? Yes ✓ No **
Name: Thornton Air	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1085 feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No_
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic;# of Holes Other	Depth to bottom of usable water: 200 225
Other	Confirm Dina hor Alternates 7 4 7 2
If ONDATO: and well information on follows:	Length of Surface Pipe Planned to be set: 20 40 Minimum
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1500 Feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION
AFFI	DAVIT COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plus	ugging of this well will comply with K.S.A. 55 et. seq.MAR 1 4 2007
It is agreed that the following minimum requirements will be met:	• •
1. Notify the appropriate district office prior to spudding of well;	CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	CONSERVATION DIVISION th drilling rig; WICHITA, KS
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se 	t by circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 	t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di 	t by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. strict office on plug length and placement is necessary prior to plugging;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersor of the appropriate district office will be notified before well is either plug. 	the tribular to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	the triangular of the top; in all cases surface pipe shall be set to underlying formation. It is is in all cases surface pipe shall be set to underlying formation. It is in all cases surface pipe shall be set to underlying formation. It is in all cases surface pipe shall be set to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	the triangular of the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; set from below any usable water to surface within 120 days of spud date.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order. 	the triang rig, the triangle right of the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displayment of 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the spud shall be completed. 	the tribulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is not be set to the underlying formation. It is not set to the top; in all cases surface pipe shall be set to underlying formation. It is not set to plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each of the intent and the approved notice of intent to drill shall be posted on each of the intent and the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 	the triang rig, the triangle right of the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the spud date. 	the type circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is not be considered in the set of
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displayment of 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plate: March 13, 2007 	the type circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In a strict office on plug length and placement is necessary prior to plugging; and ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the died. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: 	the type circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is the circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is the circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is the circulating cement to the type in all cases and plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DU9 - 22454-0000	the type circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In a strict office on plug length and placement is necessary prior to plugging; and ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D49 - 22454-0000 Conductor pipe required Nove feet	the type circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is to circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is the construction of the type of the state of th
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dient 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DIP - 22454-0000 feet Minimum surface pipe required feet per Alt. (2)	the policy of the top; in all cases surface pipe shall be set the underlying formation. It is to circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is to consider the top of the top; in all cases surface pipe shall be set the underlying formation. It is to consider the top of th
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dient 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - DIP - 22454-0000 feet Minimum surface pipe required feet per Alt. (2)	the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D49 - 22454-0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. (2) Approved by P44-3-14-07	the policy of the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D49 - 22454-0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Ait. (2) Approved by P43-14-07 This authorization expires: 9-14-07	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this trip is the control of the top; in all cases surface pipe shall be set the underlying formation. In this trip is the control of the c
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D49 - 22454-0000 Conductor pipe required Nove feet Minimum surface pipe required feet per Alt. (2) Approved by P44-3-14-07	the policy of the top; in all cases surface pipe shall be set the underlying formation. It is the conclusion of the top; in all cases surface pipe shall be set the underlying formation. Is the underlying formation. Is the top of the top of the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 13, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D49 - 22454-0000 Conductor pipe required	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049 - 22454-0000	Location of Well: County: Elk
Operator: Layne Energy Operating, LLC	660 feet from N / S Line of Section
Lease: Kelly	feet from N / S Line of Section 660 feet from
Well Number: 16-31 Field: Cherokee Basin Coal	Sec. 31 Twp. 28 S. R. 12 Fast Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: _ SE _ SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		RECEIVED KANSAS CORPORATION COMMISSION MAR 1 4 2007 CONSERVATION DIVISION WIGHTIA, KS
· · · · · · · · · · · · · · · · · · ·	31	EXAMPLE
		1980
 · , , , , , ,		3390'
	0-66.	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
			Mission Woods, KS 66205		
Contact Person: M. Brent Nattrass		Phone Number: (913) 748 - 3960			
Lease Name & Well No.: Kelly 16-3			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u></u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 31 Twp. 28 R. 12		
Settling Pit	If Existing, date constructed:		Feet from North / 🗸 South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section		
		(bbls)	Elk County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	Self-Sealing		
Pit dimensions (all but working pits):	0' Length (fe	eet) 20'	Width (feet)N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 3'	(feet)		
If the pit is lined give a brief description of the liner Describe			dures for periodic maintenance and determining ncluding any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION MAR 1 4 2007		
Distance to nearest water well within one-mile of pit Depth to shall		Depth to shallo	CONSERVATION DIVISION WICHTIA, KS west fresh water20feet.		
ц476		Source of infor	Source of information:		
	feet		measuredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		l	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Fresh Water Mud		
			Number of working pits to be utilized: Two		
			Abandonment procedure: Let evaporate until dry, then backfill		
Does the slope from the tank battery allow all	spilled fluids to	and restore			
flow into the pit? Yes No	•	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
NAE N					
March 13, 2007 Date		۱۱ کر ایا ا	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 3/14/67 Permit Numl	h	Dormi	t Date: 3/14/67 Lease Inspection: Yes I No		