For KCC Use: Effective Date: District #

## Kansas Corporation Commission OIL & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Funcated Soud Date March 21, 2007	Spot ✓ East
Expected Spud Date month day year	NE - SW Sec. 12 Twp. 27 S. R. 19 West
33344	1980 feet from N / V S Line of Section
OPERATOR: License#	1980 feet from E / V W Line of Section
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTION
OU-L Ch. OU-L 72420	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip: Oklahoma City, Oklahoma 73120 Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Mih, Alexander D. Well #: 12-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
W # C # L F W # C Two Continues to	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1001 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other  ✓ Other Coalbed Methane	Depth to bottom of usable water-200-150
✓ Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore? Yes ✓ N	Water Source for Drilling Operations:
	The state of the s
If Yes, true vertical depth:	— DWR Permit #:
Bottom Hole Location:KCC DKT #:	— ( <i>Note:</i> Apply for Permit with DWR ☐) — Will Cores be taken? Yes ✓ No
ROC DRI #	
	AANSAS CORPORATIVED
A	ANSAS CORPORATION COMMISS
	EEIDAVIT
	ar plugging of this well will comply with N.S.A. 33 ct. 364.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:	CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or	CONSERVATION DIVISION seach drilling rig;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall b</i>	CONSERVATION DIVISION  e each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in	CONSERVATION DIVISION  To each drilling rig;  The set by circulating cement to the top; in all cases surface pipe shall be set all to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	CONSERVATION DIVISION  n each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strength of the spropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centered.	conservation Division  n each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set  not the underlying formation.  the district office on plug length and placement is necessary prior to plugging;  plugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the present to appendix "B" - Eastern Kansas surface casing or	CONSERVATION DIVISION  n each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud date.  The right and placement is necessary prior to plugging; plugged or production casing is cemented in;  The right and placement is necessary prior to plugging; plugged or production casing is cemented in;  The right and plugging of this well will be set to the surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either that a LTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well strength.	conservation division  n each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either that a LTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well strength.	conservation division  n each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the be	CONSERVATION DIVISION The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The right of the set and the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface prior to any cementing that the set are a surface prior to any cementing.  The right of the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cement to the set are a surface prior to plugging; the set are a sur
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the be	conservation division  n each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the be	CONSERVATION DIVISION The each drilling rig; The set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date. The right of the set and the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface within 120 days of spud date. The right of the set are a surface prior to any cementing that the set are a surface prior to any cementing.  The right of the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cementing that the set are a surface prior to any cement to the set are a surface prior to plugging; the set are a sur
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the statement of the statement of the production pipe shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be compused to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well statement of the spud date or the well statement of the spud date or the spud date.  Signature of Operator or Agent:  For KCC Use ONLY	CONSERVATION DIVISION  ne each drilling rig;  ne set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The right of
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the statements of the specified before well is either of the appropriate district office will be notified before well is either than ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements of the specific true and the statements of the specific true and the	CONSERVATION DIVISION  ne each drilling rig;  ne set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The results of the cases, NOTIFY district 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:    Print
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well state of the spud date or the well state of the spud date or the well state of the spud date or the spud date or the spud date.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26859-0000	CONSERVATION DIVISION  The each drilling rig;  The eac
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the specific office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well is a hereby certify that the statements made herein are true and to the best of the specific of the spe	CONSERVATION DIVISION  ne each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The spudged of the kCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:    Price   VP
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well state of the spud date or the well state of the spud date or the well state.  I hereby certify that the statements made herein are true and to the because of the spud date or the spud date.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 1/33 - 26 8 5 9 - 0000  Conductor pipe required feet  Minimum surface pipe required feet per Alt.	CONSERVATION DIVISION  The each drilling rig;  The eac
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the street office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the between the operator or Agent:    Date: March 14, 2007	CONSERVATION DIVISION  The each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set and the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. The results of the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventuit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted or  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the statement of the statement between the operator and the statement of the notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing on must be completed within 30 days of the spud date or the well statement of the spud date or the well statement of the spud date or the well statement of the spud date or the spud date	CONSERVATION DIVISION  ne each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The standard of the plugged. In all cases, NOTIFY district 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing. The standard plugged and belief.  Title:  PRemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the state of the state of the state of the spuddate or the well is either of the completed within 30 days of the spuddate or the well state of the spuddate or the well state of the spuddate or the state of the spuddate or t	CONSERVATION DIVISION  ne each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. The standard of the plugged. In all cases, NOTIFY district 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing. The standard plugged and belief.  Title:  PRemember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the state of the state of the spuddate or the shall be computed within 30 days of the spuddate or the well is a like of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be certify that the statements made herein are true and to the between the operator of Agent:    Signature of Operator or Agent:	CONSERVATION DIVISION  The each drilling rig;  The set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The set of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted or 3. The minimum amount of surface pipe as specified below <i>shall b</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the state of the state of the specified before well is either of the appropriate district office will be notified before well is either of the surface casing of the spud date or the well state of the spud date or the spu	CONSERVATION DIVISION The each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud date.  The results of my knowledge and splies to the KCC District 3 area, alternate II cementing that be plugged. In all cases, NOTIFY district office prior to any cementing.  The results of my knowledge and splief.  Title: VP  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26859-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980feet from N / V S Line of Section
Lease: Mih, Alexander D.	1980 feet from E / 🗸 W Line of Section
Well Number: 12-1 Field: Cherokee Basin CBM	Sec. 12 Twp. 27 S. R. 19 ✓ East West
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120		
Contact Person: Richard Marlin		-	Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Mih, Alexander D. #12-1		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 12 Twp. 27 R. 19		
Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	<del></del>	Feet from ☐ East / ✓ West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	30 Length (fe	eet) 10			
Depth fo	om ground level to de	eepest point:	adures for periodic maintenance and determining RECEIVED		
Air Drilling		Air Drilling	Operation lasting approx 3 days  CONSERVATION DIVISION  west fresh water		
So		Source of infor			
		· · · · · · · · · · · · · · · · · · ·	Drilling, Workover and Haul-Off Pits ONLY:		
		Type of materia	pe of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Number of wo		nber of working pits to be utilized: One			
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.		
March 14, 2007  Date	*	Mar)	ignature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		