For KCC Use: 3-20-07 SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date March 21, 2007 month day year	Spot SW _ SE Sec. 9 Twp. 27 S. R. 19 West
33344	660 feet from N / ✓S Line of Section
OPERATOR: License# 33344	1980 feet from VE / W Line of Section
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	· ·
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Martin Phone: (405) 463-6880	County: Neosho Lease Name: Nordstedt, L.D. Living Trust Well #: 9-1
. /	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ No
Tidirio.	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec V Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Pepth to bottom of fresh water: Yes V No
Seismic;# of Holes Other	
✓ Other Coalbed Methane	Depth to bottom of usable wate r, 200* /50
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Depth:	Formation at Total Depth
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Nate: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq. RECEIVED
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION COMMISSION
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	t by circulating cement to the top; in all cases surface pipe shall be set conservation. CONSERVATION DIVISION istrict office on plug length and placement is necessal leging (a glugging;
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: March 14, 2007 Signature of Operator or Agent:	Zei Warken Title: VP
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 133-26858-0000	- File Completion Form ACO-1 within 120 days of spud date;
Mana	- File acreage attribution plat according to field proration orders;
10 47	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 20 feet per Alt. X(2)	- Submit plugging report (CP-4) after plugging is completed;
Approved by: 24+3-15-07	- Obtain written approval before disposing or injecting salt water.
	N
This authorization expires: 9-15-07	- If this permit has expired (See: authorized expiration date) please
This authorization expires: 9-/5-D7 (This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
This authorization expires: 9-15-07	check the box below and return to the address below. Well Not Drilled - Permit Expired
This authorization expires: 9-15-07	check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 -26858-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Nordstedt, L.D. Living Trust	1980 feet from VE / W Line of Section
Well Number: 9-1 Field: Cherokee Basin CBM	Sec. 9 Twp. 27 S. R. 19 ✓ East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 · · · · · · · · · · · · · · · · · · ·	:	EXAMPLE : :
		1980
 · · · · · · · · · · · · · · · · · · ·		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	y Avenue, Sui	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Nordstedt, L.D. Living Trust #9-1		Pit Location (QQQQ):		
Type of Pit: Pit is:				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 27 R. 19 🗸 East 🗌	West
Settling Pit	If Existing, date co	onstructed:	660 Feet from North / 🗸 South Line	of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	1980 Feet from ✓ East / West Line Neosho	
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes ✓] No	Chloride concentration:(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe			l Pits
If the pit is lined give a brief description of the material, thickness and installation procedur		Describe proce liner integrity, in Air Drilling	dures for periodic maintenance and determining REC coulding any special monitoring. ANSAS CORPORATION LAST	DEIVED RATION COMMISSI
material, thickness and installation procedur	е.	Air Drilling	Operation lasting approx 3 days MAR CONSERVAT WICHIE	CEIVED RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
material, thickness and installation procedur Distance to nearest water well within one-mil	e. le of pit	Air Drilling Depth to shallo Source of infor	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh water	RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil	e. le of pitfeet	Depth to shallo Source of informeasu	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh waterfeet. mation: redwell owner electric log	RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY	e. le of pitfeet	Depth to shallo Source of informeasu	Operation lasting approx 3 days MAR CONSERVAT WIGHT WEST fresh water feet. mation: red well owner electric log over and Haul-Off Pits ONLY:	RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil	e. le of pitfeet	Depth to shallo Source of informeasu Drilling, Worke Type of materia	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh waterfeet. mation: redwell ownerelectric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled	RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	e. le of pitfeet	Depth to shallo Source of informeasu Drilling, Worke Type of material Number of work	Operation lasting approx 3 days MAR CONSERVAT WIGHT WEST fresh water feet. mation: red well owner electric log over and Haul-Off Pits ONLY:	RATION COMMISSI 1 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e. le of pitfeet ':	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh waterfeet. mation: redwell owner electric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One	RATION COMMISSI 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	e. le of pit feet :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must it	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh water feet. mation: red well owner electric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover the closed within 365 days of spud date.	RATION COMMISSI 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	e. le of pit feet :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh water feet. mation: red well owner electric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover the closed within 365 days of spud date.	RATION COMMISSI 5 2007 TON DIVISION TA, KS
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state March 14, 2007	e. le of pit feet : Il spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must be correct to the best	Operation lasting approx 3 days MAR CONSERVAT WICH west fresh waterfeet. mation: redwell owner electric log over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover the closed within 365 days of spud date. To finy knowledge and belief.	RATION COMMISSI 5 2007 TON DIVISION TA, KS