Effective Date: 3-21-07 District # 3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	-
Expected Spud Date March 21, 2007 month day year	Spot ✓ East NESW - NW - SE Sec. 1 Twp. 15 S. R. 21 West West
4567	SecTwp. S. R West 1760
OPERATOR: License# 4567 Name: D.E. Exploration, Inc.	2200 feet from VE/W Line of Section
Address: P.O. Box 128	Is SECTION ✓ RegularIrregular?
Address: City/State/Zip: Wellsville, KS 66092	·
Contact Person: Douglas G. Evans	(Note: Locate well on the Section Plat on reverse side) County: Johnson
Phone: (785) 883-4057	Lease Name: Thompson Well #: 1-9
	Field Name: Edgerton Well #:
CONTRACTOR: License# 8509	
Name: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Bartlesville Yes No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 440'
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 250+
Other	Depth to bottom of usable water: 300+
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well ✓ Farm Pond Other
•	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT KANSAS CORPORATION CO
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION MAD 1
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	th drilling rig; to by circulating cement to the top; in all cases surface prior to plugging; to underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 	th drilling rig; CONSERVATION DIVISION TO CONSERVATION DIVISION DIVISIONI DIVISIONI DIVISIONI DIVISIONI DI CONSERVATIONI DI C
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the later than the statements made herein are true and to the best of 	th drilling rig; th by circulating cement to the top; in all cases surface of the plugging; the underlying formation. It is the underlying formation. It is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation in the underlying formation in the underlying formation in the underlying formation is the underlying formation in the underlyi
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the di The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of 	th drilling rig; th by circulating cement to the top; in all cases surface of the plugging; the underlying formation. It is the underlying formation. It is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation is the underlying formation in the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation in the underlying formation is the underlying formation. It is the underlying formation in the underlying formation is the underlying formation in the underlying formation in the underlying formation in the underlying formation is the underlying formation in the underlyi
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15	conservations of the drilling rig; the drilling rig; the prior to the top; in all cases surface of the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091-23153-0000 Conductor pipe required 100 feet per Alt. 100 fe	th drilling rig; th by circulating cement to the top; in all cases surface pipe surface with the underlying formation. In this is the underlying formation in all cases, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In this is the underlying in the underlying i
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPI - 23153 - ODD Conductor pipe required	conservations to be considered to the top; in all cases surface to the top; in all cases and the top; in all cases, alternate in the top; in all cases, which applies to the top; in all cases, alternate in the top; in alternate in the top; in all cases, alternate in the top; in
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-23/53-0000 Conductor pipe required 100 feet per Alt. 100 Approved by: March 3 North 100 Approved by: March 4 North 100 Approved by: March 4 North 100 Approved by: March 4 North 100 Approved by: March	conservations to be considered to the top; in all cases surface to plugging; to be circulating cement to the top; in all cases surface to the construction of the cons
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPI - 23153 - ODD Conductor pipe required	conservations of the drilling rig; the drilling rig; the policulating cement to the top; in all cases surface of the underlying formation. It is the underlying formation in all cases, underlying is completed; It is the underlying formation in all cases, underlying is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: March 16, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OPI - 23153 - ODD Conductor pipe required	conservations of the top; in all cases surface of the plugging; to by circulating cement to the top; in all cases surface of the underlying formation. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23153-000	Location of Well: County: Johnson		
API No. 15 - 077 00/3 S 000 Operator: D.E. Exploration, Inc.	1760	feet from N / ✓ S Line of Section	
Lease: Thompson	2200	feet from F E / W Line of Section	
Well Number: I-9	Sec. 1 Twp. 15	S. R. 21	
Field: Edgerton	Is Section: 🗸 Regular or	r Irregular	
Number of Acres attributable to well:	If Section is irregular, local Section corner used:	te well from nearest corner boundary. NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•		
	· · · · · · · · · · · · · · · · · · ·			
				:
		`		• • • • • • • • •
		.	•	•
		· 		
	· · · ·			. •
			•	• •
		-		
	•	.	•	
		-		
	•		:	•
l .	·	·		-

EXAMPLE	: :
•	•
	1980
	3390
•	•
SEWARD CO	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south \prime north and east \prime west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		·		
Operator Name: D.E. Exploration, Ir	nc.		License Number: 4567	
Operator Address: P.O. Box 128, Wellsville, KS 66092				
Contact Person: Douglas G. Evans		Phone Number: (785) 883 - 4057		
Lease Name & Welf No.: Thompson #I-9		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SW NW SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 15 R. 21	
Settling Pit	If Existing, date constructed:		1760 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	D:		2200 Feet from 📝 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Johnson County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No No	Chloride concentration: mg/i	
		· .	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
			native clay	
Pit dimensions (all but working pits):1		_	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining ncluding any special monitoring.	
			RECEIVED KANSAS CORPORATION COMMISSION MAR 1 6 2007	
Source or inform		1, 10		
			redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation:			over and Haul-Off Pits ONLY: If utilized in drilling/workover: drilling mud	
i i		rang pits to be utilized: 2		
		ł	andonment procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to			e closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
March 16, 2007 Date	k	anna	Manda gnature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 3/16/07 Permit Numb	per:	Permi	Date: 3/16/07 Lease Inspection: Yes Ho	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.